

ASTSCHERE (KOMPAKTMASCHINEN)

DIVERSE ANBAUGERÄTE



GEHL®

Kundenvorteile

Technische Merkmale

MANITOU GROUP ATTACHMENTS

Technische Merkmale		PRC 1500 / 180 R	
Abstand zum Schwerpunkt (mm)			494
Gewicht			
Gewicht (kg)			300
Gewicht und Reifengröße			
Gesamthöhe (mm)	h17		650
Gesamtlänge (mm)	l1		1545
Breite (mm)			1200
Durchmesser Maximum (mm)			150
Arbeitsparameter			
Maschinenausrüstung			

Maschinenkompatibilitäten		PRC 1500 / 180 R	
All-Tach®			52728899
4-Punkt -Aufnahme			52741065
Euro-Aufnahme			52741064
GCT 3-14			X
GCT 3-14 +			X
ULM 412 H			X
ULM 412 H			X
ULM 415 H			X
ULM 415 H			X

TABELLE DER SYMBOLE					
	Keine Vorbereitung erforderlich		Hydraulikleitung		Rückführleitung zum Hydrauliköltank
	Elektrischer Anschluss		Arbeitsbühnen-Vorbereitung		Vorbereitung für Reifenklammer, Zylinderklammer



GEHL®

Siège Social

P.O. Box 179 - One Gehl Way - West Bend, WI, USA 53095

Tel: (262) 334-9461 - Fax: (262) 338-7517

www.gehl.com



This brochure describes versions and configuration options for Gehl products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Gehl reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Gehl dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Gehl and may not be used without authorization. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU EQUIPMENT AMERICAS, LLC - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS West Bend