




GEHL®







Vantaggi per i clienti


Specifiche tecniche

Specifiche tecniche		PRC 1500 / 180 R	
Distanza dal centro di gravità (mm)		494	
Weight			
Peso (kg)		300	
Peso e dimensioni			
Altezza (mm)	h17	650	
Lunghezza totale (mm)	l1	1545	
Larghezza (mm)		1200	
Diametro massimo (mm)		150	
Parametri di funzionamento			
Equipaggiamento macchina			

Compatibilità della macchina		PRC 1500 / 180 R	
All-Tach®		52728899	
Attacco 4 punti		52741065	
Attacco Euro		52741064	
GCT 3-14		X	
GCT 3-14 +		X	
ULM 412 H		X	
ULM 412 H		X	
ULM 415 H		X	
ULM 415 H		X	

TABELLA DEI SIMBOLI

	Nessuna predisposizione richiesta		Linea idraulica		Ritorno idraulico al serbatoio
	Predisposizione elettrica		Predisposizione piattaforma		Predisposizione per la movimentazione dei pneumatici, dei cilindri



GEHL®

Siège Social
P.O. Box 179 - One Gehl Way - West Bend, WI, USA 53095
Tel: (262) 334-9461 - Fax: (262) 338-7517
www.gehl.com



This brochure describes versions and configuration options for Gehl products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Gehl reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Gehl dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Gehl and may not be used without authorization. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU EQUIPMENT AMERICAS, LLC - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS West Bend