

**SNOESCHAAR (COMPACTE
MACHINES)**

DIVERSE VOORZETSTUKKEN




GEHL®







Voordelen voor de klant

Technische kenmerken

MANITOU GROUP ATTACHMENTS

Technische kenmerken		PRC 1500 / 180 R	
Afstand tot zwaartepunt (mm)			494
Gewicht			
Gewicht (kg)			300
Gewicht en afmetingen			
Totale hoogte (mm)	h17		650
Totale lengte (mm)	l1		1545
Breedte (mm)			1200
Diameter maximum (mm)			150
Operationele parameters			
Machine-apparatuur			

Machine compatibiliteit		PRC 1500 / 180 R	
All-Tach®			52728899
4 point Carriage			52741065
Euro Carriage			52741064
GCT 3-14			X
GCT 3-14 +			X
ULM 412 H			X
ULM 412 H			X
ULM 415 H			X
ULM 415 H			X

TABEL VAN SYMBOLEN					
	Geen aanleg vereist		Hydraulische leiding		Hydraulische retour naar tank
	Elektrische voorbereiding		Voorpositionering platform		Voorpositionering bandenlichter, cilinderlichter



GEHL®

Siège Social
P.O. Box 179 - One Gehl Way - West Bend, WI, USA 53095
Tel: (262) 334-9461 - Fax: (262) 338-7517
www.gehl.com



This brochure describes versions and configuration options for Gehl products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Gehl reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Gehl dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Gehl and may not be used without authorization. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU EQUIPMENT AMERICAS, LLC - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS West Bend