2-HOOK JIB



- Robust solution for handling suspended loads.
- Jib fitted with 2 hooks to meet various needs of building sites.
- Adaptability for all yard handling applications

- 2 capacity / outreach couples.
- Safety: homologated swivel self locking hook.

[The 3D picture at the top of this page is the reference P 4000 - 921321].



		2-HOOK JIB
	P 4000	P 6000
	785	950
	4000	6000
	1200	2000
	210	282
	708	808
	2708	2708
l1	2838	2838
	830	830
	×	X
	P 4000	P 6000
	653226	
	Х	
	Х	
	x	
	X	
	X	
	Х	
	X	
	X	·
	X	
	X	·
	X	-
	X	·
	Х	,
	Х	•
	X	
	X	
	X	+
	Х	·
	X	+
	Х	·
		X
	•	Х
		X X
	•	Х
		X X
	- - X X	x x x -
	- - X X	X X X - -
	- - - X X X	x x x - - -
	- - - X X X X	X X X
	- - - X X X X X	X X X
		X X X
		X X X
		X X X
		X X X X
		X X X X
		X X X X
		X X X X
		X X X X
		X X X
		X X X X
		X X X X
		X X X X
		X X X X
		X X X X
		X X X X
		X X X X
		X X X X
		X X X X
		X X X X
		X X X X
		X X X X
		X X X X
		X X X X
		X X X X
		X X X X
		X X X X
		X X X X
		X X X X
		X X X X
		X X X X

2-HOOK JIB

	1 1100K 31B
P 4000	P 6000
Х	Х
Х	
Х	
X	
Х	
Х	
X	
X	
Х	
Х	
Х	·
Х	
Х	
X	
Х	
X	
Х	
Х	
Х	
Х	
Х	
Х	

X	导导	
		E S





