## **CONCRETE SKIP**



- Skip adapted to the needs of construction professionals.
- Compact attachment allowing work in window openings.
- Multi-purpose, for concrete and mortar.
- Optional: hydraulic opening for a controlled unloading ("H").
- Optional: flexible tube ("G") (1m, ø200 mm) for excellent accuracy.
- 500 L capacity.
- Carriage mounted (front position) or fork mounted (front and side unloading).
- Fork sleeves: 170 x 75mm.
- Safety: attachment equipped with a fork lock system.
- Well-protected components.
- BBHG 500 MRT: equipped with a counterbalance valve.



					RETE SKIP	
	BB 500	BB 500 MRT	BBG 500	BBH 500	BBHG 500	BBHG 500 MRT
	\/	\/	\/	0.0	0.0	0.0
	$\times$	$\times$	$\times$	<b>8</b> 8	88	<b>春</b> 春
	DD 500	DD 500 MDT	DD0 500	DD11 500	PP.U0. F00	DOUG FOO MOT
	BB 500 52000637	BB 500 MRT -	BBG 500 52000639	BBH 500 52000638	BBHG 500	BBHG 500 MRT -
	52000637	•	52000639	52000638	52000640	-
_						
		52000642	-	-		52000643
		32000042				32000043

## CONCRETE SKIP

			CONCRETE SKIP		
BB 500	BB 500 MRT	BBG 500	BBH 500	BBHG 500	BBHG 500 MRT

X	88		





