

# HEAVY DUTY HYDRAULIC WINCH









---








- 
- Turns your telehandler into a crane.
  - Extremely fast implementation on the MANITOU carriage.
  - Easy steering from the cab or with the machine's remote control (optional).
  - Fast and accurate movements.
  - Hydraulic motor+ end of cable automatic movement stop.
  - Oil immersed negative break.
  - Double or quadruple line pull (according to type).
  - Homologated swivel self locking hook.
  - Winch storage stand with sleeves for fork handling.
  - Note: dimensions below are given for winch placed on its stands.

[The 3D picture at the top of this page is the reference Winch 23T - 939329].

**HEAVY DUTY HYDRAULIC WINCH**

		434	434	423	423	387	434	423	423
	h21	13000	13000	14000	14000	14000	14000	14000	14000
		13500	16000	20000	25000	9000	13000	18000	23000
		1185	1185	1450	1450	850	1185	1630	1550
		682	682	722	722	532	682	722	722
	h17	2328	2328	2623	2623	2259	2328	2623	2623
	l1	1200	1200	1200	1200	1200	1200	1200	1200
		2	2	2	2	1	2	2	2
		1250	1250	1250	1250	1250	1250	1250	1250
	p5	975	975	1044	1044	975	975	1044	1044
		60000	60000	60000	60000	30000	60000	60000	60000
									
		-	-	-	-	22.50	15	12	12

		-	-	-	-	X	-	-	-
		-	-	-	-	X	-	-	-
		X	-	-	-	-	-	-	-
		-	X	-	-	-	-	-	-
		-	-	X	-	-	-	-	-
		-	-	-	X	-	-	-	-
		-	-	-	X	-	-	-	X
		-	-	-	-	X	-	-	X
		-	-	-	-	-	X	-	-
		-	-	-	-	-	-	X	-
		-	-	-	-	-	-	-	X
		-	-	-	-	X	-	-	-
		-	-	-	-	X	-	-	-



 **MANITOU**  
HANDLING YOUR WORLD

