





# TYRE HANDLER


















- Tyre changes made fast & safe.
- Significant improvement in tyre changing operations.
- No compromise with safety.
- As mobile as a human wrist.
- Wide range of diametres & capacities to suit all dump truck.
- Available on a wide range of machines.
- Safe solution for tyre removal in mining environments.
- Complex hydraulic movements: body rotation, pad rotation, side shift+ machine tilt & telescope extension.
- Safety: anti-fall arms.
- Telescopic (TH 49) or parallelogram kinematics (all other clamps).
- Controlled from the cab or with a remote control.
- Safety: each movement activated by 2 operator actions (button + joystick).
- TH 49/ 2500: 1 left pad active, right pad passive.

[The 3D picture at the top of this page is the reference TH 49 / 2500 - 914600].

**TYRE HANDLER**

		TH 49 / 2500	TH 51 / 3500	TH 57 / 6000**	TH 63 / 12000**
		618	993	1135	1225
		2500	3500	6000	12000
		1500	3300	4300	5260
		1903	2610	2991	3837
	h17	1050	1229	1229	1229
	l1	2208	2990	3371	3752
		1951	2392	2500	3224
	p5	1214	2251	2683	2333
		1200 / 3100	1200 / 3400	1300 / 3800	600 / 4200
					
		20	35	172	172
		120	120	360	360
		200	150	300	300
		1146	1128	1218	549
		3146	3416	3831	4286

	TH 49 / 2500	TH 51 / 3500	TH 57 / 6000**	TH 63 / 12000**
	914600	884898	-	-
	X	-	-	-
	X	-	-	-
	X	-	-	-
	X	-	-	-
	X	-	-	-
	914600	911969	939237	939331
	X	X	-	-
	X	X	-	-
	-	X	X	-
	-	X	X	-
	-	-	X	X
	-	-	X	X
	-	X	X	X
	X	X	-	-
	-	X	X	-
	-	X	X	-
	-	-	X	X
	-	-	X	X
	-	-	X	X
	-	X	X	X
	X	X	-	-
	-	X	X	-
	-	-	X	X
	-	-	X	X
	X	X	-	-
	X	X	-	-
	X	-	-	-
	X	-	-	-
	X	-	-	-
	X	-	-	-



 **MANITOU**  
HANDLING YOUR WORLD

