

技術シート：

HIGH CAPACITY AGRICULTURAL BUCKET



諸元

- Bulk product bucket suitable for handling materials with a density $\leq 1000 \text{ kg/m}^3 / 62 \text{ lb/ft}^3$.
- Reinforced structure (base, blade and sides).

[The 3D picture at the top of this page is the reference CBA 2700 / 4500 LDR - 52000508].

お客様のメリット

- Ideal bucket for bulk products (cereals, woodchip, mineral feed etc.)
- Modern design with maximal rigidity and resistance.
- Shape designed with 3° angle for quick loading and unloading operation.
- 500HB bolt-on cutting edge (LDR) for more longevity.

| 諸元 | | CBA 2500 / 4000 LDR | CBA 2700 / 4500 LDR |
|----------------------|-----|---------------------|---------------------|
| 重心位置までの距離 (mm) | | 621 | 595 |
| キャパシティー | | | |
| 諸元 (kg) | | 3205 | 3640 |
| ドーム容量 (l) | | 4007 | 4550 |
| 打撃能力 (l) | | 3195 | 3617 |
| 重量 | | | |
| 重量 (kg) | | 1310 | 1400 |
| 仕様 | | | |
| 全高 (mm) | h17 | 1617 | 1677 |
| 全長 (mm) | l1 | 1896 | 1896 |
| 幅 (mm) | | 2500 | 2700 |
| 深さ (mm) | p5 | 1700 | 1700 |
| ワーキング パラメーター | | | |
| 機械設備 | | × | × |
| アタッチメント用他 データ | | | |
| ウェアプレートハーネス | | 500 | 500 |

| マシンの互換性 | CBA 2500 / 4000 LDR | CBA 2700 / 4500 LDR |
|------------------------------|---------------------|---------------------|
| 参照番号 ボルト締めウェアプレート LDR | 52603178 | 52000508 |
| MLT 850-145 V+ | X | X |
| MLT 961-160 V+ L | X | X |
| MLFX 850-145 V+ | X | X |
| MLFX 961-160 V+ L | X | X |
| MLT 961-145 V+ L OLD | X | X |
| MLFX 961-145 V+ L OLD | X | X |

| 記号の表 | | | | | |
|---|--------|---|------------|---|---------------------|
|  | 前処理が不要 |  | 油圧ライン |  | タンクへの油圧リターン |
|  | 電気要素 |  | プラットフォーム要素 |  | タイヤクランプ、シリンダークランプ要素 |



本社ビル

B.P. 249 - 430 rue de l'Aubinière オービニエール通り
44150 Ancenis Cedex - France

電話 +33 (0)2 40 09 10 11 - ファックス +33 (0)2 40 09 10 97

www.manitou.com



本書では、マニトウ製品の構成バージョンやオプションについて説明していますが、機器によって異なる場合があります。このパンフレットで紹介されている機器は、バージョンによってシリーズの一部であったり、オプションであったり、あるいは利用できない場合があります。Manitouは、いつでも予告なしに、記載・表現されている仕様を変更する権利を有します。提供された仕様はメーカーを拘束するものではありません。詳細につきましては、マニトウの代理店にお問い合わせください。本資料は、契約上の拘束力を有するものではありません。製品の提示は、契約上の拘束力はありません。仕様のリストは無尽蔵です。ロゴおよび会社のビジュアル・アイデンティティはManitouが所有しており、許可なく使用することはできません。すべての権利はマニトウに帰属します。このパンフレットに掲載されている写真や図は、相談や情報提供を目的としています。

MANITOU BF SA - 取締役会を有する有限会社・株式資本。39 668 399 ユーロ - 857 802 508 RCS Nantes