




**GEHL**[®]**Bénéfices client**

- Mèche pour tarière sol terreux - AB Earth 150/1000 - ref 52773069
- Mèche pour tarière sol mixte - AB Mixed 150/1000 - ref 52773070
- Mèche pour tarière sol mixte - AB Mixed 250/1000 - ref 52753012
- Mèche pour tarière sol rocheux et asphalte - AB Rocky 150/1000 - ref 52773084
- Accessoire idéal pour creuser des trous et installer une barrière, des poteaux de clôture, ou planter des arbres.







Caractéristiques techniques

- Tarière à entraînement planétaire.
- Carter moteur boulonné.
- Embout hexagonal et verrouillage de la mèche avec goupille.
- Support de tarière.
- Plusieurs diamètres et types de mèches pour répondre au mieux à vos besoins (sol terreux, mixte, rocheux et asphalte).
- Plusieurs extensions de mèche de tarière (500 mm / 20 in ou 1000 mm / 39 in) disponibles pour accroître la profondeur de forage.
- Débit hydraulique min/max = 25-70 l/min / 7-18 gpm.
- Diamètre max de la mèche = 600 mm / 24 in.
- Les mèches de tarière sont vendues séparément.

MANITOU
GROUP ATTACHMENTS

Poids	A 110 H 4P	A 110 H	A 110 H EU
Poids (kg)	110	110	110
Poids et dimensions			
Largeur (mm)	-	352	-
Paramètres de travail			
Équipement Machine			

Compatibilité machine	A 110 H 4P	A 110 H	A 110 H EU
All-Tach®	-	52728005	-
Tablier 4 points	52741078	52741078	-
Tablier Euro	-	52741077	52741077
AL420	-	X	-
AL430	-	X	-
AL530	-	X	-
GCT 3-14	-	X	-
GCT 3-14	-	X	-
GCT 3-14 +	-	X	-
GCT 3-14+	-	X	-
MLA 4-50 H	-	X	-
MLA 4-50 H-C	-	X	-
MLA 5-50 H	-	X	-
ULM 412 H	-	X	-
ULM 412 H	-	X	-
ULM 415 H	-	X	-
ULM 415 H	-	X	-
MLA 4-50 H OLD	-	X	-

TABLEAU DES SYMBOLES					
	Aucune prédisposition requise		Ligne hydraulique en tête de flèche		Retour hydraulique au réservoir
	Prédisposition électrique		Prédisposition nacelle		Prédisposition pinces à pneus, pinces à vérins



GEHL®

Siège Social

P.O. Box 179 - One Gehl Way - West Bend, WI, USA 53095

Tel: (262) 334-9461 - Fax: (262) 338-7517

www.gehl.com



This brochure describes versions and configuration options for Gehl products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Gehl reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Gehl dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Gehl and may not be used without authorization. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU EQUIPMENT AMERICAS, LLC - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS West Bend