



# GEHL®

## Voordelen voor de klant

- Om te vegen en op te vegen in één werkgang.
- Op basis van een bak: het snijeffect kan worden gebruikt om gewikkelde materialen te verwijderen.




## Technische kenmerken

- Robuuste bouw en componenten deftig beschermd : bezemsecties in polypropyleen.







[De 3D-foto bovenaan deze pagina is to odniesienie SCB 1525 - 52715996].

**MANITOU GROUP ATTACHMENTS**



Gewicht		SCB 1850 (b)	SCB 2080	SCB 2140
Gewicht (kg)		460	525	610
Gewicht en afmetingen				
Totale hoogte (mm)	h17	690	690	690
Breedte (mm)		2103	2330	2393
Diepte (mm)	p5	1308	1308	1308
Operationele parameters				
Machine-apparatuur				
Working width - angled (mm)		1850	2080	2140

Machine compatibiliteit	SCB 1850 (b)	SCB 2080	SCB 2140
All-Tach® Narrow	-	-	-
All-Tach®	N51502050	N700266	N51502051
4 point Carriage	-	-	-
Euro Carriage	-	-	-
1850RT	X	-	-
2150RT	X	-	X
2600R	-	X	-
2700V NXT2	-	X	-
3300V NXT2	-	X	-
4200V	-	X	-
R260	-	X	-
RT185	X	-	-
RT215	X	-	X
V330 GEN:2	-	X	-
V330 GEN:2	-	X	-
V270 <b>OLD</b>	-	X	-

TABEL VAN SYMBOLEN					
	Geen aanleg vereist		Hydraulische leiding		Hydraulische retour naar tank
	Elektrische voorbereiding		Voorpositionering platform		Voorpositionering bandenlichter, cilinderlichter



# GEHL®

Siège Social  
P.O. Box 179 - One Gehl Way - West Bend, WI, USA 53095  
Tel: (262) 334-9461 - Fax: (262) 338-7517  
[www.gehl.com](http://www.gehl.com)



This brochure describes versions and configuration options for Gehl products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Gehl reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Gehl dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Gehl and may not be used without authorization. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU EQUIPMENT AMERICAS, LLC - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS West Bend