

Technical sheet :

# ***BROOM BUCKET (COMPACT MACHINES)***

---



## **Customer benefits**

- Sweeps and picks-up in one operation.
- Based on a bucket: cutting edge can be used to scrap packed material.

## **Technical characteristics**

- Strong construction with well-protected components : polypropylene broom sections

[The 3D picture at the top of this page is the reference SCB 1525 - 52715996].

**MANITOU GROUP ATTACHMENTS**

| Weight                      |     | SCB 1120 (a)                                                                      | SCB 1120 (b)                                                                      | SCB 1370                                                                          | SCB 1380                                                                          | SCB 1525 (a)                                                                      | SCB 1525 (b)                                                                        | SCB 1525 (c)                                                                        | SCB 1680 (a)                                                                        | SCB 1680 (b)                                                                        | SCB 1850 (a)                                                                        |
|-----------------------------|-----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Overall weight (kg)         |     | 220                                                                               | 235                                                                               | 310                                                                               | 310                                                                               | 346                                                                               | 346                                                                                 | 374                                                                                 | 430                                                                                 | 430                                                                                 | 460                                                                                 |
| Weight and dimensions       |     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Overall height (mm)         | h17 | 652                                                                               | 652                                                                               | 652                                                                               | 652                                                                               | 652                                                                               | 652                                                                                 | 637                                                                                 | 690                                                                                 | 690                                                                                 | 690                                                                                 |
| Width (mm)                  |     | 1376                                                                              | 1376                                                                              | 1631                                                                              | 1631                                                                              | 1776                                                                              | 1786                                                                                | 1737                                                                                | 1933                                                                                | 1933                                                                                | 2100                                                                                |
| Depth (mm)                  | p5  | 1148                                                                              | 1198                                                                              | 1222                                                                              | 1222                                                                              | 1222                                                                              | 1222                                                                                | 1325                                                                                | 1308                                                                                | 1308                                                                                | 1313                                                                                |
| Working Parameters          |     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Machine Equipment           |     |  |  |  |  |  |  |  |  |  |  |
| Working width - angled (mm) |     | 1120                                                                              | 1120                                                                              | 1370                                                                              | 1380                                                                              | 1525                                                                              | 1525                                                                                | 1525                                                                                | 1680                                                                                | 1680                                                                                | 1850                                                                                |

| Machines compatibility | SCB 1120 (a) | SCB 1120 (b) | SCB 1370 | SCB 1380 | SCB 1525 (a) | SCB 1525 (b) | SCB 1525 (c) | SCB 1680 (a) | SCB 1680 (b) | SCB 1850 (a) |
|------------------------|--------------|--------------|----------|----------|--------------|--------------|--------------|--------------|--------------|--------------|
| All-Tach® Narrow       | N004035      | -            | -        | N004037  | -            | -            | -            | -            | -            | -            |
| All-Tach®              | -            | N726029      | N736038  | -        | N004038      | N736039      | 52715996     | N747032      | N51502049    | N757045      |
| 4 point Carriage       | -            | -            | -        | -        | -            | -            | 52741071     | -            | -            | -            |
| Euro Carriage          | -            | -            | -        | -        | -            | -            | 52741070     | -            | -            | -            |
| 1050R                  | -            | -            | X        | -        | -            | X            | -            | -            | -            | -            |
| 1050RT                 | -            | -            | X        | -        | -            | X            | -            | -            | -            | -            |
| 1350R NXT2             | -            | -            | X        | -        | -            | X            | -            | -            | -            | -            |
| 1350RT                 | -            | -            | X        | -        | X            | X            | -            | -            | -            | -            |
| 1640 E                 | -            | X            | -        | -        | -            | -            | -            | -            | -            | -            |
| 1650R                  | -            | -            | -        | -        | -            | -            | -            | X            | -            | -            |
| 1650RT                 | -            | -            | -        | -        | -            | -            | -            | X            | -            | -            |
| 1850RT                 | -            | -            | -        | -        | -            | -            | -            | -            | X            | -            |
| 1900R                  | -            | -            | -        | -        | -            | -            | -            | X            | -            | -            |
| 1950RT                 | -            | -            | -        | -        | -            | -            | -            | X            | -            | -            |
| 1950RT                 | -            | -            | -        | -        | -            | -            | -            | X            | -            | -            |
| 1950RT                 | -            | -            | -        | -        | -            | -            | -            | X            | -            | -            |
| 1950RT                 | -            | -            | -        | -        | -            | -            | -            | X            | -            | -            |
| 2200R                  | -            | -            | -        | -        | -            | -            | -            | -            | -            | X            |
| 2600R                  | -            | -            | -        | -        | -            | -            | -            | -            | -            | X            |
| 2700V NXT2             | -            | -            | -        | -        | -            | -            | -            | -            | -            | X            |
| 3300V NXT2             | -            | -            | -        | -        | -            | -            | -            | -            | -            | X            |
| 4200V                  | -            | -            | -        | -        | -            | -            | -            | -            | -            | X            |
| AL230                  | X            | X            | -        | -        | -            | -            | -            | -            | -            | -            |
| AL320                  | X            | X            | -        | X        | -            | -            | -            | -            | -            | -            |
| AL330                  | X            | X            | -        | X        | -            | -            | -            | -            | -            | -            |
| AL420                  | -            | -            | -        | X        | X            | -            | -            | -            | -            | -            |
| AL430                  | -            | -            | -        | X        | X            | -            | -            | -            | -            | -            |
| AL530                  | -            | -            | -        | -        | X            | X            | -            | -            | -            | -            |
| GCT 3-14               | -            | -            | -        | -        | -            | -            | X            | -            | -            | -            |
| GCT 3-14 +             | -            | -            | -        | -        | -            | -            | X            | -            | -            | -            |
| MLA 2-25 H             | X            | X            | -        | -        | -            | -            | -            | -            | -            | -            |
| MLA 3-25 H             | X            | X            | -        | X        | -            | -            | -            | -            | -            | -            |
| MLA 3-25 H-C           | X            | X            | -        | X        | -            | -            | -            | -            | -            | -            |
| MLA 4-50 H             | -            | -            | -        | X        | X            | -            | -            | -            | -            | -            |
| MLA 4-50 H-C           | -            | -            | -        | X        | X            | -            | -            | -            | -            | -            |
| MLA 5-50 H             | -            | -            | -        | -        | X            | X            | -            | -            | -            | -            |
| R165                   | -            | -            | -        | -        | -            | -            | -            | X            | -            | -            |
| R220                   | -            | -            | -        | -        | -            | -            | -            | -            | -            | X            |
| R260                   | -            | -            | -        | -        | -            | -            | -            | -            | -            | X            |
| RT105                  | -            | -            | X        | -        | -            | X            | -            | -            | -            | -            |
| RT135                  | -            | -            | X        | -        | X            | X            | -            | -            | -            | -            |
| RT165                  | -            | -            | -        | -        | -            | -            | -            | X            | -            | -            |
| RT185                  | -            | -            | -        | -        | -            | -            | -            | -            | X            | -            |
| RT195                  | -            | -            | -        | -        | -            | -            | -            | X            | -            | -            |
| RT195                  | -            | -            | -        | -        | -            | -            | -            | X            | -            | -            |
| RT195                  | -            | -            | -        | -        | -            | -            | -            | X            | -            | -            |
| ULM 412 H              | -            | -            | -        | -        | -            | -            | X            | -            | -            | -            |
| ULM 412 H              | -            | -            | -        | -        | -            | -            | X            | -            | -            | -            |
| ULM 415 H              | -            | -            | -        | -        | -            | -            | X            | -            | -            | -            |
| ULM 415 H              | -            | -            | -        | -        | -            | -            | X            | -            | -            | -            |
| V330 GEN:2             | -            | -            | -        | -        | -            | -            | -            | -            | -            | X            |
| V330 GEN:2             | -            | -            | -        | -        | -            | -            | -            | -            | -            | X            |
| AL140 <b>OLD</b>       | X            | X            | -        | -        | -            | -            | -            | -            | -            | -            |
| AL340 <b>OLD</b>       | -            | -            | -        | X        | -            | -            | -            | -            | -            | -            |
| AL440 <b>OLD</b>       | -            | -            | -        | -        | X            | -            | -            | -            | -            | -            |
| MLA 1-25 H <b>OLD</b>  | X            | -            | -        | -        | -            | -            | -            | -            | -            | -            |
| MLA 3-35 H <b>OLD</b>  | -            | -            | -        | X        | -            | -            | -            | -            | -            | -            |
| MLA 4-50 H <b>OLD</b>  | -            | -            | -        | X        | X            | X            | -            | -            | -            | -            |

| Weight                      |     | SCB 1850 (b)                                                                      | SCB 2080                                                                          | SCB 2140                                                                          |
|-----------------------------|-----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| Overall weight (kg)         |     | 460                                                                               | 525                                                                               | 610                                                                               |
| Weight and dimensions       |     |                                                                                   |                                                                                   |                                                                                   |
| Overall height (mm)         | h17 | 690                                                                               | 690                                                                               | 690                                                                               |
| Width (mm)                  |     | 2103                                                                              | 2330                                                                              | 2393                                                                              |
| Depth (mm)                  | p5  | 1308                                                                              | 1308                                                                              | 1308                                                                              |
| Working Parameters          |     |                                                                                   |                                                                                   |                                                                                   |
| Machine Equipment           |     |  |  |  |
| Working width - angled (mm) |     | 1850                                                                              | 2080                                                                              | 2140                                                                              |

| Machines compatibility | SCB 1850 (b) | SCB 2080 | SCB 2140  |
|------------------------|--------------|----------|-----------|
| All-Tach® Narrow       | -            | -        | -         |
| All-Tach®              | N51502050    | N700266  | N51502051 |
| 4 point Carriage       | -            | -        | -         |
| Euro Carriage          | -            | -        | -         |
| 1850RT                 | X            | -        | -         |
| 2150RT                 | X            | -        | X         |
| 2600R                  | -            | X        | -         |
| 2700V NXT2             | -            | X        | -         |
| 3300V NXT2             | -            | X        | -         |
| 4200V                  | -            | X        | -         |
| R260                   | -            | X        | -         |
| RT185                  | X            | -        | -         |
| RT215                  | X            | -        | X         |
| V330 GEN:2             | -            | X        | -         |
| V330 GEN:2             | -            | X        | -         |

| TABLE SYMBOL                                                                      |                            |                                                                                   |                         |                                                                                     |                                               |
|-----------------------------------------------------------------------------------|----------------------------|-----------------------------------------------------------------------------------|-------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------|
|  | No predisposition required |  | Hydraulic line          |  | Return piping to hydraulic oil tank           |
|  | Electric predisposition    |  | Platform predisposition |  | Tyre handler, cylinder handler predisposition |



**Head Office**

B.P. 249 - 430 rue de l'Aubinière

44150 Ancenis Cedex - France

Tel: +33 (0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97

[www.manitou.com](http://www.manitou.com)



This publication provides a description of the configuration versions and options for Manitou products, which may differ for equipment. The equipment presented in this brochure may be part of a series, as an option, or it may not be available, depending on the versions. Manitou reserves the right, at any time and without notice, to amend the specifications described and represented. The specifications provided do not bind the manufacturer. For more details, please contact your Manitou agent. This is not a contractually binding document. The presentation of the products is not contractually binding. List of specifications non-exhaustive. The logos as well as the visual identity of the company are owned by Manitou and cannot be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are only provided for consultation and information purposes.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS Nantes