

Technical sheet :

# **BUCKET 4 IN 1 WITH TEETH (COMPACT MACHINES)**

---



## **Customer benefits**

- Designed for all construction applications.
- Versatile use: handles bulk material, pushes, grabs etc.

## **Technical characteristics**

- HD bolted teeth for more digging efficiency.
- Wear blades and reinforcements in 400 HB steel for more resistance.

**MANITOU** GROUP **ATTACHMENTS**

| Capacities            |     | B4x1 920 / 170 T (a)                                                              | B4x1 1080 / 210 T                                                                 | B4x1 1380 / 270 T                                                                 | B4x1 1380 / 300 T                                                                 | B4x1 1520 / 330 T                                                                 | B4x1 1525 / 360 T | B4x1 1550 / 340 T                                                                  | B4x1 1650 / 610 T                                                                   | B4x1 1680 / 370 T                                                                   | B4x1 1680 / 430 T                                                                   |
|-----------------------|-----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Heaped capacity (l)   |     | 170                                                                               | 210                                                                               | 270                                                                               | 300                                                                               | 330                                                                               | 360               | 340                                                                                | 610                                                                                 | 370                                                                                 | 430                                                                                 |
| Weight                |     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| Overall weight (kg)   |     | 175                                                                               | 180                                                                               | 219                                                                               | 250                                                                               | 253                                                                               | 287               | 260                                                                                | 482                                                                                 | 328                                                                                 | 350                                                                                 |
| Weight and dimensions |     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| Overall height (mm)   | h17 | 713                                                                               | 713                                                                               | 713                                                                               | 721                                                                               | 721                                                                               | 721               | 721                                                                                | 863                                                                                 | 721                                                                                 | 767                                                                                 |
| Width (mm)            |     | 920                                                                               | 1080                                                                              | 1380                                                                              | 1380                                                                              | 1520                                                                              | 1525              | 1550                                                                               | 1650                                                                                | 1680                                                                                | 1680                                                                                |
| Depth (mm)            | p5  | 870                                                                               | 671                                                                               | 870                                                                               | 730                                                                               | 730                                                                               | 830               | 730                                                                                | 933                                                                                 | 730                                                                                 | 786                                                                                 |
| Working Parameters    |     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| Machine Equipment     |     |  |  |  |  |  | -                 |  |  |  |  |
| Hydraulic system      |     | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | Yes               | -                                                                                  | -                                                                                   | -                                                                                   | -                                                                                   |
| Teeth                 |     | 5                                                                                 | 6                                                                                 | 7                                                                                 | 7                                                                                 | 7                                                                                 | 7                 | 7                                                                                  | 8                                                                                   | 8                                                                                   | 8                                                                                   |

| Machines compatibility      | B4x1 920 / 170 T (a) | B4x1 1080 / 210 T | B4x1 1380 / 270 T | B4x1 1380 / 300 T | B4x1 1520 / 330 T | B4x1 1525 / 360 T | B4x1 1550 / 340 T | B4x1 1650 / 610 T | B4x1 1680 / 370 T | B4x1 1680 / 430 T |
|-----------------------------|----------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| All-Tach® Narrow            | N004068              | -                 | N004070           | -                 | -                 | -                 | -                 | -                 | -                 | -                 |
| All-Tach®                   | N726015              | N726017           | -                 | N736020           | N736021           | N004071           | N736068           | N51502525         | N747019           | N51502045         |
| 4 point Carriage            | N51502392            | -                 | N51502394         | -                 | -                 | N003095           | -                 | N51502590         | -                 | -                 |
| Euro Carriage               | -                    | -                 | N51502137         | -                 | -                 | N51502170         | -                 | N51502549         | -                 | -                 |
| 1050R                       | -                    | -                 | -                 | X                 | -                 | -                 | -                 | -                 | -                 | -                 |
| 1050RT                      | -                    | -                 | -                 | X                 | -                 | -                 | -                 | -                 | -                 | -                 |
| 1350R NXT2                  | -                    | -                 | -                 | X                 | X                 | -                 | X                 | -                 | -                 | -                 |
| 1350RT                      | -                    | -                 | -                 | X                 | X                 | -                 | X                 | -                 | -                 | -                 |
| 1640 E                      | X                    | X                 | -                 | -                 | -                 | -                 | -                 | -                 | -                 | -                 |
| 1650R                       | -                    | -                 | -                 | -                 | -                 | -                 | -                 | -                 | X                 | -                 |
| 1650RT                      | -                    | -                 | -                 | -                 | -                 | -                 | X                 | -                 | X                 | -                 |
| 1850RT                      | -                    | -                 | -                 | -                 | -                 | -                 | -                 | -                 | -                 | X                 |
| 1900R                       | -                    | -                 | -                 | -                 | -                 | -                 | -                 | -                 | X                 | -                 |
| 1950RT                      | -                    | -                 | -                 | -                 | -                 | -                 | X                 | -                 | X                 | -                 |
| 1950RT                      | -                    | -                 | -                 | -                 | -                 | -                 | X                 | -                 | X                 | -                 |
| 1950RT                      | -                    | -                 | -                 | -                 | -                 | -                 | X                 | -                 | X                 | -                 |
| 1950RT                      | -                    | -                 | -                 | -                 | -                 | -                 | X                 | -                 | X                 | -                 |
| 2100V                       | -                    | -                 | -                 | -                 | -                 | -                 | -                 | -                 | X                 | -                 |
| 2100VT                      | -                    | -                 | -                 | -                 | -                 | -                 | -                 | -                 | -                 | X                 |
| AL230                       | -                    | -                 | X                 | -                 | -                 | -                 | -                 | -                 | -                 | -                 |
| AL320                       | -                    | -                 | X                 | -                 | -                 | -                 | -                 | -                 | -                 | -                 |
| AL330                       | -                    | -                 | X                 | -                 | -                 | -                 | -                 | -                 | -                 | -                 |
| AL420                       | -                    | -                 | X                 | -                 | -                 | -                 | -                 | -                 | -                 | -                 |
| AL430                       | -                    | -                 | X                 | -                 | -                 | -                 | -                 | -                 | -                 | -                 |
| AL650                       | -                    | -                 | -                 | -                 | -                 | -                 | -                 | X                 | -                 | -                 |
| AL750                       | -                    | -                 | -                 | -                 | -                 | -                 | -                 | X                 | -                 | -                 |
| MLA 2-25 H                  | -                    | -                 | X                 | -                 | -                 | -                 | -                 | -                 | -                 | -                 |
| MLA 3-25 H                  | -                    | -                 | X                 | -                 | -                 | -                 | -                 | -                 | -                 | -                 |
| MLA 3-25 H-C                | -                    | -                 | X                 | -                 | -                 | -                 | -                 | -                 | -                 | -                 |
| MLA 4-50 H                  | -                    | -                 | X                 | -                 | -                 | -                 | -                 | -                 | -                 | -                 |
| MLA 4-50 H-C                | -                    | -                 | X                 | -                 | -                 | -                 | -                 | -                 | -                 | -                 |
| MLA 6-65 H-Z                | -                    | -                 | -                 | -                 | -                 | -                 | -                 | X                 | -                 | -                 |
| R165                        | -                    | -                 | -                 | -                 | -                 | -                 | -                 | -                 | X                 | -                 |
| RT105                       | -                    | -                 | -                 | X                 | -                 | -                 | -                 | -                 | -                 | -                 |
| RT135                       | -                    | -                 | -                 | X                 | X                 | -                 | X                 | -                 | -                 | -                 |
| RT165                       | -                    | -                 | -                 | -                 | -                 | -                 | X                 | -                 | X                 | -                 |
| RT185                       | -                    | -                 | -                 | -                 | -                 | -                 | -                 | -                 | -                 | X                 |
| RT195                       | -                    | -                 | -                 | -                 | -                 | -                 | X                 | -                 | X                 | -                 |
| RT195                       | -                    | -                 | -                 | -                 | -                 | -                 | X                 | -                 | X                 | -                 |
| RT195                       | -                    | -                 | -                 | -                 | -                 | -                 | X                 | -                 | X                 | -                 |
| V210 - NEW                  | -                    | -                 | -                 | -                 | -                 | -                 | -                 | -                 | X                 | -                 |
| VT210 - NEW                 | -                    | -                 | -                 | -                 | -                 | -                 | -                 | -                 | -                 | X                 |
| AL140 <span>OLD</span>      | X                    | -                 | -                 | -                 | -                 | -                 | -                 | -                 | -                 | -                 |
| MLA 1-25 H <span>OLD</span> | X                    | -                 | -                 | -                 | -                 | -                 | -                 | -                 | -                 | -                 |
| MLA 3-35 H <span>OLD</span> | -                    | -                 | X                 | -                 | -                 | -                 | -                 | -                 | -                 | -                 |

| Capacities            |     | B4x1 1760 / 420 T                                                                 | B4x1 1760 / 450 T                                                                 | B4x1 1800 / 670 T                                                                 | B4x1 1830 / 450 T (a)                                                             | B4x1 1830 / 450 T (b)                                                             | B4x1 1850 / 480 T                                                                  | B4x1 1880 / 480 T                                                                   | B4x1 1950 / 720 T                                                                   | B4x1 2140 / 560 T (a)                                                               | B4x1 2140 / 560 T (b)                                                               |
|-----------------------|-----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Heaped capacity (l)   |     | 420                                                                               | 450                                                                               | 670                                                                               | 450                                                                               | 450                                                                               | 480                                                                                | 480                                                                                 | 720                                                                                 | 560                                                                                 | 560                                                                                 |
| Weight                |     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Overall weight (kg)   |     | 385                                                                               | 410                                                                               | 514                                                                               | 420                                                                               | 420                                                                               | 420                                                                                | 420                                                                                 | 540                                                                                 | 475                                                                                 | 475                                                                                 |
| Weight and dimensions |     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Overall height (mm)   | h17 | 767                                                                               | 767                                                                               | 863                                                                               | 767                                                                               | 767                                                                               | 767                                                                                | 767                                                                                 | 863                                                                                 | 767                                                                                 | 767                                                                                 |
| Width (mm)            |     | 1760                                                                              | 1760                                                                              | 1800                                                                              | 1830                                                                              | 1830                                                                              | 1850                                                                               | 1880                                                                                | 1950                                                                                | 2140                                                                                | 2140                                                                                |
| Depth (mm)            | p5  | 800                                                                               | 786                                                                               | 933                                                                               | 800                                                                               | 800                                                                               | 786                                                                                | 786                                                                                 | 933                                                                                 | 786                                                                                 | 786                                                                                 |
| Working Parameters    |     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Machine Equipment     |     |  |  |  |  |  |  |  |  |  |  |
| Hydraulic system      |     | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                  | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   |
| Teeth                 |     | 8                                                                                 | 8                                                                                 | 9                                                                                 | 9                                                                                 | 9                                                                                 | 9                                                                                  | 9                                                                                   | 10                                                                                  | 11                                                                                  | 11                                                                                  |

| Machines compatibility | B4x1 1760 / 420 T | B4x1 1760 / 450 T | B4x1 1800 / 670 T | B4x1 1830 / 450 T (a) | B4x1 1830 / 450 T (b) | B4x1 1850 / 480 T | B4x1 1880 / 480 T | B4x1 1950 / 720 T | B4x1 2140 / 560 T (a) | B4x1 2140 / 560 T (b) |
|------------------------|-------------------|-------------------|-------------------|-----------------------|-----------------------|-------------------|-------------------|-------------------|-----------------------|-----------------------|
| All-Tach® Narrow       | -                 | -                 | -                 | -                     | -                     | -                 | -                 | -                 | -                     | -                     |
| All-Tach®              | N51502477         | N51502046         | N51502524         | N757025               | N51502479             | N51502047         | N51502083         | N51502523         | N700256               | N51502048             |
| 4 point Camiage        | -                 | -                 | N51502592         | -                     | -                     | -                 | -                 | N51502594         | -                     | -                     |
| Euro Camiage           | -                 | -                 | N51502551         | -                     | -                     | -                 | -                 | N51502553         | -                     | -                     |
| 1850RT                 | -                 | X                 | -                 | -                     | -                     | X                 | -                 | -                 | -                     | -                     |
| 2100V                  | -                 | -                 | -                 | -                     | X                     | -                 | X                 | -                 | -                     | -                     |
| 2100VT                 | -                 | X                 | -                 | -                     | -                     | X                 | X                 | -                 | -                     | -                     |
| 2150RT                 | -                 | -                 | -                 | -                     | -                     | X                 | -                 | -                 | -                     | X                     |
| 2200R                  | X                 | -                 | -                 | -                     | X                     | -                 | X                 | -                 | -                     | -                     |
| 2300V                  | X                 | -                 | -                 | -                     | X                     | -                 | -                 | -                 | -                     | -                     |
| 2300VT                 | -                 | -                 | -                 | -                     | -                     | X                 | -                 | -                 | -                     | -                     |
| 2600R                  | -                 | -                 | -                 | -                     | X                     | -                 | X                 | -                 | -                     | -                     |
| 2700V NXT2             | -                 | -                 | -                 | X                     | -                     | -                 | X                 | -                 | -                     | -                     |
| 2750V                  | X                 | -                 | -                 | X                     | X                     | -                 | X                 | -                 | -                     | -                     |
| 2750VT                 | -                 | -                 | -                 | -                     | -                     | X                 | -                 | -                 | -                     | X                     |
| 3300V NXT2             | -                 | -                 | -                 | X                     | -                     | -                 | X                 | -                 | X                     | -                     |
| 4200V                  | -                 | -                 | -                 | -                     | -                     | -                 | -                 | -                 | X                     | -                     |
| AL650                  | -                 | -                 | X                 | -                     | -                     | -                 | -                 | X                 | -                     | -                     |
| AL750                  | -                 | -                 | X                 | -                     | -                     | -                 | -                 | X                 | -                     | -                     |
| MLA 6-65 H-Z           | -                 | -                 | X                 | -                     | -                     | -                 | -                 | X                 | -                     | -                     |
| R220                   | X                 | -                 | -                 | -                     | X                     | -                 | X                 | -                 | -                     | -                     |
| R260                   | -                 | -                 | -                 | -                     | X                     | -                 | X                 | -                 | -                     | -                     |
| RT185                  | -                 | X                 | -                 | -                     | -                     | X                 | -                 | -                 | -                     | -                     |
| RT215                  | -                 | -                 | -                 | -                     | -                     | X                 | -                 | -                 | -                     | X                     |
| V210 - NEW             | -                 | -                 | -                 | -                     | X                     | -                 | X                 | -                 | -                     | -                     |
| V230 - NEW             | X                 | -                 | -                 | -                     | X                     | -                 | X                 | -                 | -                     | -                     |
| V275 - NEW             | X                 | -                 | -                 | X                     | X                     | -                 | X                 | -                 | -                     | -                     |
| V330 GEN:2             | -                 | -                 | -                 | X                     | -                     | -                 | X                 | -                 | X                     | -                     |
| V330 GEN:2             | -                 | -                 | -                 | X                     | -                     | -                 | X                 | -                 | X                     | -                     |
| VT210 - NEW            | -                 | X                 | -                 | -                     | -                     | X                 | -                 | -                 | -                     | -                     |
| VT230 - NEW            | -                 | -                 | -                 | -                     | -                     | X                 | -                 | -                 | -                     | -                     |
| VT275 - NEW            | -                 | -                 | -                 | -                     | -                     | X                 | -                 | -                 | -                     | X                     |

|                       |     |                                                                                     |
|-----------------------|-----|-------------------------------------------------------------------------------------|
| Capacities            |     | B4x1 2150 / 800 T                                                                   |
| Heaped capacity (l)   |     | 820                                                                                 |
| Weight                |     |                                                                                     |
| Overall weight (kg)   |     | 572                                                                                 |
| Weight and dimensions |     |                                                                                     |
| Overall height (mm)   | h17 | 863                                                                                 |
| Width (mm)            |     | 2150                                                                                |
| Depth (mm)            | p5  | 933                                                                                 |
| Working Parameters    |     |                                                                                     |
| Machine Equipment     |     |  |
| Hydraulic system      |     | -                                                                                   |
| Teeth                 |     | 11                                                                                  |

|                        |                   |
|------------------------|-------------------|
| Machines compatibility | B4x1 2150 / 800 T |
| All-Tach® Narrow       | -                 |
| All-Tach®              | N51502522         |
| 4 point Camiage        | N51502596         |
| Euro Camiage           | N51502555         |
| AL750                  | X                 |

| TABLE SYMBOL                                                                        |                            |                                                                                     |                         |                                                                                       |                                               |
|-------------------------------------------------------------------------------------|----------------------------|-------------------------------------------------------------------------------------|-------------------------|---------------------------------------------------------------------------------------|-----------------------------------------------|
|  | No predisposition required |  | Hydraulic line          |  | Return piping to hydraulic oil tank           |
|  | Electric predisposition    |  | Platform predisposition |  | Tyre handler, cylinder handler predisposition |



**Head Office**

B.P. 249 - 430 rue de l'Aubinière

44150 Ancenis Cedex - France

Tel: +33 (0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97

[www.manitou.com](http://www.manitou.com)



This publication provides a description of the configuration versions and options for Manitou products, which may differ for equipment. The equipment presented in this brochure may be part of a series, as an option, or it may not be available, depending on the versions. Manitou reserves the right, at any time and without notice, to amend the specifications described and represented. The specifications provided do not bind the manufacturer. For more details, please contact your Manitou agent. This is not a contractually binding document. The presentation of the products is not contractually binding. List of specifications non-exhaustive. The logos as well as the visual identity of the company are owned by Manitou and cannot be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are only provided for consultation and information purposes.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS Nantes