

Technical sheet :

# **CARRIAGE FLOATING LOAD BACKREST AND FORKS (MT - MLT)**

---



## **Customer benefits**

- Solution adapted to uneven ground : floating forks + leveling.

## **Technical characteristics**

- Load backrest standard.
- Fork levelling.
- Fork travel lock possible - order kit ref. 52675100.
- Note: road circulation kit mandatory in Italy. Contact your dealer.
- Note: road circulation kit mandatory in Germany on MRT Vision/Vision+. Contact your dealer.

[The 3D picture at the top of this page is the reference CAF 1000 / 3 LB - 52654990].

| Technical characteristics          |     | CAF 1000 / 3 LB | CAF 1000 / 3 LB (b) | CAF 1000 / 1.5 LB | CAF 1000 / 4.1 LB | CAF 1300 / 4.1 LB |
|------------------------------------|-----|-----------------|---------------------|-------------------|-------------------|-------------------|
| Distance to center of gravity (mm) |     | 308             | 263                 | 168               | 275               | 259               |
| Capacities                         |     |                 |                     |                   |                   |                   |
| Capacity (kg)                      |     | 3000            | 3000                | 1500              | 4100              | 4100              |
| Weight                             |     |                 |                     |                   |                   |                   |
| Overall weight (kg)                |     | 240             | 254                 | 175               | 306               | 355               |
| Weight and dimensions              |     |                 |                     |                   |                   |                   |
| Overall height (mm)                | h17 | 989             | 989                 | 1049              | 1036              | 1036              |
| Overall length (mm)                | l1  | 1359            | 1479                | 1384              | 1514              | 1514              |
| Width (mm)                         |     | 1002            | 1002                | 1156              | 1160              | 1420              |
| Working Parameters                 |     |                 |                     |                   |                   |                   |
| Machine Equipment                  |     | ×               | ×                   | ×                 | ×                 | ×                 |
| Fork spread minimum (mm)           | b5  | 244             | 284                 | 160               | 493               | 245               |
| Fork spread maximum (mm)           | b5  | 924             | 924                 | 927               | 1022              | 1282              |
| Available fork dimensions          |     |                 |                     |                   |                   |                   |
| 100 x 50 x 1070                    |     | 52654990        |                     |                   |                   |                   |
| 75 x 35 x 1100                     |     |                 |                     | 52693600          |                   |                   |
| 120 x 40 x 1200                    |     |                 | 52744200            |                   |                   |                   |
| 100 x 50 x 1200                    |     |                 |                     |                   | 52722290          | 52810870          |

| Machines compatibility | CAF 1000 / 3 LB | CAF 1000 / 3 LB (b) | CAF 1000 / 1.5 LB | CAF 1000 / 4.1 LB | CAF 1300 / 4.1 LB |
|------------------------|-----------------|---------------------|-------------------|-------------------|-------------------|
| Reference number       | 52654990        | 52744200            | -                 | 52722290          | 52810870          |
| All-Tach®              | -               | -                   | 52693600          | -                 | -                 |
| 4 point Carriage       | -               | -                   | 52723634          | -                 | -                 |
| Euro Carriage          | -               | -                   | 52723635          | -                 | -                 |
| AL230                  | -               | -                   | X                 | -                 | -                 |
| AL320                  | -               | -                   | X                 | -                 | -                 |
| AL330                  | -               | -                   | X                 | -                 | -                 |
| AL420                  | -               | -                   | X                 | -                 | -                 |
| AL430                  | -               | -                   | X                 | -                 | -                 |
| AL530                  | -               | -                   | X                 | -                 | -                 |
| GCT 3-14               | -               | -                   | X                 | -                 | -                 |
| GCT 3-14 +             | -               | -                   | X                 | -                 | -                 |
| MLA 2-25 H             | -               | -                   | X                 | -                 | -                 |
| MLA 3-25 H             | -               | -                   | X                 | -                 | -                 |
| MLA 3-25 H-C           | -               | -                   | X                 | -                 | -                 |
| MLA 4-50 H             | -               | -                   | X                 | -                 | -                 |
| MLA 4-50 H-C           | -               | -                   | X                 | -                 | -                 |
| MLA 5-50 H             | -               | -                   | X                 | -                 | -                 |
| MLT 420-60 H           | X               | X                   | -                 | -                 | -                 |
| MLT 625-75 H           | X               | X                   | -                 | -                 | -                 |
| MLT 733-115 LSU        | -               | -                   | -                 | X                 | -                 |
| MLT 737-130 PS+        | -               | -                   | -                 | X                 | -                 |
| MLT 741-130 PS+        | -               | -                   | -                 | X                 | -                 |
| MLT 741-140 V+         | -               | -                   | -                 | X                 | -                 |
| MLT 841-145 PS+        | -               | -                   | -                 | X                 | -                 |
| MLT 940-140 V+         | -               | -                   | -                 | X                 | -                 |
| MLT 1041-145 PS+L      | -               | -                   | -                 | X                 | -                 |
| MLTX 625-75 H          | X               | X                   | -                 | -                 | -                 |
| MLTX 732               | -               | -                   | -                 | X                 | -                 |
| MLTX 735 T LSU         | -               | -                   | -                 | X                 | -                 |
| MLTX 735 T LSU (70 KW) | -               | -                   | -                 | X                 | -                 |
| MLTX 737-130 PS+       | -               | -                   | -                 | X                 | -                 |
| MLTX 841 - 145 PS+     | -               | -                   | -                 | X                 | -                 |
| MLTX 1035 LT LSU       | -               | -                   | -                 | X                 | -                 |
| MLTX 1041-145 PS+L     | -               | -                   | -                 | X                 | -                 |
| MT 420 H               | X               | X                   | -                 | -                 | -                 |
| MT 625 e               | X               | X                   | -                 | -                 | -                 |
| MT 625 H               | X               | X                   | -                 | -                 | -                 |
| MT 625 H Comfort       | X               | X                   | -                 | -                 | -                 |
| MT 625 HA              | X               | X                   | -                 | -                 | -                 |
| MT 730 H               | X               | X                   | -                 | -                 | -                 |
| MT 735 75D ST5         | -               | -                   | -                 | X                 | X                 |
| MT 930 H               | X               | X                   | -                 | -                 | -                 |
| MT 930 HA              | X               | X                   | -                 | -                 | -                 |
| MT 935 75D ST5         | -               | -                   | -                 | X                 | X                 |
| MT 1135 75 D           | -               | -                   | -                 | X                 | X                 |
| MT 1135 H 100D         | -               | -                   | -                 | X                 | X                 |
| MT 1335 75D ST5        | -               | -                   | -                 | X                 | X                 |
| MT 1335 100D ST5       | -               | -                   | -                 | X                 | X                 |
| MT 1335 H 75D ST5      | -               | -                   | -                 | X                 | X                 |
| MT 1335 H 100D ST5     | -               | -                   | -                 | X                 | X                 |
| MT 1440 A ST5          | -               | -                   | -                 | X                 | X                 |
| MT 1440 easy ST5       | -               | -                   | -                 | X                 | X                 |
| MT 1440 HA ST5         | -               | -                   | -                 | X                 | X                 |
| MT 1440 ST5            | -               | -                   | -                 | X                 | X                 |
| MT 1840 A 100D ST5 S1  | -               | -                   | -                 | X                 | X                 |
| MT 1840 easy ST5       | -               | -                   | -                 | X                 | X                 |
| MT 1840 HA             | -               | -                   | -                 | X                 | X                 |
| MT 1840 ST5            | -               | -                   | -                 | X                 | X                 |

| Machines compatibility         | CAF 1000 / 3 LB | CAF 1000 / 3 LB (b) | CAF 1000 / 1.5 LB | CAF 1000 / 4.1 LB | CAF 1300 / 4.1 LB |
|--------------------------------|-----------------|---------------------|-------------------|-------------------|-------------------|
| MT-X 420 H                     | X               | X                   | -                 | -                 | -                 |
| MT-X 733                       | -               | -                   | -                 | X                 | X                 |
| MT-X 1033                      | -               | -                   | -                 | X                 | X                 |
| MT-X 1440                      | -               | -                   | -                 | X                 | X                 |
| MT-X 1440 A                    | -               | -                   | -                 | X                 | X                 |
| MT-X 1840                      | -               | -                   | -                 | X                 | X                 |
| MT-X 1840 A                    | -               | -                   | -                 | X                 | X                 |
| ULM 412 H                      | -               | -                   | X                 | -                 | -                 |
| ULM 412 H                      | -               | -                   | X                 | -                 | -                 |
| ULM 415 H                      | -               | -                   | X                 | -                 | -                 |
| ULM 415 H                      | -               | -                   | X                 | -                 | -                 |
| MLA 4-50 H <b>OLD</b>          | -               | -                   | X                 | -                 | -                 |
| MLT 733-115 <b>OLD</b>         | -               | -                   | -                 | X                 | -                 |
| MLT 733-115 LSU ST4 <b>OLD</b> | -               | -                   | -                 | X                 | -                 |
| MLT 733-115 ST4 <b>OLD</b>     | -               | -                   | -                 | X                 | -                 |
| MLT 737-130 PS+ ST4 <b>OLD</b> | -               | -                   | -                 | X                 | -                 |
| MLT 741-140 V+ ST4 <b>OLD</b>  | -               | -                   | -                 | X                 | -                 |
| MLT 940-140 V+ ST4 <b>OLD</b>  | -               | -                   | -                 | X                 | -                 |
| MLT-X 737-130 PS+ <b>OLD</b>   | -               | -                   | -                 | X                 | -                 |
| MLT-X 741-140 V+ S1 <b>OLD</b> | -               | -                   | -                 | X                 | -                 |
| MT 733 Easy <b>OLD</b>         | -               | -                   | -                 | -                 | X                 |
| MT 933 Easy <b>OLD</b>         | -               | -                   | -                 | X                 | X                 |
| MT 1033 easy <b>OLD</b>        | -               | -                   | -                 | X                 | X                 |
| MT 1135 <b>OLD</b>             | -               | -                   | -                 | X                 | -                 |
| MT 1135 easy ST5 <b>OLD</b>    | -               | -                   | -                 | X                 | X                 |
| MT 1135 H easy ST5 <b>OLD</b>  | -               | -                   | -                 | X                 | X                 |
| MT 1135 HA Easy ST5 <b>OLD</b> | -               | -                   | -                 | X                 | X                 |
| MT 1135 ST5 <b>OLD</b>         | -               | -                   | -                 | X                 | X                 |
| MT 1335 <b>OLD</b>             | -               | -                   | -                 | X                 | X                 |
| MT 1335 easy ST5 <b>OLD</b>    | -               | -                   | -                 | X                 | X                 |
| MT 1335 H easy ST5 <b>OLD</b>  | -               | -                   | -                 | X                 | X                 |
| MT 1335 HA easy ST5 <b>OLD</b> | -               | -                   | -                 | X                 | -                 |
| MT 1335 ST5 <b>OLD</b>         | -               | -                   | -                 | X                 | X                 |
| MT 1440 <b>OLD</b>             | -               | -                   | -                 | X                 | -                 |
| MT 1440 A <b>OLD</b>           | -               | -                   | -                 | X                 | X                 |
| MT 1440 HA <b>OLD</b>          | -               | -                   | -                 | X                 | X                 |
| MT 1840 <b>OLD</b>             | -               | -                   | -                 | X                 | -                 |
| MT 1840 A <b>OLD</b>           | -               | -                   | -                 | X                 | X                 |
| MT 1840 HA <b>OLD</b>          | -               | -                   | -                 | X                 | X                 |

| TABLE SYMBOL                                                                        |                            |                                                                                     |                         |                                                                                       |                                               |
|-------------------------------------------------------------------------------------|----------------------------|-------------------------------------------------------------------------------------|-------------------------|---------------------------------------------------------------------------------------|-----------------------------------------------|
|  | No predisposition required |  | Hydraulic line          |  | Return piping to hydraulic oil tank           |
|  | Electric predisposition    |  | Platform predisposition |  | Tyre handler, cylinder handler predisposition |



**Head Office**

B.P. 249 - 430 rue de l'Aubinière

44150 Ancenis Cedex - France

Tel: +33 (0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97

[www.manitou.com](http://www.manitou.com)



This publication provides a description of the configuration versions and options for Manitou products, which may differ for equipment. The equipment presented in this brochure may be part of a series, as an option, or it may not be available, depending on the versions. Manitou reserves the right, at any time and without notice, to amend the specifications described and represented. The specifications provided do not bind the manufacturer. For more details, please contact your Manitou agent. This is not a contractually binding document. The presentation of the products is not contractually binding. List of specifications non-exhaustive. The logos as well as the visual identity of the company are owned by Manitou and cannot be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are only provided for consultation and information purposes.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS Nantes