

CARRIAGE FLOATING LOAD BACKREST AND FORKS (MHT)



- Solution adapted to uneven ground : floating forks + leveling.

- Load backrest standard.

- Fork levelling.

- Fork travel lock possible - order kit ref. 52675100.

- Note: road circulation kit mandatory in Italy. Contact your dealer.

- Note: road circulation kit mandatory in Germany on MRT Vision/Vision+. Contact your dealer.

CARRIAGE FLOATING LOAD BACKREST AND FORKS (MHT)

	CAF 1750 / 15 T	CAF 1750 / 16 T	CAF 1750 / 20 T	CAF 1750 / 12.5 T	CAF 2000 / 22 T	CAF 2000 / 25 T	CAF 2500 / 15 T	CAF 2500 / 16 T	CAF 2500 / 20 T	CAF 2500 / 22 T
	15000	16000	20000	12500	22000	25000	15000	16000	20000	22000
h17	1604	1515	1604	1515	1624	1624	1605	1530	1524	1624
	1750	1900	1750	1900	2140	2140	2500	2500	2500	2530
	×	×	×	×	×	×	×	×	×	×
b5	455	520	455	560	1105	1045	1005	965	1005	1105
b5	1605	1750	1605	1750	1970	1970	2355	2365	2355	2360

		52699113						52700264		
			52694204						52694207	
		52699114						52700265		
		52699115						52700266		
			52694205						52694208	
					52694547					
	52694206			52699116						
						52694209				
					52694548					52694550
								52694210		
										52694551

	CAF 1750 / 15 T	CAF 1750 / 16 T	CAF 1750 / 20 T	CAF 1750 / 12.5 T	CAF 2000 / 22 T	CAF 2000 / 25 T	CAF 2500 / 15 T	CAF 2500 / 16 T	CAF 2500 / 20 T	CAF 2500 / 22 T
	-	X	-	X	-	-	-	X	-	-
	-	X	-	X	-	-	-	X	-	-
	X	-	X	-	-	-	X	-	X	-
	-	-	-	-	X	X	-	-	-	X
	-	X	-	X	-	-	-	X	-	-
	-	X	-	X	-	-	-	X	-	-
	X	-	X	-	-	-	X	-	X	-
	-	-	-	-	X	X	-	-	-	X

	CAF 2500 / 25 T	CAF 2500 / 12.5 T	TFF 9 T (a)	TFF 9 T (b)
	25000	12500	9000	9000
h17	1624	1529	1405	1000
	2530	2500	1585	2132
	×	×	×	×
b5	1045	1005	535	555
b5	2365	2365	1425	1995
			939800	939347
			939345	939348
	52694549			
			939346	939349
		52700267		

	CAF 2500 / 25 T	CAF 2500 / 12.5 T	TFF 9 T (a)	TFF 9 T (b)
	-	-	X	X
	-	-	X	X
	-	X	-	-
	-	X	-	-
	X	-	-	-
	-	-	X	X
	-	-	X	X
	-	X	-	-
	-	X	-	-
	X	-	-	-
	-	-	X	X
	-	-	X	X



 **MANITOU**
HANDLING YOUR WORLD

