Technical sheet :

# ENVIRONMENT GRAPPLE BUCKET

## Technical characteristics

- Fully fabricated wide opening jaw with a greater clamping force, to handle bigger and bulkier loads. With improved geometry, enabling it to work up to a wall and robot welded folded steel, to add superior strength and rigidity throughout.
- Solid fork back panel with visibility cut-outs and a built-in spill guard,help keep the carriage and hydraulics clean.

## Customer benefits

- Grapple bucket are used for waste management applications
- Used for materials such as municipal garbage, waste paper, logs, tree stumps, brush, loose hay or straw

| | | BPG 2312/1200 IND |
|---|---|---|
| Reference number | | 53114109 |
| Heaped capacity (l) | | 1200 |
| Overall weight (kg) | | 818 |
| Length (mm) | | 883 |
| Width (mm) | | 2312 |
| Depth (mm) | p5 | 748 |
| Required machine equipment | | |
| Tooth type | | Welded |
| Cutting edge | | Bolt-on |
| Number of tooth | | 8 |
| E-RECO | | No |
| Connection system | | Universal Quick-attach |

| Machines compatibility | |
|---|---|
| MBL 745 HT (BSV) | X |
| MBL 745 HT RANGER (BSV) | X |

**TABLE SYMBOL**

| | | | | | |
|---|---|---|---|---|---|
| | No predisposition required | | Hydraulic line | | Return piping to hydraulic oil tank |
| | Electric predisposition | | Platform predisposition | | Tyre handler, cylinder handler predisposition |

**Head Office**
B.P. 249 - 430 rue de l'Aubinière
44150 Ancenis Cedex - France
Tel: +33 (0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97
www.manitou.com

This publication provides a description of the configuration versions and options for Manitou products, which may differ for equipment. The equipment presented in this brochure may be part of a series, as an option, or it may not be available, depending on the versions. Manitou reserves the right, at any time and without notice, to amend the specifications described and represented. The specifications provided do not bind the manufacturer. For more details, please contact your Manitou agent. This is not a contractually binding document. The presentation of the products is not contractually binding. List of specifications non-exhaustive. The logos as well as the visual identity of the company are owned by Manitou and cannot be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are only provided for consultation and information purposes.
MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS Nantes