



- Floating fork carriage with hydraulic side shift for an efficient load placement.
- Load backrest for a higher load stability.

- Hydraulic line required to allow fork movement from the cab.
- Pin type forks.
- Bolt-on load backrest for a better longevity.

[The 3D picture at the top of this page is the reference TFF 35 DL 1040 - 751543].

	TFF 29 DL 1040	TFF 35 DL 1040	TFF 35 DL 1300	TFF 45 DL 1040	TFF 45 DL 1300
	2900	3500	3500	4500	4500
	1040	1040	1300	1040	1300
	751378	751543	751544	751545	751546

	TFF 29 DL 1040	TFF 35 DL 1040	TFF 35 DL 1300	TFF 45 DL 1040	TFF 45 DL 1300
	-	X	-	-	-
	-	X	-	-	-
	-	X	-	-	-
	-	X	-	-	-
	-	X	-	-	-
	-	X	-	-	-
	-	X	-	-	-
	-	X	-	-	-
	-	X	-	-	-
	-	X	-	-	-
	-	X	-	-	-
	-	X	-	-	-
	-	X	-	-	-
	-	X	-	-	-
	-	X	-	-	-
	-	-	-	X	X
	-	-	-	X	X
	-	-	-	X	X
	-	-	-	X	X
	-	-	-	X	X
	-	-	-	X	X
	-	-	X	-	-
	-	-	X	-	-
	-	-	-	X	X
	-	-	-	X	X
	-	-	-	X	X
	-	-	-	X	X
	-	-	-	X	X
	-	-	-	X	X
	-	-	-	X	X
	-	-	X	-	-
	-	-	X	-	-
	-	-	X	-	-
	-	-	-	X	X
	-	-	-	X	X




 **MANITOU**  
HANDLING YOUR WORLD

