Technical sheet:

GRAIN PUSHER



Technical characteristics

- Heavy duty design with round surfaces to prevent grain trapping.
- Polyurethane cutting edge to protect surfaces that could be damaged by the attachment.

[The 3D picture at the top of this page is the reference BLGP 2320 / 3900 - 52812920].

Customer benefits

- Must have attachment to push the grain.
- · Facility space saving.
- Time saving for the operator.



Weight		BLGP 2320 / 3900
Overall weight (kg)		439
Weight and dimensions		
Overall height (mm)	h17	946
Overall length (mm)	I1	3942
Width (mm)		2320
Working Parameters		
Required machine equipment		X

Reference number	Machines compatibility	BLGP 2320 / 3900
MLT 630-115 V (S2) MLT 635-130 PS+ (S1) MLT 635-130 PS+ (S2) MLT 635-130 PS+ (S2) MLT 635-130 V+ (S2) MLT 736-115 V (S2) MLT 737-115 (S2) MLT 737-115 (S1) MLT 737-130 PS+ (S1) MLT 738-115 (S1) MLT 741-10 V+ (S1) MLT 741-10 V+ (S1) MLT 741-10 V+ (S1) MLT 741-15 V+ (S1)	Reference number	52812920
MLT 650-115 V CP (S2) MLT 655-130 PS+ (S1) MLT 655-130 PS+ (S2) MLT 655-130 V S+ (S1) MLT 655-130 V S+ (S1) MLT 655-140 V + (S1) MLT 750-115 V CP (S2) MLT 730-115 V CP (S2) MLT 730-115 V CP (S2) MLT 730-115 (S1) MLT 741-100 V + (S1) ML	MLT 630-115 (S2)	х
MLT 63-130 PS+ (S1) MLT 63-140 V+ (S1) MLT 63-140 V+ (S2) MLT 730-115 V (S2) MLT 730-115 V (S2) MLT 730-115 (S2) MLT 731-100 PS+ (S1) MLT 731-100 PS+ (S1) MLT 731-100 PS+ (S1) MLT 741-100 V+ (S1) MLT 741-100 V	MLT 630-115 V (S2)	x
MLT 635-140 Vc (S1) MLT 635-140 Vc (S1) X MLT 730-115 VC (S2) X MLT 733-115 (S2) X MLT 733-115 (S2) X MLT 733-115 (S2) X MLT 733-115 (S2) X MLT 731-115 (S2) X MLT 731-115 (S2) X MLT 731-115 (S2) X MLT 731-115 (S2) X MLT 731-110 Pes (S1) X MLT 731-110 Pes (S1) X MLT 741-120 Pes (S1) X MLT 741-130 Pes (S1) X MLT 743-130	MLT 630-115 V CP (S2)	х
MLT 635-140 V+ (S1) MLT 635-140 V+ (S2) X MLT 730-115 V CP (S2) X MLT 730-115 V CP (S2) X MLT 733-115 (S2) X MLT 733-130 PS+ (S1) X MLT 733-130 PS+ (S1) X MLT 731-130 PS+ (S1) X MLT 741-140 V+ (S1) X MLT 741-140 V+ (S1) X MLT 741-140 V+ (S1) X MLT 742-140 V+ (S1) X MLT 742-150 PS+ (S1) X MLT 743-130 PS+ (S1) X MLT 743-130 PS+ (S1) X MLT 850-145 V+ X MLT 850-145 V+ X MLT 833-130 PS+ (S2) X MLT X33-130 PS+ (S2) X MLT X37-130 PS+ (S2) X MLT X37-130 PS+ (S2) X MLT X38-130 PS+ (S1) X MLT X38-130 PS+ S14 (III) MLT X38-115 S14	MLT 635-130 PS+ (S1)	х
MLT 635-140 V+ (S2) X MLT 730-115 V(S2) X MLT 730-115 VCP (S2) X MLT 733-115 (S2) X MLT 733-115 (SU (S1) X MLT 733-115 (SU (S1) X MLT 733-130 PS+ (S1) X MLT 731-130 PS+ (S1) X MLT 741-140 V+ (S1) X MLT 741-140 V+ (S1) X MLT 742-130 PS+ (S1) X MLT 742-150 PS+ (S1) X MLT 742-150 PS+ (S1) X MLT 742-150 PS+ (S1) X MLT 743-150 PS+ (S1) X MLT 743-150 PS+ (S1) X MLT 743-15 (S1) X MLT 743-15 (S1) X MLEX 737-130 PS+ (S1) X MLEX 738-130 PS+ (S1) X MLT 738-130 PS+ (S14 (D1) X	MLT 635-130 PS+ (S2)	х
MLT 730-115 V(S2) X MLT 730-115 VCP (S2) X MLT 733-115 (S2) X MLT 733-115 (S2) X MLT 733-130 PS+ (S1) X MLT 737-130 PS+ (S1) X MLT 741-130 PS+ (S1) X MLT 741-130 PS+ (S1) X MLT 741-140 V+ (S1) X MLT 742-140 V+ (S1) X MLT 850-145 V+ X MLT 937-115 (S1) X MLT 87-15 LSU (70 KW) X MLTX 735 T LSU (70 KW) X MLTX 737-130 PS+ (S2) X MLTX 737-145 PS+ (S1) X MLTX 737-15 LSU (70 KW) X MLTX 737-15 LSU (70 KW) X MLTX 737-15 PS+ (S1) X MLTX 737-15 LSU 54 (15) X MLTX 737-15 LSU 57 (15) X MLTX 737-15 LSU 57 (15) X MLTX 737-15 LSU 57 (15) X MLTX 737-130 PS+ (S1) X MLT 735-130 PS+ (S1) X MLT 735-130 PS+ (S1) X MLT 735-130 PS+ (S1) X	MLT 635-140 V+ (S1)	х
MLT 730-115 VCP (82) x MLT 733-115 (82) x MLT 733-115 (8U (8T) x MLT 733-115 (8U (8T) x MLT 733-130 PS+ (8T) x MLT 738-130 PS+ (8T) x MLT 741-140 PS+ (8T) x MLT 742-130 PS+ (8T) x MLT 742-140 V+ (8T) x MLT 841-145 PS+ x MLT 850-145 V4 x MLT 873-115 (8T) x MLT 873-130 PS+ (8T) x MLT 873-130 PS+ (8T) x MLT 873-130 PS+ (8T) x MLT 83-130 PS+ (8T) x MLT 83-115 LSU 8T4 (8L) x MLT 733-115 PS+ (8L) x MLT 733-115 PS+ (8L) x MLT 733-115	MLT 635-140 V+ (S2)	х
MLT 733-115 (S2) MLT 733-115 (SU) MLT 733-115 (SU) MLT 733-115 (SU) MLT 733-12 (SU) MLT 733-130 (PS+ (S1) MLT 734-130 (PS+ (S1) MLT 741-140 (PS) MLT 742-140 (PS) MLT 743-140 (PS) MLT 743-140 (PS) MLT 743-140 (PS) MLT 733-150 (PS+ (S2) MLT 743-140 (PS+ (S2) MLT 743-140 (PS+ (S2) MLT 743-140 (PS+ (S1) MLT 743-140 (PS+ (S1) MLT 743-140 (PS+ (S1) MLT 743-140 (PS+ (S1) MLT 733-115 (SU) (SU) MLT 733-115 (SU) MLT 73	MLT 730-115 V (S2)	x
MLT 733-115 (S2) MLT 733-115 (SU (S1) X MLT 737-130 PS+ (S1) X MLT 731-130 PS+ (S1) X MLT 741-130 PS+ (S1) X MLT 741-140 V+ (S1) X MLT 742-140 V+ (S1) X MLT 742-130 PS+ (S1) X MLT 742-140 V+ (S1) X MLT 841-145 PS+ X MLT 841-145 PS+ X MLT 837-115 (S1) X MLT 733 T LSU MLT 733 T LSU (70 KW) X MLT X35 T LSU MLT X35 T LSU (70 KW) X MLT X35 T LSU (70 KW) X MLT X35 T LSU (70 KW) MLT X3	MLT 730-115 V CP (S2)	x
MLT 733-115 LSU (S1) MLT 737-130 PS+ (S1) MLT 738-130 PS+ (S1) MLT 741-140 V+ (S1) MLT 742-130 PS+ (S1) MLT 742-140 V+ (S1) MLT 840-145 PS+ MLT 840-145 P	MLT 733-115	x
MLT 737-130 PS+ (S1) x MLT 738-130 PS+ (S1) x MLT 741-130 PS+ (S1) x MLT 742-130 PS+ (S1) x MLT 742-130 PS+ (S1) x MLT 842-140 V+ (S1) x MLT 841-145 PS+ x MLT 841-145 PS+ x MLT 937-115 (S1) x MLTX 732 x MLTX 735 T LSU (70 kW) x MLTX 737-130 PS+ (S2) x MLTX 738-130 PS+ (S1) x MLTX 38-130 PS+ (S1) x MLTX 38-130 PS+ S14 0LD x MLTX 383-115 SUS S14 0LD x MLT 733-115 SUS S14 0LD x MLT 737-130 PS+ S14 0LD x MLT 737-130 PS+ S14 0LD x	MLT 733-115 (S2)	x
MLT 738-130 PS+ (S1) MLT 741-130 PS+ (S1) MLT 742-140 V+ (S1) MLT 742-130 PS+ (S1) MLT 742-130 PS+ (S1) MLT 742-130 VS (S1) MLT 841-145 PS+ MLT 850-145 V+ MLT 850-145 V+ MLT 873-115 US MLT 873-115 US MLT 873-130 PS+ (S2) MLT 873-130 PS+ (S2) MLT 873-145 VS		x
MLT 741-130 PS+ (S1) MLT 742-130 PS+ (S1) MLT 742-130 PS+ (S1) X MLT 742-140 V+ (S1) X MLT 841-145 PS+ X MLT 850-145 V+ X MLT 937-115 (S1) X MLT X32 X MLT X32 X MLT X35 T LSU (70 KW) X MLEX 735 T LSU (70 KW) X MLEX 738-130 PS+ (S1) X MLEX 938-145 V+ X MLEX 938-145 V- X MLEX 938-1	MLT 737-130 PS+ (S1)	X
MLT 741-140 V+ (S1) MLT 742-130 PS+ (S1) X MLT 742-140 V+ (S1) X MLT 841-145 PS+ X MLT 937-115 (S1) X MLT 737-30 T LSU MLT X 735 T LSU X MLT 737 T 130 PS+ ST 4	MLT 738-130 PS+ (S1)	x
MLT 742-130 PS+ (S1) x MLT 742-140 V+ (S1) x MLT 841-145 PS+ x MLT 850-145 V+ x MLT 937-115 (S1) x MLTX 732 x MLTX 735 T LSU (70 kW) x MLTX 735 T LSU (70 kW) x MLTX 737-130 PS+ (S2) x MLTX 738-130 PS+ (S1) x MLTX 850-145 V+ x MLTX 851-340 V+ ST4 QLD x MLT 733-115 LSU ST4 QLD x MLT 733-115 ST4 QLD x MLT 733-130 PS+ ST4 QLD x MLT 737-130 PS+ ST4 QLD x	MLT 741-130 PS+ (S1)	X
MLT 742-140 V+ (S1) x MLT 841-145 PS+ x MLT 850-145 V+ x MLT 937-115 (S1) x MLT X32 x MLTX 735 T LSU x MLFX 735 T LSU (70 KW) x MLFX 737-130 PS+ (S2) x MLFX 738-130 PS+ (S1) x MLFX 850-145 V+ x MLT 635-140 PS+ ST4 (LD) x MLT 733-115 LSU ST4 (LD) x MLT 733-115 PS+ (S1) x MLT 733-115 PS+ (S1) x MLT 733-115 PS+ (S2) x MLT 335-140 PS+ ST4 (LD) x MLT 737-130 PS+ ST4 (LD) x MLT 737-130 PS+ ST4 (LD) x MLT 737-130 PS+ ST4 (LD) x		x
MLT 841-145 PS+ x MLT 850-145 V+ x MLT 937-115 (S1) x MLFX 732 x MLFX 735 T LSU (70 KW) x MLFX 737-130 PS+ (S2) x MLFX 738-130 PS+ (S1) x MLFX 850-145 V+ x MLT 635-130 PS+ ST4 0LD x MLT 635-140 V+ ST4 0LD x MLT 733-115 SUS T4 0LD x MLT 737-130 PS+ ST4 0LD x		X
MLT 850-145 V+ X MLT 937-115 (S1) X MLT X732 X MLT X735 T LSU X MLT X735 T LSU (70 KW) X MLT X737-130 PS+ (S2) X MLTX X38-130 PS+ (S1) X MLTX X81-145 PS+ X MLTX 850-145 V+ X MLT 635-130 PS+ ST4 0L0 X MLT 733-115 LSU ST4 0L0 X MLT 733-115 SU ST4 0L0 X MLT 737-130 PS+ ST4 0L0 X MLT 737-130 PS+ ST4 0L0 X MLT 737-130 PS+ ST4 0L0 X	MLT 742-140 V+ (S1)	x
MLT 937-115 (S1) x MLT X732 x MLT X735 T LSU x MLT X735 T LSU (70 KW) x MLT X737-130 PS+ (S2) x MLT X738-130 PS+ (S1) x MLT X 841 - 145 PS+ x MLT X 850-145 V+ x MLT 635-130 PS+ \$14 OLD x MLT 733-115 LSU ST4 OLD x MLT 733-115 ST4 OLD x MLT 737-130 PS+ \$14 OLD x		X
MLT-X 732 X MLT-X 735 T LSU X MLT-X 735 T LSU (70 KW) X MLT-X 737-130 PS+ (S2) X MLT-X 738-130 PS+ (S1) X MLT-X 841-145 PS+ X MLT-X 850-145 V+ X MLT-X 33-130 PS+ ST4 OLD X MLT-7 33-115 LSU ST4 OLD X MLT-7 33-115 ST4 OLD X MLT-X 737-130 PS+ ST4 OLD X MLT-X 737-130 PS+ ST4 OLD X MLT-X 737-130 PS+ OLD X		X
MLFX 735 T LSU X MLFX 735 T LSU (70 KW) X MLFX 737-130 PS+ (S2) X MLFX 738-130 PS+ (S1) X MLFX 841 - 145 PS+ X MLFX 850-145 V+ X MLT 635-130 PS+ ST4		X
MLFX 735 T LSU (70 KW) x MLFX 737-130 PS+ (S2) x MLFX 738-130 PS+ (S1) x MLFX 841 - 145 PS+ x MLFX 850-145 V+ x MLT 635-130 PS+ ST4 OLD x MLT 733-115 LSU ST4 OLD x MLT 733-115 ST4 OLD x MLT 737-130 PS+ ST4 OLD x MLT 737-130 PS+ ST4 OLD x MLTX 737-130 PS+ OLD x MLTX 737-130 PS+ OLD x		X
MLT-X 737-130 PS+ (S2) X MLT-X 738-130 PS+ (S1) X MLT-X 841 - 145 PS+ X MLT-X 850-145 V+ X MLT-G 35-130 PS+ ST4		X
MLT-X 738-130 PS+ (S1) X MLT-X 841 - 145 PS+ X MLT-X 850-145 V+ X MLT 635-130 PS+ ST4 OLD X MLT 635-140 V+ ST4 OLD X MLT 733-115 LSU ST4 OLD X MLT 733-130 PS+ ST4 OLD X MLT 737-130 PS+ ST4 OLD X MLT-X 737-130 PS+ OLD X MLT-X 737-130 PS+ OLD X	MLT-X 735 T LSU (70 KW)	X
MLTX 841 - 145 PS+ X MLTX 850-145 V+ X MLT 635-130 PS+ ST4 OLD X MLT 635-140 V+ ST4 OLD X MLT 733-115 LSU ST4 OLD X MLT 733-130 PS+ ST4 OLD X MLT 737-130 PS+ ST4 OLD X MLTX 737-130 PS+ OLD X MLTX 737-130 PS+ OLD X		X
MLTX 850-145 V+ X MLT 635-130 PS+ ST4 OLD X MLT 635-140 V+ ST4 OLD X MLT 733-115 LSU ST4 OLD X MLT 733-130 PS+ ST4 OLD X MLT 737-130 PS+ OLD X MLTX 737-130 PS+ OLD X	` '	X
MLT 635-130 PS+ ST4 OLD X MLT 635-140 V+ ST4 OLD X MLT 733-115 LSU ST4 OLD X MLT 733-115 ST4 OLD X MLT 737-130 PS+ ST4 OLD X MLTX 737-130 PS+ OLD X		X
MLT 635-140 V+ ST4 OLD X MLT 733-115 LSU ST4 OLD X MLT 737-130 PS+ ST4 OLD X MLT 737-130 PS+ OLD X MLTX 737-130 PS+ OLD X		X
MLT 733-115 LSU ST4 OLD X MLT 733-115 ST4 OLD X MLT 737-130 PS+ ST4 OLD X MLTX 737-130 PS+ OLD X	_	X
MLT 733-115 ST4 OLD X MLT 737-130 PS+ ST4 OLD X MLF-X 737-130 PS+ OLD X		x
MLT 737-130 PS+ ST4 OLD		х
MLT-X 737-130 PS+ OLD x		
MLT-X 741-140 V+ S1 OLD x		
	MLT-X 741-140 V+ S1 OLD	Х

TABLE SYMBOL								
×	No predisposition required	88	Hydraulic line		Retum piping to hydraulic oil tank			
	Electric predisposition		Platform predisposition		Tyre handler, cylinder handler predisposition			





Head Office

B.P. 249 - 430 rue de l'Aubinière 44150 Ancenis Cedex - France Tel: +33 (0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97 www.manitou.com



This publication provides a description of the configuration versions and options for Manitou products, which may differ for equipment. The equipment presented in this brochure may be part of a series, as an option, or it may not be available, depending on the versions. Manitou reserves the right, at any time and without notice, to amend the specifications described and represented. The specifications provided do not bind the manufacturer. For more details, please contact your Manitou agent. This is not a contractually binding document. The presentation of the products is not contractually binding. List of specifications non-exhaustive. The logos as well as the visual identity of the company are owned by Manitou and cannot be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are only provided for consultation and information purposes.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS Nantes