

ŁYŻKA WYSOKIEGO WYŁADUNKU (MASZYNY KOMPAKTOWE)

ŁYŻKI



GEHL®

Korzyści dla klienta

- Zwiększa wysokość wyładunku (o co najmniej 800mm).
- Zapewnia większą wydajność podczas załadunku przyczep/kontenerów.

Charakterystyka techniczna


- Do materiałów o gęstości 1,8t/m³.

Pojemność		BHS 1525 / 550
Pojemność (kg)		990
Pojemność kopyty (l)		550
Weight		
Masa całkowita (kg)		340
Waga i wymiary		
Wysokość całkowita (mm)	h17	643
Szerokość (mm)		1525
Głębokość (mm)	p5	970
Parametry robocze		
Wyposażenie maszyny		
Rura elastyczna		Nie

Kompatybilność maszyn		BHS 1525 / 550
All-Tach®		N004050
AL650		X
AL750		X
MLA 6-65 H-Z		X
MLA 4-50 H		X

TABELA SYMBOLI

	Nie jest wymagana predyspozycja		Przewód hydrauliczny		Powrót oleju hydraulicznego do zbiornika
	Predyspozycja elektryczna		Predyspozycja platformy		Predyspozycja zacisków opon, zacisków cylindrów



GEHL®

Siège Social
P.O. Box 179 - One Gehl Way - West Bend, WI, USA 53095
Tel: (262) 334-9461 - Fax: (262) 338-7517
www.gehl.com



This brochure describes versions and configuration options for Gehl products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Gehl reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Gehl dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Gehl and may not be used without authorization. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU EQUIPMENT AMERICAS, LLC - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS West Bend