

Technical sheet :

# **LIGHT MATERIAL BUCKET (COMPACT MACHINES)**

---



---

## **Technical characteristics**

- Suited for bulk materials with a density < 1 t/m<sup>3</sup> / 62 lb/ft<sup>3</sup>.
- 400 HB cutting edge for more resistance.

## **Customer benefits**

- Wide range of bucket capacities.
- High capacities for efficient loading applications

| Capacities                 |     | BLM 920 / 240 | BLM 920 / 430 | BLM 1080 / 290 | BLM 1080 / 510 | BLM 1200 / 580 | BLM 1220 / 330 | BLM 1300 / 630 (a) | BLM 1300 / 630 (b) | BLM 1300 / 630 (c) | BLM 1390 / 430 |
|----------------------------|-----|---------------|---------------|----------------|----------------|----------------|----------------|--------------------|--------------------|--------------------|----------------|
| Capacity (kg)              |     | 240           | 430           | 290            | 510            | 580            | 330            | 630                | 630                | 630                | 430            |
| Heaped capacity (l)        |     | 240           | 430           | 290            | 510            | 580            | 330            | 630                | 630                | 630                | 430            |
| Weight                     |     |               |               |                |                |                |                |                    |                    |                    |                |
| Overall weight (kg)        |     | 62            | 169           | 67             | 173            | 184            | -              | 196                | 203                | 205                | 140            |
| Weight and dimensions      |     |               |               |                |                |                |                |                    |                    |                    |                |
| Overall height (mm)        | h17 | 490           | 775           | 490            | 775            | 775            | 490            | 775                | 775                | 795                | 600            |
| Width (mm)                 |     | 920           | 920           | 1080           | 1080           | 1200           | 1220           | 1300               | 1300               | 1300               | 1380           |
| Depth (mm)                 | p5  | 819           | 1025          | 819            | 1025           | 1025           | 819            | 1025               | 988                | 957                | 890            |
| Working Parameters         |     |               |               |                |                |                |                |                    |                    |                    |                |
| Required machine equipment |     | ×             | ×             | ×              | ×              | ×              | ×              | ×                  | ×                  | ×                  | ×              |
| Flexible tube              |     | -             | -             | -              | -              | -              | -              | -                  | -                  | -                  | -              |

| Machines compatibility | BLM 920 / 240 | BLM 920 / 430 | BLM 1080 / 290 | BLM 1080 / 510 | BLM 1200 / 580 | BLM 1220 / 330 | BLM 1300 / 630 (a) | BLM 1300 / 630 (b) | BLM 1300 / 630 (c) | BLM 1390 / 430 |
|------------------------|---------------|---------------|----------------|----------------|----------------|----------------|--------------------|--------------------|--------------------|----------------|
| All-Tach® Narrow       | -             | N004021       | -              | N004022        | N004023        | -              | N004024            | -                  | -                  | -              |
| All-Tach®              | N726009       | -             | N726010        | -              | -              | N726011        | -                  | N004088            | N004092            | N736013        |
| 4 point Cargage        | -             | N003021       | -              | N003022        | N003023        | -              | N003024            | N003088            | N003092            | -              |
| Euro Cargage           | -             | -             | -              | N51502113      | N51502114      | -              | N51502115          | N51502160          | N51502185          | -              |
| 850R                   | X             | -             | X              | -              | -              | -              | -                  | -                  | -                  | -              |
| 1050R                  | -             | -             | -              | -              | -              | X              | -                  | -                  | -                  | X              |
| 1050RT                 | -             | -             | -              | -              | -              | X              | -                  | -                  | -                  | X              |
| 1350R NXT2             | -             | -             | -              | -              | -              | X              | -                  | -                  | -                  | X              |
| 1350RT                 | -             | -             | -              | -              | -              | X              | -                  | -                  | -                  | X              |
| AL230                  | -             | -             | -              | X              | X              | -              | X                  | -                  | -                  | -              |
| AL320                  | -             | -             | -              | X              | X              | -              | X                  | -                  | -                  | -              |
| AL330                  | -             | -             | -              | X              | X              | -              | X                  | -                  | -                  | -              |
| AL420                  | -             | -             | -              | X              | X              | -              | X                  | X                  | -                  | -              |
| AL430                  | -             | -             | -              | X              | X              | -              | X                  | X                  | -                  | -              |
| AL530                  | -             | -             | -              | -              | -              | -              | -                  | -                  | X                  | -              |
| AL550                  | -             | -             | -              | -              | -              | -              | -                  | -                  | X                  | -              |
| MLA 2-25 H             | -             | -             | -              | X              | X              | -              | X                  | -                  | -                  | -              |
| MLA 3-25 H             | -             | -             | -              | X              | X              | -              | X                  | -                  | -                  | -              |
| MLA 3-25 H-C           | -             | -             | -              | X              | X              | -              | X                  | -                  | -                  | -              |
| MLA 4-50 H             | -             | -             | -              | X              | X              | -              | X                  | X                  | -                  | -              |
| MLA 4-50 H-C           | -             | -             | -              | X              | X              | -              | X                  | X                  | -                  | -              |
| MLA 5-50 H             | -             | -             | -              | -              | -              | -              | -                  | -                  | X                  | -              |
| MLA 5-60 H-Z           | -             | -             | -              | -              | -              | -              | -                  | -                  | X                  | -              |
| R105                   | -             | -             | -              | -              | -              | X              | -                  | -                  | -                  | X              |
| RT105                  | -             | -             | -              | -              | -              | X              | -                  | -                  | -                  | X              |
| RT135                  | -             | -             | -              | -              | -              | X              | -                  | -                  | -                  | X              |
| 1640E <b>OLD</b>       | X             | -             | X              | -              | -              | -              | -                  | -                  | -                  | -              |
| MLA 1-25 H <b>OLD</b>  | -             | X             | -              | X              | X              | -              | -                  | -                  | -                  | -              |
| MLA 3-35 H <b>OLD</b>  | -             | -             | -              | -              | X              | -              | X                  | -                  | -                  | -              |
| MLA 4-50 H <b>OLD</b>  | -             | -             | -              | X              | X              | -              | X                  | X                  | -                  | -              |

| Capacities                 |     | BLM 1400 / 680 (a) | BLM 1400 / 680 (b) | BLM 1400 / 680 (c) | BLM 1500 / 730 (a) | BLM 1500 / 730 (b) | BLM 1500 / 730 (c) | BLM 1520 / 480 | BLM 1650 / 1100 | BLM 1680 / 530 | BLM 1680 / 670 |
|----------------------------|-----|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|----------------|-----------------|----------------|----------------|
| Capacity (kg)              |     | 680                | 680                | 680                | 730                | 730                | 730                | 480            | 810             | 530            | 670            |
| Heaped capacity (l)        |     | 680                | 680                | 680                | 730                | 730                | 730                | 480            | 810             | 530            | 670            |
| Weight                     |     |                    |                    |                    |                    |                    |                    |                |                 |                |                |
| Overall weight (kg)        |     | 194                | 210                | 210                | 208                | 218                | 220                | -              | 1100            | 160            | 242            |
| Weight and dimensions      |     |                    |                    |                    |                    |                    |                    |                |                 |                |                |
| Overall height (mm)        | h17 | 775                | 775                | 795                | 775                | 775                | 795                | 600            | 810             | 600            | 605            |
| Width (mm)                 |     | 1400               | 1400               | 1400               | 1500               | 1500               | 1500               | 1520           | 1650            | 1680           | 1680           |
| Depth (mm)                 | p5  | 1025               | 988                | 967                | 1025               | 988                | 951                | 890            | 1224            | 890            | 1023           |
| Working Parameters         |     |                    |                    |                    |                    |                    |                    |                |                 |                |                |
| Required machine equipment |     | ×                  | ×                  | ×                  | ×                  | ×                  | ×                  | ×              | ×               | ×              | ×              |
| Flexible tube              |     | -                  | -                  | -                  | -                  | -                  | -                  | -              | -               | -              | -              |







| Machines compatibility | BLM 1400 / 680 (a) | BLM 1400 / 680 (b) | BLM 1400 / 680 (c) | BLM 1500 / 730 (a) | BLM 1500 / 730 (b) | BLM 1500 / 730 (c) | BLM 1520 / 480 | BLM 1650 / 1100 | BLM 1680 / 530 | BLM 1680 / 670 |
|------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|----------------|-----------------|----------------|----------------|
| All-Tach® Narrow       | N004025            | -                  | -                  | N004026            | -                  | -                  | -              | -               | -              | -              |
| All-Tach®              | -                  | N004089            | N004093            | -                  | N004090            | N004094            | N736014        | N51502537       | N736015        | N747011        |
| 4 point Cargage        | N003025            | 52799520           | N003093            | N003026            | N003090            | N003094            | -              | N51502603       | -              | -              |
| Euro Cargage           | N002025            | N51502161          | N51502186          | N002026            | N51502162          | N51502187          | -              | N51502562       | -              | -              |
| 1350R NXT2             | -                  | -                  | -                  | -                  | -                  | -                  | X              | -               | X              | -              |
| 1350RT                 | -                  | -                  | -                  | -                  | -                  | -                  | X              | -               | X              | -              |
| 1650R                  | -                  | -                  | -                  | -                  | -                  | -                  | -              | -               | -              | X              |
| 1650RT                 | -                  | -                  | -                  | -                  | -                  | -                  | -              | -               | -              | X              |
| 1950RT                 | -                  | -                  | -                  | -                  | -                  | -                  | -              | -               | -              | X              |
| 1950RT                 | -                  | -                  | -                  | -                  | -                  | -                  | -              | -               | -              | X              |
| 1950RT                 | -                  | -                  | -                  | -                  | -                  | -                  | -              | -               | -              | X              |
| 2100V                  | -                  | -                  | -                  | -                  | -                  | -                  | -              | -               | -              | X              |
| 2100VT                 | -                  | -                  | -                  | -                  | -                  | -                  | -              | -               | -              | X              |
| AL320                  | -                  | X                  | -                  | -                  | -                  | -                  | -              | -               | -              | -              |
| AL330                  | -                  | X                  | -                  | -                  | -                  | -                  | -              | -               | -              | -              |
| AL420                  | X                  | X                  | -                  | -                  | -                  | -                  | -              | -               | -              | -              |
| AL430                  | X                  | X                  | -                  | -                  | -                  | -                  | -              | -               | -              | -              |
| AL530                  | -                  | -                  | X                  | -                  | -                  | X                  | -              | -               | -              | -              |
| AL550                  | -                  | -                  | X                  | -                  | -                  | X                  | -              | -               | -              | -              |
| AL650                  | -                  | -                  | -                  | -                  | -                  | -                  | -              | X               | -              | -              |
| AL750                  | -                  | -                  | -                  | -                  | -                  | -                  | -              | X               | -              | -              |
| MLA 3-25 H             | -                  | X                  | -                  | -                  | -                  | -                  | -              | -               | -              | -              |
| MLA 3-25 H-C           | -                  | X                  | -                  | -                  | -                  | -                  | -              | -               | -              | -              |
| MLA 4-50 H             | X                  | X                  | -                  | -                  | -                  | -                  | -              | -               | -              | -              |
| MLA 4-50 H-C           | X                  | X                  | -                  | -                  | -                  | -                  | -              | -               | -              | -              |
| MLA 5-50 H             | -                  | -                  | X                  | -                  | -                  | X                  | -              | -               | -              | -              |
| MLA 5-60 H-Z           | -                  | -                  | X                  | -                  | -                  | X                  | -              | -               | -              | -              |
| MLA 6-65 H-Z           | -                  | -                  | -                  | -                  | -                  | -                  | -              | X               | -              | -              |
| MLA-T 516-75 H         | -                  | -                  | -                  | -                  | -                  | -                  | -              | X               | -              | -              |
| MLA-T 516-75 H         | -                  | -                  | -                  | -                  | -                  | -                  | -              | X               | -              | -              |
| R165                   | -                  | -                  | -                  | -                  | -                  | -                  | -              | -               | -              | X              |
| RT135                  | -                  | -                  | -                  | -                  | -                  | -                  | X              | -               | X              | -              |
| RT165                  | -                  | -                  | -                  | -                  | -                  | -                  | -              | -               | -              | X              |
| RT195 - NEW            | -                  | -                  | -                  | -                  | -                  | -                  | -              | -               | -              | X              |
| RT195 - NEW            | -                  | -                  | -                  | -                  | -                  | -                  | -              | -               | -              | X              |
| RT195 - NEW            | -                  | -                  | -                  | -                  | -                  | -                  | -              | -               | -              | X              |
| V210                   | -                  | -                  | -                  | -                  | -                  | -                  | -              | -               | -              | X              |
| VT210                  | -                  | -                  | -                  | -                  | -                  | -                  | -              | -               | -              | X              |
| 1900R <b>OLD</b>       | -                  | -                  | -                  | -                  | -                  | -                  | -              | -               | -              | X              |
| AL440 <b>OLD</b>       | -                  | X                  | -                  | -                  | -                  | -                  | -              | -               | -              | -              |
| ALT750 <b>OLD</b>      | -                  | -                  | -                  | -                  | -                  | -                  | -              | X               | -              | -              |
| ALT750 <b>OLD</b>      | -                  | -                  | -                  | -                  | -                  | -                  | -              | X               | -              | -              |
| MLA 3-35 H <b>OLD</b>  | X                  | -                  | -                  | X                  | -                  | -                  | -              | -               | -              | -              |
| MLA 4-50 H <b>OLD</b>  | X                  | X                  | -                  | -                  | X                  | -                  | -              | -               | -              | -              |

| Capacities                 |     | BLM 1760 / 790 | BLM 1760 / 820 | BLM 1800 / 910 | BLM 1800 / 1200 | BLM 1850 / 830 | BLM 1850 / 860 | BLM 1850 / 1100 | BLM 1950 / 1300 | BLM 2000 / 1020 | BLM 2080 / 1250 |
|----------------------------|-----|----------------|----------------|----------------|-----------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|
| Capacity (kg)              |     | 820            | 790            | -              | 810             | 860            | 830            | 1100            | 1300            | -               | 1250            |
| Heaped capacity (l)        |     | 820            | 790            | 910            | 810             | 860            | 830            | 1100            | 1300            | 1020            | 1250            |
| Weight                     |     |                |                |                |                 |                |                |                 |                 |                 |                 |
| Overall weight (kg)        |     | 275            | 264            | 235            | 1200            | 290            | 275            | 350             | 354             | 250             | 370             |
| Weight and dimensions      |     |                |                |                |                 |                |                |                 |                 |                 |                 |
| Overall height (mm)        | h17 | 711            | 705            | 795            | 810             | 711            | 705            | 832             | 810             | 795             | 832             |
| Width (mm)                 |     | 1760           | 1760           | 1800           | 1800            | 1850           | 1850           | 1850            | 1950            | 2000            | 2080            |
| Depth (mm)                 | p5  | 1020           | 1012           | 951            | 1224            | 1020           | 1012           | 1102            | 1224            | 951             | 1102            |
| Working Parameters         |     |                |                |                |                 |                |                |                 |                 |                 |                 |
| Required machine equipment |     | ✗              | ✗              | -              | ✗               | ✗              | ✗              | ✗               | ✗               | -               | ✗               |
| Flexible tube              |     | -              | -              | No             | -               | -              | -              | -               | -               | No              | -               |

| Machines compatibility        | BLM 1760 / 790 | BLM 1760 / 820 | BLM 1800 / 910 | BLM 1800 / 1200 | BLM 1850 / 830 | BLM 1850 / 860 | BLM 1850 / 1100 | BLM 1950 / 1300 | BLM 2000 / 1020 | BLM 2080 / 1250 |
|-------------------------------|----------------|----------------|----------------|-----------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|
| All-Tach® Narrow              | -              | -              | -              | -               | -              | -              | -               | -               | -               | -               |
| All-Tach®                     | N757013        | N51502468      | N004027        | N51502536       | N757014        | N51502469      | N51502037       | N51502535       | N004028         | N51502076       |
| 4 point Camage                | -              | -              | N003027        | N51502605       | -              | -              | -               | N51502607       | N003028         | -               |
| Euro Camage                   | -              | -              | N51502188      | N51502564       | -              | -              | -               | N51502566       | N51502189       | -               |
| 2100V                         | -              | X              | -              | -               | X              | -              | -               | -               | -               | -               |
| 2100VT                        | -              | -              | -              | -               | -              | -              | X               | -               | -               | -               |
| 2300V                         | X              | X              | -              | -               | X              | X              | -               | -               | -               | -               |
| 2300VT                        | -              | -              | -              | -               | -              | -              | X               | -               | -               | -               |
| 2750V                         | X              | -              | -              | -               | -              | X              | -               | -               | -               | X               |
| 2750VT                        | -              | -              | -              | -               | -              | -              | X               | -               | -               | -               |
| 2750VT                        | -              | -              | -              | -               | -              | -              | X               | -               | -               | -               |
| 3300V NXT2                    | -              | -              | -              | -               | -              | -              | -               | -               | -               | X               |
| AL650                         | -              | -              | -              | X               | -              | -              | -               | X               | -               | -               |
| AL750                         | -              | -              | -              | X               | -              | -              | -               | X               | -               | -               |
| MLA 6-65 H-Z                  | -              | -              | -              | X               | -              | -              | -               | X               | -               | -               |
| MLA-T 516-75 H                | -              | -              | -              | X               | -              | -              | -               | X               | -               | -               |
| MLA-T 516-75 H                | -              | -              | -              | X               | -              | -              | -               | X               | -               | -               |
| V210                          | -              | X              | -              | -               | X              | -              | -               | -               | -               | -               |
| V230                          | X              | X              | -              | -               | X              | X              | -               | -               | -               | -               |
| V275                          | X              | -              | -              | -               | -              | X              | -               | -               | -               | X               |
| V330 GEN:2                    | -              | -              | -              | -               | -              | -              | -               | -               | -               | X               |
| V330 GEN:2                    | -              | -              | -              | -               | -              | -              | -               | -               | -               | X               |
| VT210                         | -              | -              | -              | -               | -              | -              | X               | -               | -               | -               |
| VT230                         | -              | -              | -              | -               | -              | -              | X               | -               | -               | -               |
| VT275                         | -              | -              | -              | -               | -              | -              | X               | -               | -               | -               |
| VT275                         | -              | -              | -              | -               | -              | -              | X               | -               | -               | -               |
| 1850RT <small>OLD</small>     | -              | -              | -              | -               | -              | -              | X               | -               | -               | -               |
| 2150RT <small>OLD</small>     | -              | -              | -              | -               | -              | -              | X               | -               | -               | -               |
| 2200R <small>OLD</small>      | -              | X              | -              | -               | -              | X              | -               | -               | -               | -               |
| 2600R <small>OLD</small>      | -              | -              | -              | -               | -              | X              | -               | -               | -               | X               |
| 2700V NXT2 <small>OLD</small> | X              | -              | -              | -               | X              | -              | -               | -               | -               | -               |
| 4200V <small>OLD</small>      | -              | -              | -              | -               | -              | -              | -               | -               | -               | X               |
| ALT750 <small>OLD</small>     | -              | -              | -              | X               | -              | -              | -               | X               | -               | -               |
| ALT750 <small>OLD</small>     | -              | -              | -              | X               | -              | -              | -               | X               | -               | -               |
| R220 <small>OLD</small>       | -              | X              | -              | -               | -              | X              | -               | -               | -               | -               |
| R260 <small>OLD</small>       | -              | -              | -              | -               | -              | X              | -               | -               | -               | X               |
| RT185 <small>OLD</small>      | -              | -              | -              | -               | -              | -              | X               | -               | -               | -               |
| RT215 <small>OLD</small>      | -              | -              | -              | -               | -              | -              | X               | -               | -               | -               |
| V270 <small>OLD</small>       | X              | -              | -              | -               | X              | -              | -               | -               | -               | -               |

| Capacities                 |     | BLM 2140 / 1290 | BLM 2150 / 1420 | BLM 2350 / 1370 (a) | BLM 2350 / 1370 (b) |
|----------------------------|-----|-----------------|-----------------|---------------------|---------------------|
| Capacity (kg)              |     | 1290            | 1420            | 1370                | 1370                |
| Heaped capacity (l)        |     | 1290            | 1420            | 1370                | 1370                |
| Weight                     |     |                 |                 |                     |                     |
| Overall weight (kg)        |     | 381             | 380             | 405                 | 405                 |
| Weight and dimensions      |     |                 |                 |                     |                     |
| Overall height (mm)        | h17 | 832             | 810             | 832                 | 832                 |
| Width (mm)                 |     | 2140            | 2150            | 2350                | 2350                |
| Depth (mm)                 | p5  | 1102            | 1224            | 1102                | 1102                |
| Working Parameters         |     |                 |                 |                     |                     |
| Required machine equipment |     | ✗               | ✗               | ✗                   | ✗                   |
| Flexible tube              |     | -               | -               | -                   | -                   |

| Machines compatibility | BLM 2140 / 1290 | BLM 2150 / 1420 | BLM 2350 / 1370 (a) | BLM 2350 / 1370 (b) |
|------------------------|-----------------|-----------------|---------------------|---------------------|
| All-Tach® Narrow       | -               | -               | -                   | -                   |
| All-Tach®              | N700248         | N51502534       | N700249             | N51502038           |
| 4 point Camage         | -               | N51502609       | -                   | -                   |
| Euro Camage            | -               | N51502568       | -                   | -                   |
| 2750VT                 | -               | -               | -                   | X                   |
| 3300V NXT2             | X               | -               | -                   | -                   |
| AL750                  | -               | X               | -                   | -                   |
| MLA-T 516-75 H         | -               | X               | -                   | -                   |
| MLA-T 516-75 H         | -               | X               | -                   | -                   |
| V330 GEN:2             | X               | -               | -                   | -                   |
| V330 GEN:2             | X               | -               | -                   | -                   |
| VT275                  | -               | -               | -                   | X                   |
| 2150RT <b>OLD</b>      | -               | -               | -                   | X                   |
| 4200V <b>OLD</b>       | X               | -               | X                   | -                   |
| ALT750 <b>OLD</b>      | -               | X               | -                   | -                   |
| ALT750 <b>OLD</b>      | -               | X               | -                   | -                   |
| RT215 <b>OLD</b>       | -               | -               | -                   | X                   |

| TABLE SYMBOL  |                            |   |                         |   |   |
|---|----------------------------|---|-------------------------|---|---|
|  | No predisposition required |  | Hydraulic line          |  | Return piping to hydraulic oil tank           |
|  | Electric predisposition    |  | Platform predisposition |  | Tyre handler, cylinder handler predisposition |



**Head Office**

B.P. 249 - 430 rue de l'Aubinière  
44150 Ancenis Cedex - France

Tel: +33 (0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97

[www.manitou.com](http://www.manitou.com)



This publication provides a description of the configuration versions and options for Manitou products, which may differ for equipment. The equipment presented in this brochure may be part of a series, as an option, or it may not be available, depending on the versions. Manitou reserves the right, at any time and without notice, to amend the specifications described and represented. The specifications provided do not bind the manufacturer. For more details, please contact your Manitou agent. This is not a contractually binding document. The presentation of the products is not contractually binding. List of specifications non-exhaustive. The logos as well as the visual identity of the company are owned by Manitou and cannot be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are only provided for consultation and information purposes.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS Nantes