Technical sheet:

LIGHT MATERIAL BUCKET (MRT)



Technical characteristics

- Bucket dedicated to the handling of light materials (< 1000 kg/m³ / 62 lb/ft³).
- Reinforced structure (base, blade and sides).

Customer benefits

- Usually placed in from on a window/ an opening on a deconstructed building to load rubbles.
- Especially usefull for deconstruction applications: the wide opening of this bucket prevents rubbles & misc. materials from falling to the ground.
- Designed to suit to MRT's specific boom head position.
- Note: rotating telehandlers are not designed for intensive loading applications.



Technical characteristics		CBA 1500 / 2450
Distance to center of gravity (mm)		696
Capacities		
Capacity (kg)		1529
Heaped capacity (I)		1529
Struck capacity (I)		1101
Weight		
Overall weight (kg)		529
Weight and dimensions		
Overall height (mm)	h17	997
Overall length (mm)	I1	1170
Width (mm)		2450
Working Parameters		
Required machine equipment		×

Section Sect	Machines compatibility	CBA 1500 / 2450
IMMT 1845 115	Reference number E-RECO	921279
MRT 1845 75	MRT 1645 75	х
MRT 245 115	MRT 1645 115	х
MRT 245 115	MRT 1845 75	х
MRT 2260	MRT 1845 115	х
MRT 250 e MRT 250	MRT 2145 115	х
MRT 2845 115	MRT 2260	x
MRT 2500	MRT 2260 e	х
MRT 2660	MRT 2545 115	x
MRT 2600	MRT 2570	x
MRT 3060		х
MRT 3570 ES	MRT 2660 e	х
MRT 3570 ES MRT 3	MRT 3060	X
MRTX 1645		
MRTX 2145		
MRTX 2145 X MRTX 2260 X MRTX 2570 X MRTX 2570 X MRTX 2660 X MRTX 3060 X MRTX 3570 B X MRTX 3570 E X MRT 1440 Easy T4 S2 400° GID X MRT 1440 Easy T4 S2 360° GID X MRT 1440 Easy T4 S2 400° GID X MRT 1340 Easy T4 S2 400° GID X MRT 2145 Easy T4 S2 400° GID X MRT 2470 Privilege Plus GID X MRT 2545 Easy T4 S2 400° GID X MRT 2545 Easy T4 S2 400° GID X MRT 2550 Privilege Plus GID X MRT 2545 Easy 360° GID X MRT 2545 Easy 360° GID X MRTX 1480 Easy 360° GID X MRTX 2145 Easy 360° GID X MRTX 2145 Easy 360° GID X MRTX 21470 Privilege Plus GID X MRTX 2470 Privi		
MRTX 2500 X MRTX 2570 X MRTX 2500 X MRTX 3060 X MRTX 3570 X MRTX 3570 ES X MRT 1440 Easy T4 S2 400° (ID) X MRT 1460 Easy T4 S2 400° (ID) X MRT 1460 Easy T4 S2 400° (ID) X MRT 1840 Easy T4 S2 400° (ID) X MRT 1840 Easy T4 S2 400° (ID) X MRT 2150 Privilege Plus (ID) X MRT 2470 Privilege Plus (ID) X MRT 2550 Privilege Plus (ID) X MRT 2470 Privilege Plus (ID) X MRT 2470 Privilege Plus (ID) X MRT 2550 Privilege Plus (ID) X MRT 2470 Privilege Plus (ID)<		
MRTX 2570 X MRTX 2660 X MRTX 3600 X MRTX 3570 S X MRT 1404 Easy T4 \$2 400° 0.0 X MRT 1404 Easy T4 \$2 360° 0.0 X MRT 1640 Easy T4 \$2 300° 0.0 X MRT 1840 Easy T4 \$2 300° 0.0 X MRT 1840 Easy T4 \$2 400° 0.0 X MRT 2155 Privilege Plus 0.0 X MRT 2150 Privilege Plus 0.0 X MRT 2545 Easy T4 \$2 300° 0.0 X MRT 2550 Privilege Plus 0.0 X MRT 250 Privilege		
MRTX 2570		
MRTX 2060 X MRTX 3070 X MRTX 3570 ES X MRT 1440 Easy T4 S2 400° 0LD X MRT 1640 Easy T4 S2 300° 0LD X MRT 1640 Easy T4 S2 300° 0LD X MRT 1840 Easy T4 S2 400° 0LD X MRT 1840 Easy T4 S2 400° 0LD X MRT 2145 Easy T4 S2 400° 0LD X MRT 2145 Easy T4 S2 400° 0LD X MRT 2470 Privilege Plus 0LD X MRT 245E Easy T4 S2 300° 0LD X MRT 2545 Easy T4 S2 300° 0LD X MRT 2550 Privilege Plus 0LD X MRT 3505 Privilege Plus 0LD X MRTX 140 Easy 360° 0LD X MRTX 2145 Easy 400° 0LD X MRTX 2145 Easy 360° 0LD X MRTX 2140 Flvilege Plus 0LD X MRTX 2140 Flvilege Plus 0LD X MRTX 21470 Privilege Plus 0LD X MRTX 2150 Privilege Plus 0LD X MRTX 2470 Privilege Plus 0LD X MRTX 2470 Privilege Plus 0LD X MRTX 2545 Easy 360° 0LD X		
MRTX 3570 S		
MRTX 3570 ES X MRT 1440 Easy T4 S2 400° 0LD X MRT 1640 Easy T4 S2 360° 0LD X MRT 1640 Easy T4 S2 360° 0LD X MRT 1840 Easy T4 S2 360° 0LD X MRT 1840 Easy T4 S2 400° 0LD X MRT 2145 Easy T4 S2 400° 0LD X MRT 2150 Privilege Plus 0LD X MRT 2545 Easy T4 S2 360° 0LD X MRT 2545 Easy T4 S2 360° 0LD X MRT 2550 Privilege Plus 0LD X MRT 2550 Privilege Plus 0LD X MRT 3050 Privilege Plus 0LD X MRT 3050 Privilege Plus 0LD X MRTX 1840 Easy 360° 0LD X MRTX 2145 Easy 360° 0LD X MRTX 2145 Easy 400° 0LD X MRTX 2147 Privilege Plus 0LD X MRTX 2150 Privilege Plus 0LD X MRTX 2167 Privilege Plus 0LD X MRTX 2167 Privilege Plus 0LD X MRTX 2470 Privilege Plus 0LD X MRTX 2470 Privilege Plus 0LD X		
MRT 2570 ES X MRT 1440 Easy T4 S2 400° (LD X MRT 1640 Easy T4 S2 360° (LD) X MRT 1640 Easy T4 S2 300° (LD) X MRT 1840 Easy T4 S2 400° (LD) X MRT 2145 Easy T4 S2 400° (LD) X MRT 2150 Privilege Plus (LD) X MRT 2470 Privilege Plus (LD) X MRT 2545 Easy T4 S2 400° (LD) X MRT 3050 Privilege Plus (LD) X MRT 340 Easy 360° (LD) X MRTX 1840 Easy 360° (LD) X MRTX 2145 Easy 360° (LD) X MRTX 2145 Easy 360° (LD) X MRTX 2145 Easy 360° (LD) X MRTX 2150 Privilege Plus (LD) X MRTX 2147 Privilege Plus (LD) X MRTX 2150 Privilege Plus (LD) X MRTX 2270 Privilege Plus (LD) X MRTX 2545 Easy 360° (LD) X		
MRT 1440 Easy T4 S2 400° OLD MRT 1640 Easy T4 S2 360° OLD MRT 1840 Easy T4 S2 360° OLD MRT 1840 Easy T4 S2 360° OLD MRT 1840 Easy T4 S2 400° OLD MRT 1840 Easy T4 S2 400° OLD X MRT 1840 Easy T4 S2 400° OLD X MRT 2150 Privilege Plus OLD X MRT 2545 Easy T4 S2 360° OLD X MRT 2545 Easy T4 S2 400° OLD X MRT 2550 Privilege Plus OLD X MRT 2550 Privilege Plus OLD X MRT 3050 Privilege Plus OLD X MRT 2545 Easy 360° OLD X MRT 2545 Easy 360° OLD X MRT 2545 Easy 360° OLD X MRTX 1840 Easy 360° OLD X MRTX 1840 Easy 360° OLD X MRTX 2145 Easy 360° OLD X MRTX 2150 Privilege Plus OLD X MRTX 2545 Easy 360° OLD X MRTX 2545 Easy 360° OLD X		
MRT 1640 Easy T4 \$2 400° OLD MRT 1840 Easy T4 \$2 400° OLD MRT 2145 Easy T4 \$2 400° OLD MRT 2145 Easy T4 \$2 400° OLD MRT 2470 Privilege Plus OLD MRT 2545 Easy T4 \$2 360° OLD MRT 2545 Easy T4 \$2 360° OLD MRT 2550 Privilege Plus OLD MRT 3050 Privilege Plus OLD MRT 3145 Easy 360° OLD MRT 3155 Easy 400° OLD MRT 3155 Easy 400° OLD MRT 3155 Easy 400° OLD MRT 3155 Privilege Plus OLD MRT 3155 Easy 360° OLD		
MRT 1840 Easy T4 S2 300° OLD MRT 1840 Easy T4 S2 300° OLD MRT 1840 Easy T4 S2 400° OLD MRT 2145 Easy T4 S2 400° OLD MRT 2150 Privilege Plus OLD MRT 2545 Easy T4 S2 300° OLD MRT 2545 Easy T4 S2 300° OLD MRT 2550 Privilege Plus OLD MRT 3050 P		
MRT 1840 Easy T4 S2 360° OLD X MRT 1840 Easy T4 S2 400° OLD X MRT 2150 Privilege Plus OLD X MRT 2470 Privilege Plus OLD X MRT 2545 Easy T4 S2 360° OLD X MRT 2545 Easy T4 S2 400° OLD X MRT 2550 Privilege Plus OLD X MRT 3050 Privilege Plus OLD X MRFX 1840 Easy 360° OLD X MRFX 2145 Easy 360° OLD X MRFX 2145 Easy 360° OLD X MRFX 2150 Privilege Plus OLD X MRFX 2175 Privilege Plus OLD X MRFX 2170 Privilege Plus OLD X MRFX 255 Easy 360° OLD X MRFX 255 Privilege Plus OLD X MRFX 255 Easy 360° OLD X		
MRT 1840 Easy T4 S2 400° OLD X MRT 2150 Privilege Plus OLD X MRT 2470 Privilege Plus OLD X MRT 2545 Easy T4 S2 360° OLD X MRT 2545 Easy T4 S2 400° OLD X MRT 2550 Privilege Plus OLD X MRT 3050 Privilege Plus OLD X MRTX 1840 Easy 360° OLD X MRTX 1840 Easy 400° OLD X MRFX 2145 Easy 360° OLD X MRFX 2150 Privilege Plus OLD X MRFX 2150 Privilege Plus OLD X MRFX 2150 Privilege Plus OLD X MRFX 2550 Privilege Plus OLD X		
MRT 2145 Easy T4 S2 400° OLD X MRT 2150 Privilege Plus OLD X MRT 2470 Privilege Plus OLD X MRT 2545 Easy T4 S2 360° OLD X MRT 2550 Privilege Plus OLD X MRT 3050 Privilege Plus OLD X MRTX 1840 Easy 360° OLD X MRTX 1840 Easy 400° OLD X MRTX 2145 Easy 360° OLD X MRTX 2150 Privilege Plus OLD X MRTX 2550 Privilege Plus OLD X MRTX 2550 Privilege Plus OLD X		
MRT 2150 Privilege Plus QLD MRT 2470 Privilege Plus QLD MRT 2545 Easy T4 S2 360° QLD X MRT 2550 Privilege Plus QLD MRT 3050 Privilege Plus QLD MRT 3050 Privilege Plus QLD MRT-X 1840 Easy 360° QLD X MRT-X 1840 Easy 400° QLD X MRT-X 2145 Easy 360° QLD X MRT-X 2145 Easy 400° QLD X MRT-X 2150 Privilege Plus QLD MRT-X 2150 Privilege Plus QLD MRT-X 2500 Privilege Plus QLD MRT-X 2150 Privilege Plus QLD MRT-X 2500 Privilege Plus QLD		
MRT 2470 Privilege Plus OLD X MRT 2545 Easy T4 S2 360° OLD X MRT 2550 Privilege Plus OLD X MRT 3050 Privilege Plus OLD X MRTX 1840 Easy 360° OLD X MRTX 1840 Easy 400° OLD X MRTX 2145 Easy 360° OLD X MRTX 2145 Easy 400° OLD X MRTX 2150 Privilege Plus OLD X MRTX 2150 Privilege Plus OLD X MRTX 2550 Privilege Plus OLD X	· —	
MRT 2545 Easy T4 S2 360° OLD X MRT 2550 Privilege Plus OLD X MRT 3050 Privilege Plus OLD X MRT-X 1840 Easy 360° OLD X MRT-X 1840 Easy 400° OLD X MRT-X 2145 Easy 360° OLD X MRT-X 2145 Easy 400° OLD X MRT-X 2100 Privilege Plus OLD X MRT-X 2150 Privilege Plus OLD X MRT-X 2150 Privilege Plus OLD X MRT-X 2545 Easy 360° OLD X MRT-X 2545 Easy 360° OLD X		
MRT 2545 Easy T4 S2 400° OLD X MRT 2550 Privilege Plus OLD X MRT 3050 Privilege Plus OLD X MRT-X 1840 Easy 360° OLD X MRT-X 1840 Easy 400° OLD X MRT-X 2145 Easy 360° OLD X MRT-X 2150 Privilege Plus OLD X MRT-X 2150 Privilege Plus OLD X MRT-X 2470 Privilege Plus OLD X MRT-X 2545 Easy 360° OLD X		
MRT 2550 Privilege Plus QLD X MRT 3050 Privilege Plus QLD X MRT-X 1840 Easy 360° QLD X MRT-X 2145 Easy 360° QLD X MRT-X 2145 Easy 400° QLD X MRT-X 2150 Privilege Plus QLD MRT-X 2150 Privilege Plus X MRT-X 2150 Privilege Plus X MRT-X 2500 Privilege Plus X MRT-X 250 Privilege Plus X MRT-X 2500 Privilege Plus X		
MRT 3050 Privilege Plus OLD X MRT-X 1840 Easy 360° OLD X MRT-X 1840 Easy 400° OLD X MRT-X 2145 Easy 360° OLD X MRT-X 2150 Privilege Plus OLD X MRT-X 2470 Privilege Plus OLD X MRT-X 2545 Easy 360° OLD X MRT-X 2545 Easy 360° OLD X		
MRT-X 1840 Easy 360° OLD X MRT-X 1840 Easy 400° OLD X MRT-X 2145 Easy 360° OLD X MRT-X 2150 Privilege Plus OLD X MRT-X 2470 Privilege Plus OLD X MRT-X 2545 Easy 360° OLD X		
MRT-X 1840 Easy 400° OLD X MRT-X 2145 Easy 360° OLD X MRT-X 2145 Easy 400° OLD X MRT-X 2150 Privilege Plus OLD X MRT-X 2470 Privilege Plus OLD X MRT-X 2545 Easy 360° OLD X		
MRT-X 2145 Easy 360° OLD X MRT-X 2145 Easy 400° OLD X MRT-X 2150 Privilege Plus OLD X MRT-X 2470 Privilege Plus OLD X MRT-X 2545 Easy 360° OLD X		x
MRT-X 2145 Easy 400° OLD X MRT-X 2150 Privilege Plus OLD X MRT-X 2470 Privilege Plus OLD X MRT-X 2545 Easy 360° OLD X		
MRT-X 2150 Privilege Plus OLD X MRT-X 2470 Privilege Plus OLD X MRT-X 2545 Easy 360° OLD X		
MRF.X 2470 Privilege Plus OLD X MRF.X 2545 Easy 360° OLD X		Х
MRT-X 2545 Easy 360° OLD X		Х
		Х
WINT A 2010 Laby 100 OLD	MRT-X 2545 Easy 400° OLD	Х
MRT-X 2550 Privilege Plus OLD X		X
MRT-X 3050 Privilege Plus OLD X	MRT-X 3050 Privilege Plus OLD	Х

TABLE SYMBOL				
X	No predisposition required	88	Hydraulic line	Return piping to hydraulic oil tank
	Electric predisposition		Platform predisposition	Tyre handler, cylinder handler predisposition





Head Office

B.P. 249 - 430 rue de l'Aubinière 44150 Ancenis Cedex - France Tel: +33 (0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97 www.manitou.com



This publication provides a description of the configuration versions and options for Manitou products, which may differ for equipment. The equipment presented in this brochure may be part of a series, as an option, or it may not be available, depending on the versions. Manitou reserves the right, at any time and without notice, to amend the specifications described and represented. The specifications provided do not bind the manufacturer. For more details, please contact your Manitou agent. This is not a contractually binding document. The presentation of the products is not contractually binding. List of specifications non-exhaustive. The logos as well as the visual identity of the company are owned by Manitou and cannot be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are only provided for consultation and information purposes.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS Nantes