


GODET POUR MATERIAUX LEGERS AVEC LAME D'USURE (MACHINES COMPACTES)

GOSETS



GEHL®

Bénéfices client

- Large gamme de capacités de godet.
- Capacités élevées pour des applications de chargement efficaces.







Caractéristiques techniques

- Convient pour les matériaux en vrac d'une densité < 1 t/m³.
- Lames d'usure 400 HB pour plus de résistance.

 **ATTACHMENTS**

| Capacités | | BLM WP 1650 / 1100 | BLM WP 1800 / 1200 | BLM WP 1950 / 1300 | BLM WP 2150 / 1420 |
|------------------------|-----|--------------------|--------------------|--------------------|--------------------|
| Capacité nominale (kg) | | 1100 | 1200 | 1300 | 1420 |
| Capacité en dôme (l) | | 1100 | 1200 | 1300 | 1420 |
| Poids | | | | | |
| Poids (kg) | | 342 | 365 | 387 | 417 |
| Poids et dimensions | | | | | |
| Hauteur hors tout (mm) | h17 | 810 | 810 | 810 | 810 |
| Largeur (mm) | | 1650 | 1800 | 1950 | 2150 |
| Profondeur (mm) | p5 | 1271 | 1271 | 1271 | 1271 |
| Paramètres de travail | | | | | |
| Équipement Machine | | × | × | × | × |

| Compatibilité machine | BLM WP 1650 / 1100 | BLM WP 1800 / 1200 | BLM WP 1950 / 1300 | BLM WP 2150 / 1420 |
|-----------------------|--------------------|--------------------|--------------------|--------------------|
| All-Tach® | N51502533 | N51502532 | N51502531 | N51502530 |
| Tablier 4 points | N51502604 | N51502606 | N51502608 | N51502610 |
| Tablier Euro | N51502563 | N51502565 | N51502567 | N51502569 |
| AL650 | X | X | X | - |
| AL750 | X | X | X | X |
| ALT750 | X | X | X | X |
| MLA 6-65 H-Z | X | X | X | - |
| MLA-T 516-75 H | X | X | X | X |
| ALT750 OLD | X | X | X | X |
| ALT750 OLD | X | X | X | X |

| TABLEAU DES SYMBOLES | | | | | |
|---|-------------------------------|---|-------------------------------------|---|--|
|  | Aucune prédisposition requise |  | Ligne hydraulique en tête de flèche |  | Retour hydraulique au réservoir |
|  | Prédisposition électrique |  | Prédisposition nacelle |  | Prédisposition pinces à pneus, pinces à vérins |



GEHL®

Siège Social
P.O. Box 179 - One Gehl Way - West Bend, WI, USA 53095
Tel: (262) 334-9461 - Fax: (262) 338-7517
www.gehl.com



This brochure describes versions and configuration options for Gehl products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Gehl reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Gehl dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Gehl and may not be used without authorization. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU EQUIPMENT AMERICAS, LLC - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS West Bend