

GEHL®


Bénéfices client

- Rend la manipulation des pots et des plantes facile et efficace.
- Remplace efficacement les fourches, les flèches ou la force humaine.







Caractéristiques techniques

- Poignées articulées pour un serrage en douceur du pot.
- Limiteur de pression réglable pour éviter d'endommager les pots fragiles (terre cuite).

 **ATTACHMENTS**

Caractéristiques techniques		CLP 1000 / 800
Distance du centre de gravité (mm)		350
Capacités		
Capacité nominale (kg)		800
Poids		
Poids (kg)		109
Poids et dimensions		
Hauteur hors tout (mm)	h17	507
Longueur hors-tout (mm)	l1	1106
Largeur (mm)		686
Diamètre minimum / Diamètre maximum (mm)		400 / 1050
Paramètres de travail		
Equipement Machine		
Ouverture minimum (mm)		400
Ouverture maximum (mm)		1000

Compatibilité machine		CLP 1000 / 800
All-Tach® étroit		N51502717
All-Tach®		N51502716
Tablier 4 points		52742066
Tablier Euro		52742067
AL230		X
AL320		X
AL330		X
AL420		X
AL430		X
AL530		X
AL650		X
AL750		X
GCT 3-14		X
GCT 3-14 +		X
MLA 2-25 H		X
MLA 3-25 H		X
MLA 3-25 H-C		X
MLA 4-50 H		X
MLA 4-50 H-C		X
MLA 5-50 H		X
MLA 6-65 H-Z		X
ULM 412 H		X
ULM 412 H		X
ULM 415 H		X
ULM 415 H		X
MLA 1-25 H OLD		X
MLA 3-35 H OLD		X
MLA 4-50 H OLD		X

TABLEAU DES SYMBOLES					
	Aucune prédisposition requise		Ligne hydraulique en tête de flèche		Retour hydraulique au réservoir
	Prédisposition électrique		Prédisposition nacelle		Prédisposition pinces à pneus, pinces à vérins



GEHL®

Siège Social
P.O. Box 179 - One Gehl Way - West Bend, WI, USA 53095
Tel: (262) 334-9461 - Fax: (262) 338-7517
www.gehl.com



This brochure describes versions and configuration options for Gehl products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Gehl reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Gehl dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Gehl and may not be used without authorization. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU EQUIPMENT AMERICAS, LLC - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS West Bend