

VIERKANT-BALLENZANGE (KOMPAKTMASCHINEN)

KLAMMERN



GEHL®


Kundenvorteile

- Rohrförmige Konstruktion - kein Risiko von Beschädigungen der Folie beim Bewegen gewickelter Ballen.
- Breite Klammeröffnung für die Handhabung von Groß- oder Mehrfachballen.
- Konkurrenzloser Komponentenschutz.
- Multi-Tasking: entwickelt für gewickelte Quaderballen, kann auch Standard-Quaderballen oder Rundballen handhaben.




Technische Merkmale

- Starker Rahmen & Komponenten für intensive Anwendungen.
- Teleskopische Kinematik-leichte Bewegung & starke Klemmkapazität.
- Massiver Einsatz von Teflon®-Pad.
- Eingeschränkte Wartung.
- Standard-Druckbegrenzer.

MANITOU GROUP ATTACHMENTS

Kapazität		CLBSW 2000 / 1000	
Tragfähigkeit (kg)			1000
Gewicht			
Gewicht (kg)			477
Gewicht und Reifengröße			
Gesamthöhe (mm)	h17		679
Arm Länge (mm)			1811
Arbeitsparameter			
Maschinenausrüstung			
Öffnung Minimum (mm)			740
Öffnung Maximum (mm)			2090

Maschinenkompatibilitäten		CLBSW 2000 / 1000	
All-Tach®			NS1502694
4-Punkt -Aufnahme			NS1502693
Euro-Aufnahme			NS1502692
AL650			X
AL750			X
ALT750			X
MLA 6-65 H-Z			X
MLA-T 516-75 H			X
ALT750 OLD			X
ALT750 OLD			X

TABELLE DER SYMBOLE					
	Keine Vorbereitung erforderlich		Hydraulikleitung		Rückführung zum Hydrauliköltank
	Elektrischer Anschluss		Arbeitsbühnen-Vorbereitung		Vorbereitung für Reifenklammer, Zylinderklammer



GEHL®

Siège Social

P.O. Box 179 - One Gehl Way - West Bend, WI, USA 53095

Tel: (262) 334-9461 - Fax: (262) 338-7517

www.gehl.com



This brochure describes versions and configuration options for Gehl products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Gehl reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Gehl dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Gehl and may not be used without authorization. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU EQUIPMENT AMERICAS, LLC - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS West Bend