

Technical sheet :

# ***STANDARD DIGGING BUCKET (COMPACT MACHINES)***

---



## **Customer benefits**

- Heavy duty construction.

## **Technical characteristics**

- 400 HB steel reinforcements under the bucket.

 **ATTACHMENTS**

| Capacities            |     | BS 920 / 150 | BS 920 / 250 | BS 980 / 270 | BS 1080 / 180 | BS 1080 / 300 | BS 1150 / 320 | BS 1200 / 340 | BS 1250 / 280 | BS 1300 / 370 | BS 1300 / 380 |
|-----------------------|-----|--------------|--------------|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Heaped capacity (l)   |     | 150          | 250          | 270          | 180           | 300           | 320           | 340           | 280           | 340           | 380           |
| Weight                |     |              |              |              |               |               |               |               |               |               |               |
| Overall weight (kg)   |     | 50           | 114          | 120          | 55            | 126           | 135           | 136           | 134           | 145           | 168           |
| Weight and dimensions |     |              |              |              |               |               |               |               |               |               |               |
| Overall height (mm)   | h17 | 427          | 626          | 626          | 427           | 626           | 626           | 626           | 470           | 626           | 675           |
| Width (mm)            |     | 920          | 920          | 980          | 1080          | 1080          | 1150          | 1200          | 1250          | 1300          | 1300          |
| Depth (mm)            | p5  | 700          | 817          | 817          | 700           | 817           | 817           | 817           | 841           | 817           | 760           |
| Working Parameters    |     |              |              |              |               |               |               |               |               |               |               |
| Machine Equipment     |     | ✕            | ✕            | ✕            | ✕             | ✕             | ✕             | ✕             | ✕             | ✕             | ✕             |

| Machines compatibility        | BS 920 / 150 | BS 920 / 250 | BS 980 / 270 | BS 1080 / 180 | BS 1080 / 300 | BS 1150 / 320 | BS 1200 / 340 | BS 1250 / 280 | BS 1300 / 370 | BS 1300 / 380 |
|-------------------------------|--------------|--------------|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| All-Tach® Narrow              | -            | N004010      | N004011      | -             | N004012       | N004013       | N004014       | -             | N004015       | -             |
| All-Tach®                     | N726001      | -            | -            | N726002       | -             | -             | -             | N736001       | -             | N004076       |
| 4 point Camiage               | -            | N003010      | N003011      | -             | N003012       | N003013       | N003014       | -             | N003015       | N003076       |
| Euro Camiage                  | -            | -            | N51502100    | -             | N51502101     | N51502102     | N51502103     | -             | N002015       | N51502154     |
| 1050R                         | -            | -            | -            | -             | -             | -             | -             | X             | -             | -             |
| 1050RT                        | -            | -            | -            | -             | -             | -             | -             | X             | -             | -             |
| 1350RT                        | -            | -            | -            | -             | -             | -             | -             | X             | -             | -             |
| 1640 E                        | X            | -            | -            | X             | -             | -             | -             | -             | -             | -             |
| AL230                         | -            | -            | X            | -             | X             | X             | X             | -             | X             | -             |
| AL320                         | -            | -            | X            | -             | X             | X             | X             | -             | X             | -             |
| AL330                         | -            | -            | X            | -             | X             | X             | X             | -             | X             | -             |
| AL420                         | -            | -            | -            | -             | X             | X             | X             | -             | X             | -             |
| AL430                         | -            | -            | -            | -             | X             | X             | X             | -             | X             | -             |
| MLA 2-25 H                    | -            | -            | X            | -             | X             | X             | X             | -             | X             | -             |
| MLA 3-25 H                    | -            | -            | X            | -             | X             | X             | X             | -             | X             | -             |
| MLA 3-25 H-C                  | -            | -            | X            | -             | X             | X             | X             | -             | X             | -             |
| MLA 4-50 H                    | -            | -            | -            | -             | X             | X             | X             | -             | X             | -             |
| MLA 4-50 H-C                  | -            | -            | -            | -             | X             | X             | X             | -             | X             | -             |
| RT105                         | -            | -            | -            | -             | -             | -             | -             | X             | -             | -             |
| RT135                         | -            | -            | -            | -             | -             | -             | -             | X             | -             | -             |
| AL140 <small>OLD</small>      | -            | X            | X            | -             | X             | X             | X             | -             | -             | -             |
| AL340 <small>OLD</small>      | -            | -            | -            | -             | -             | X             | X             | -             | -             | -             |
| MLA 1-25 H <small>OLD</small> | -            | X            | X            | -             | X             | X             | X             | -             | -             | -             |
| MLA 3-35 H <small>OLD</small> | -            | -            | -            | -             | -             | X             | X             | -             | -             | -             |
| MLA 4-50 H <small>OLD</small> | -            | -            | -            | -             | X             | X             | X             | -             | X             | X             |

| Capacities            |     | BS 1300 / 440 | BS 1380 / 320 | BS 1400 / 400 | BS 1400 / 410 | BS 1400 / 470 | BS 1480 / 340 | BS 1500 / 430 | BS 1500 / 440 | BS 1500 / 510 | BS 1520 / 350 |
|-----------------------|-----|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Heaped capacity (l)   |     | 440           | 320           | 400           | 410           | 470           | 340           | 430           | 440           | 510           | 350           |
| Weight                |     |               |               |               |               |               |               |               |               |               |               |
| Overall weight (kg)   |     | 190           | 137           | 151           | 180           | 203           | 141           | 160           | 192           | 216           | 143           |
| Weight and dimensions |     |               |               |               |               |               |               |               |               |               |               |
| Overall height (mm)   | h17 | 732           | 470           | 626           | 675           | 732           | 470           | 626           | 675           | 732           | 470           |
| Width (mm)            |     | 1300          | 1380          | 1400          | 1400          | 1400          | 1480          | 1500          | 1500          | 1500          | 1525          |
| Depth (mm)            | p5  | 817           | 841           | 817           | 760           | 817           | 841           | 817           | 760           | 817           | 841           |
| Working Parameters    |     |               |               |               |               |               |               |               |               |               |               |
| Machine Equipment     |     | ✕             | ✕             | ✕             | ✕             | ✕             | ✕             | ✕             | ✕             | ✕             | ✕             |

| Machines compatibility        | BS 1300 / 440 | BS 1380 / 320 | BS 1400 / 400 | BS 1400 / 410 | BS 1400 / 470 | BS 1480 / 340 | BS 1500 / 430 | BS 1500 / 440 | BS 1500 / 510 | BS 1520 / 350 |
|-------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| All-Tach® Narrow              | -             | -             | N004016       | -             | -             | -             | N004087       | -             | -             | -             |
| All-Tach®                     | N004079       | N736002       | -             | N004077       | N004080       | N736061       | -             | N004078       | N004081       | N736003       |
| 4 point Camiage               | N003079       | -             | N003016       | 52807869      | N003080       | -             | N003017       | N003078       | N003081       | -             |
| Euro Camiage                  | N51502179     | -             | N002016       | N51502155     | N51502180     | -             | N51502104     | N51502156     | N51502181     | -             |
| 1050R                         | -             | X             | -             | -             | -             | X             | -             | -             | -             | -             |
| 1050RT                        | -             | X             | -             | -             | -             | X             | -             | -             | -             | -             |
| 1350R NXT2                    | -             | X             | -             | -             | -             | X             | -             | -             | -             | X             |
| 1350RT                        | -             | X             | -             | -             | -             | X             | -             | -             | -             | X             |
| AL320                         | -             | -             | -             | X             | -             | -             | -             | -             | -             | -             |
| AL330                         | -             | -             | -             | X             | -             | -             | -             | -             | -             | -             |
| AL420                         | -             | -             | X             | X             | -             | -             | -             | -             | -             | -             |
| AL430                         | -             | -             | X             | X             | -             | -             | -             | -             | -             | -             |
| AL530                         | X             | -             | -             | -             | X             | -             | -             | -             | X             | -             |
| AL550                         | X             | -             | -             | -             | X             | -             | -             | -             | X             | -             |
| MLA 3-25 H                    | -             | -             | -             | X             | -             | -             | -             | -             | -             | -             |
| MLA 3-25 H-C                  | -             | -             | -             | X             | -             | -             | -             | -             | -             | -             |
| MLA 4-50 H                    | -             | -             | X             | X             | -             | -             | -             | -             | -             | -             |
| MLA 4-50 H-C                  | -             | -             | X             | X             | -             | -             | -             | -             | -             | -             |
| MLA 5-50 H                    | X             | -             | -             | -             | X             | -             | -             | -             | X             | -             |
| MLA 5-60 H-Z                  | X             | -             | -             | -             | X             | -             | -             | -             | X             | -             |
| RT105                         | -             | X             | -             | -             | -             | X             | -             | -             | -             | -             |
| RT135                         | -             | X             | -             | -             | -             | X             | -             | -             | -             | X             |
| AL440 <small>OLD</small>      | -             | -             | -             | X             | -             | -             | -             | -             | -             | -             |
| MLA 3-35 H <small>OLD</small> | -             | -             | X             | -             | -             | -             | X             | -             | -             | -             |
| MLA 4-50 H <small>OLD</small> | -             | -             | X             | X             | -             | -             | -             | X             | -             | -             |

| Capacities            |     | BS 1550 / 360 | BS 1650 / 730 | BS 1680 / 400 | BS 1680 / 480 | BS 1680 / 670 | BS 1760 / 500 | BS 1760 / 580 | BS 1760 / 700 | BS 1800 / 800 | BS 1830 / 520 |
|-----------------------|-----|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Heaped capacity (l)   |     | 360           | 730           | 400           | 480           | 670           | 580           | 500           | 700           | 800           | 600           |
| Weight                |     |               |               |               |               |               |               |               |               |               |               |
| Overall weight (kg)   |     | 150           | 265           | 148           | 188           | 295           | 190           | 190           | 305           | 285           | 220           |
| Weight and dimensions |     |               |               |               |               |               |               |               |               |               |               |
| Overall height (mm)   | h17 | 470           | 730           | 450           | 502           | 600           | 801           | 502           | 600           | 730           | 501           |
| Width (mm)            |     | 1550          | 1650          | 1680          | 1680          | 1680          | 1760          | 1760          | 1760          | 1800          | 1830          |
| Depth (mm)            | p5  | 841           | 1024          | 843           | 924           | 1100          | 916           | 924           | 1100          | 1024          | 916           |
| Working Parameters    |     |               |               |               |               |               |               |               |               |               |               |
| Machine Equipment     |     | ✕             | ✕             | ✕             | ✕             | ✕             | ✕             | ✕             | ✕             | ✕             | ✕             |

| Machines compatibility    | BS 1550 / 360 | BS 1650 / 730 | BS 1680 / 400 | BS 1680 / 480 | BS 1680 / 670 | BS 1760 / 500 | BS 1760 / 580 | BS 1760 / 700 | BS 1800 / 800 | BS 1830 / 520 |
|---------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| All-Tach® Narrow          | -             | -             | -             | -             | -             | -             | -             | -             | -             | -             |
| All-Tach®                 | N736065       | N51502506     | N747002       | N51502457     | N51502021     | N51502459     | N748001       | N51502022     | N51502505     | N51502461     |
| 4 point Carriage          | -             | N51502611     | -             | -             | -             | -             | -             | -             | N51502614     | -             |
| Euro Carriage             | -             | N51502570     | -             | -             | -             | -             | -             | -             | N51502573     | -             |
| 1350R NXT2                | X             | -             | -             | -             | -             | -             | -             | -             | -             | -             |
| 1350RT                    | X             | -             | -             | -             | -             | -             | -             | -             | -             | -             |
| 1650R                     | -             | -             | X             | -             | -             | -             | X             | -             | -             | -             |
| 1650RT                    | X             | -             | X             | -             | -             | -             | X             | -             | -             | -             |
| 1850RT                    | -             | -             | -             | -             | X             | -             | -             | X             | -             | -             |
| 1900R                     | -             | -             | -             | X             | -             | X             | -             | -             | -             | -             |
| 1950RT                    | X             | -             | X             | -             | -             | -             | X             | -             | -             | -             |
| 1950RT                    | X             | -             | X             | -             | -             | -             | X             | -             | -             | -             |
| 1950RT                    | X             | -             | X             | -             | -             | -             | X             | -             | -             | -             |
| 2100V                     | -             | -             | -             | X             | -             | X             | X             | -             | -             | -             |
| 2100VT                    | -             | -             | X             | -             | -             | -             | X             | -             | -             | -             |
| 2200R                     | -             | -             | -             | -             | -             | X             | -             | -             | -             | X             |
| 2300V                     | -             | -             | -             | -             | -             | X             | X             | -             | -             | X             |
| 2300VT                    | -             | -             | X             | -             | X             | -             | -             | X             | -             | -             |
| 2600R                     | -             | -             | -             | -             | -             | -             | -             | -             | -             | X             |
| 2700V NXT2                | -             | -             | -             | -             | -             | -             | X             | -             | -             | -             |
| 2750V                     | -             | -             | -             | -             | -             | -             | X             | -             | -             | -             |
| 2750VT                    | -             | -             | -             | -             | -             | -             | -             | X             | -             | -             |
| AL650                     | -             | X             | -             | -             | -             | -             | -             | -             | X             | -             |
| AL750                     | -             | X             | -             | -             | -             | -             | -             | -             | X             | -             |
| ALT750                    | -             | X             | -             | -             | -             | -             | -             | -             | X             | -             |
| MLA 6-65 H-Z              | -             | X             | -             | -             | -             | -             | -             | -             | X             | -             |
| MLA-T 516-75 H            | -             | X             | -             | -             | -             | -             | -             | -             | X             | -             |
| R165                      | -             | -             | X             | -             | -             | -             | X             | -             | -             | -             |
| R220                      | -             | -             | -             | -             | -             | X             | -             | -             | -             | X             |
| R260                      | -             | -             | -             | -             | -             | -             | -             | -             | -             | X             |
| RT135                     | X             | -             | -             | -             | -             | -             | -             | -             | -             | -             |
| RT165                     | X             | -             | X             | -             | -             | -             | X             | -             | -             | -             |
| RT185                     | -             | -             | -             | -             | X             | -             | -             | X             | -             | -             |
| RT195                     | X             | -             | X             | -             | -             | -             | X             | -             | -             | -             |
| RT195                     | X             | -             | X             | -             | -             | -             | X             | -             | -             | -             |
| RT195                     | X             | -             | X             | -             | -             | -             | X             | -             | -             | -             |
| V210 - NEW                | -             | -             | -             | X             | -             | X             | X             | -             | -             | -             |
| V230 - NEW                | -             | -             | -             | -             | -             | X             | X             | -             | -             | X             |
| V275 - NEW                | -             | -             | -             | -             | -             | -             | X             | -             | -             | -             |
| VT210 - NEW               | -             | -             | X             | -             | -             | -             | X             | -             | -             | -             |
| VT230 - NEW               | -             | -             | X             | -             | X             | -             | -             | X             | -             | -             |
| VT275 - NEW               | -             | -             | -             | -             | -             | -             | -             | X             | -             | -             |
| ALT750 <small>OLD</small> | -             | X             | -             | -             | -             | -             | -             | -             | X             | -             |
| ALT750 <small>OLD</small> | -             | X             | -             | -             | -             | -             | -             | -             | X             | -             |

| Capacities            |     | BS 1830 / 600 | BS 1850 / 740 | BS 1880 / 750 | BS 1950 / 860 | BS 2140 / 870<br>(a) | BS 2140 / 870<br>(b) | BS 2150 / 950 |
|-----------------------|-----|---------------|---------------|---------------|---------------|----------------------|----------------------|---------------|
| Heaped capacity (l)   |     | 520           | 740           | 750           | 870           | 870                  | 870                  | 960           |
| Weight                |     |               |               |               |               |                      |                      |               |
| Overall weight (kg)   |     | 206           | 315           | 315           | 300           | 320                  | 230                  | 333           |
| Weight and dimensions |     |               |               |               |               |                      |                      |               |
| Overall height (mm)   | h17 | 502           | 600           | 600           | 730           | 600                  | 600                  | 730           |
| Width (mm)            |     | 1830          | 1850          | 1880          | 1950          | 2140                 | 2140                 | 2150          |
| Depth (mm)            | p5  | 924           | 1100          | 1100          | 1024          | 1100                 | 1100                 | 1024          |
| Working Parameters    |     |               |               |               |               |                      |                      |               |
| Machine Equipment     |     | ×             | ×             | ×             | ×             | ×                    | ×                    | ×             |

| Machines compatibility    | BS 1830 / 600 | BS 1850 / 740 | BS 1880 / 750 | BS 1950 / 860 | BS 2140 / 870<br>(a) | BS 2140 / 870<br>(b) | BS 2150 / 950 |
|---------------------------|---------------|---------------|---------------|---------------|----------------------|----------------------|---------------|
| All-Tach® Narrow          | -             | -             | -             | -             | -                    | -                    | -             |
| All-Tach®                 | N757073       | N51502023     | N51502071     | N51502547     | N700244              | N51502024            | N51502546     |
| 4 point Carriage          | -             | -             | -             | N51502617     | -                    | -                    | N51502620     |
| Euro Carriage             | -             | -             | -             | N51502576     | -                    | -                    | N51502579     |
| 1850RT                    | -             | X             | -             | -             | -                    | -                    | -             |
| 2150RT                    | -             | X             | -             | -             | -                    | X                    | -             |
| 2300VT                    | -             | X             | -             | -             | -                    | -                    | -             |
| 2600R                     | -             | -             | X             | -             | -                    | -                    | -             |
| 2700V NXT2                | X             | -             | -             | -             | -                    | -                    | -             |
| 2750V                     | X             | -             | X             | -             | -                    | -                    | -             |
| 2750VT                    | -             | X             | -             | -             | -                    | X                    | -             |
| 3300V NXT2                | -             | -             | X             | -             | X                    | -                    | -             |
| 4200V                     | -             | -             | -             | -             | X                    | -                    | -             |
| AL650                     | -             | -             | -             | X             | -                    | -                    | -             |
| AL750                     | -             | -             | -             | X             | -                    | -                    | X             |
| ALT750                    | -             | -             | -             | X             | -                    | -                    | X             |
| MLA 6-65 H-Z              | -             | -             | -             | X             | -                    | -                    | -             |
| MLA-T 516-75 H            | -             | -             | -             | X             | -                    | -                    | X             |
| R260                      | -             | -             | X             | -             | -                    | -                    | -             |
| RT185                     | -             | X             | -             | -             | -                    | -                    | -             |
| RT215                     | -             | X             | -             | -             | -                    | X                    | -             |
| V275 - NEW                | X             | -             | X             | -             | -                    | -                    | -             |
| V330 GEN:2                | -             | -             | X             | -             | X                    | -                    | -             |
| V330 GEN:2                | -             | -             | X             | -             | X                    | -                    | -             |
| VT230 - NEW               | -             | X             | -             | -             | -                    | -                    | -             |
| VT275 - NEW               | -             | X             | -             | -             | -                    | X                    | -             |
| ALT750 <small>OLD</small> | -             | -             | -             | X             | -                    | -                    | X             |
| ALT750 <small>OLD</small> | -             | -             | -             | X             | -                    | -                    | X             |

| TABLE SYMBOL                                                                        |                            |                                                                                     |                         |                                                                                       |                                               |
|-------------------------------------------------------------------------------------|----------------------------|-------------------------------------------------------------------------------------|-------------------------|---------------------------------------------------------------------------------------|-----------------------------------------------|
| ×                                                                                   | No predisposition required |  | Hydraulic line          |  | Return piping to hydraulic oil tank           |
|  | Electric predisposition    |  | Platform predisposition |  | Tyre handler, cylinder handler predisposition |



**Head Office**

B.P. 249 - 430 rue de l'Aubinière

44150 Ancenis Cedex - France

Tel: +33 (0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97

[www.manitou.com](http://www.manitou.com)



This publication provides a description of the configuration versions and options for Manitou products, which may differ for equipment. The equipment presented in this brochure may be part of a series, as an option, or it may not be available, depending on the versions. Manitou reserves the right, at any time and without notice, to amend the specifications described and represented. The specifications provided do not bind the manufacturer. For more details, please contact your Manitou agent. This is not a contractually binding document. The presentation of the products is not contractually binding. List of specifications non-exhaustive. The logos as well as the visual identity of the company are owned by Manitou and cannot be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are only provided for consultation and information purposes.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS Nantes