


# STANDARD DIGGING BUCKET WITH TEETH (COMPACT MACHINES) BUCKETS

---



**GEHL**®

## Customer benefits

---

- Designed for all construction applications.

## Technical characteristics

- HD bolt-on teeth for more efficient digging.
- 400 HB steel reinforcements under the bucket.

**MANITOU**  
GROUP ATTACHMENTS

| Capacities                   |     | BS 920 / 150 T | BS 920 / 250 T | BS 980 / 270 T | BS 1080 / 180 T | BS 1080 / 300 T | BS 1150 / 320 T | BS 1200 / 340 T | BS 1250 / 280 T | BS 1300 / 370 T | BS 1300 / 380 T |
|------------------------------|-----|----------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Heaped capacity (l)          |     | 150            | 250            | 270            | 180             | 300             | 320             | 340             | 280             | 370             | 380             |
| <b>Weight</b>                |     |                |                |                |                 |                 |                 |                 |                 |                 |                 |
| Overall weight (kg)          |     | 50             | 119            | 125            | 55              | 132             | 142             | 142             | 134             | 151             | 174             |
| <b>Weight and dimensions</b> |     |                |                |                |                 |                 |                 |                 |                 |                 |                 |
| Overall height (mm)          | h17 | 427            | 626            | 626            | 427             | 626             | 626             | 626             | 470             | 626             | 675             |
| Width (mm)                   |     | 920            | 920            | 980            | 1080            | 1080            | 1150            | 1200            | 1250            | 1300            | 1300            |
| Depth (mm)                   | p5  | 700            | 907            | 907            | 700             | 907             | 898             | 907             | 841             | 907             | 822             |
| <b>Working Parameters</b>    |     |                |                |                |                 |                 |                 |                 |                 |                 |                 |
| Machine Equipment            |     | ✗              | ✗              | ✗              | ✗               | ✗               | ✗               | ✗               | ✗               | ✗               | ✗               |
| Teeth                        |     | 5              | 5              | 5              | 6               | 6               | 6               | 6               | 6               | 6               | 6               |

| Machines compatibility | BS 920 / 150 T | BS 920 / 250 T | BS 980 / 270 T | BS 1080 / 180 T | BS 1080 / 300 T | BS 1150 / 320 T | BS 1200 / 340 T | BS 1250 / 280 T | BS 1300 / 370 T | BS 1300 / 380 T |
|------------------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| All-Tach® Narrow       | -              | N004052        | N004053        | -               | N004054         | N004055         | N004056         | -               | N004057         | -               |
| All-Tach®              | N726003        | -              | -              | N726004         | -               | -               | -               | N736004         | -               | N004082         |
| 4 point Carriage       | -              | N003052        | N003053        | -               | N003054         | N003055         | N003056         | -               | N003057         | N003082         |
| Euro Carriage          | -              | -              | N51502106      | -               | N51502107       | N51502108       | N51502109       | -               | N51502110       | N50512157       |
| 1050R                  | -              | -              | -              | -               | -               | -               | -               | X               | -               | -               |
| 1050RT                 | -              | -              | -              | -               | -               | -               | -               | X               | -               | -               |
| 1350RT                 | -              | -              | -              | -               | -               | -               | -               | X               | -               | -               |
| 1640 E                 | X              | -              | -              | X               | -               | -               | -               | -               | -               | -               |
| AL230                  | -              | -              | X              | -               | X               | X               | X               | -               | X               | -               |
| AL320                  | -              | -              | X              | -               | X               | X               | X               | -               | X               | -               |
| AL330                  | -              | -              | X              | -               | X               | X               | X               | -               | X               | -               |
| AL420                  | -              | -              | -              | -               | X               | X               | X               | -               | X               | -               |
| AL430                  | -              | -              | -              | -               | X               | X               | X               | -               | X               | -               |
| MLA 2-25 H             | -              | -              | X              | -               | X               | X               | X               | -               | X               | -               |
| MLA 3-25 H             | -              | -              | X              | -               | X               | X               | X               | -               | X               | -               |
| MLA 3-25 H-C           | -              | -              | X              | -               | X               | X               | X               | -               | X               | -               |
| MLA 4-50 H             | -              | -              | -              | -               | X               | X               | X               | -               | X               | -               |
| MLA 4-50 H-C           | -              | -              | -              | -               | X               | X               | X               | -               | X               | -               |
| R105                   | -              | -              | -              | -               | -               | -               | -               | X               | -               | -               |
| RT105                  | -              | -              | -              | -               | -               | -               | -               | X               | -               | -               |
| RT135                  | -              | -              | -              | -               | -               | -               | -               | X               | -               | -               |
| AL140 <b>OLD</b>       | -              | -              | X              | -               | X               | X               | -               | -               | -               | -               |
| AL340 <b>OLD</b>       | -              | -              | -              | -               | -               | X               | -               | -               | -               | -               |
| MLA 1-25 H <b>OLD</b>  | -              | X              | X              | -               | X               | X               | X               | -               | X               | -               |
| MLA 3-35 H <b>OLD</b>  | -              | -              | -              | -               | -               | X               | X               | -               | X               | -               |
| MLA 4-50 H <b>OLD</b>  | -              | -              | -              | -               | X               | X               | X               | -               | X               | X               |

| Capacities                   |     | BS 1300 / 400 T | BS 1380 / 320 T | BS 1400 / 400 T | BS 1400 / 410 T | BS 1400 / 470 T | BS 1480 / 340 T | BS 1500 / 440 T | BS 1500 / 510 T | BS 1520 / 350 T | BS 1550 / 360 T |
|------------------------------|-----|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Heaped capacity (l)          |     | 400             | 320             | 400             | 410             | 470             | 340             | 440             | 510             | 350             | 360             |
| <b>Weight</b>                |     |                 |                 |                 |                 |                 |                 |                 |                 |                 |                 |
| Overall weight (kg)          |     | 196             | 137             | 158             | 187             | 210             | 141             | 199             | 223             | 143             | 150             |
| <b>Weight and dimensions</b> |     |                 |                 |                 |                 |                 |                 |                 |                 |                 |                 |
| Overall height (mm)          | h17 | 732             | 470             | 626             | 675             | 732             | 470             | 675             | 732             | 470             | 470             |
| Width (mm)                   |     | 1300            | 1380            | 1400            | 1400            | 1400            | 1480            | 1500            | 1500            | 1520            | 1550            |
| Depth (mm)                   | p5  | 907             | 841             | 907             | 822             | 907             | 841             | 822             | 907             | 841             | 841             |
| <b>Working Parameters</b>    |     |                 |                 |                 |                 |                 |                 |                 |                 |                 |                 |
| Machine Equipment            |     | ✗               | ✗               | ✗               | ✗               | ✗               | ✗               | ✗               | ✗               | ✗               | ✗               |
| Teeth                        |     | 6               | 7               | 7               | 7               | 7               | 7               | 7               | 7               | 7               | 7               |







| Machines compatibility | BS 1300 / 400 T | BS 1380 / 320 T | BS 1400 / 400 T | BS 1400 / 410 T | BS 1400 / 470 T | BS 1480 / 340 T | BS 1500 / 440 T | BS 1500 / 510 T | BS 1520 / 350 T | BS 1550 / 360 T |
|------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| All-Tach® Narrow       | -               | -               | N004058         | -               | -               | -               | -               | -               | -               | -               |
| All-Tach®              | N004085         | N736005         | -               | N004083         | N004086         | N736062         | N004084         | N004091         | N736006         | N736066         |
| 4 point Carriage       | N003085         | -               | N003058         | 52799519        | N003086         | -               | N003084         | N003091         | -               | -               |
| Euro Carriage          | N51502182       | -               | N51502111       | N51502158       | N51502183       | -               | N51502159       | N51502184       | -               | -               |
| 1050R                  | -               | X               | -               | -               | -               | X               | -               | -               | -               | -               |
| 1050RT                 | -               | X               | -               | -               | -               | X               | -               | -               | -               | -               |
| 1350R NXT2             | -               | X               | -               | -               | -               | X               | -               | -               | X               | X               |
| 1350RT                 | -               | X               | -               | -               | -               | X               | -               | -               | X               | X               |
| 1650RT                 | -               | -               | -               | -               | -               | -               | -               | -               | -               | X               |
| 1950RT                 | -               | -               | -               | -               | -               | -               | -               | -               | -               | X               |
| 1950RT                 | -               | -               | -               | -               | -               | -               | -               | -               | -               | X               |
| 1950RT                 | -               | -               | -               | -               | -               | -               | -               | -               | -               | X               |
| 1950RT                 | -               | -               | -               | -               | -               | -               | -               | -               | -               | X               |
| AL320                  | -               | -               | -               | X               | -               | -               | -               | -               | -               | -               |
| AL330                  | -               | -               | -               | X               | -               | -               | -               | -               | -               | -               |
| AL420                  | -               | -               | X               | X               | -               | -               | -               | -               | -               | -               |
| AL430                  | -               | -               | X               | X               | -               | -               | -               | -               | -               | -               |
| AL530                  | X               | -               | -               | -               | X               | -               | -               | X               | -               | -               |
| AL550                  | X               | -               | -               | -               | X               | -               | -               | X               | -               | -               |
| MLA 3-25 H             | -               | -               | -               | X               | -               | -               | -               | -               | -               | -               |
| MLA 3-25 H-C           | -               | -               | -               | X               | -               | -               | -               | -               | -               | -               |
| MLA 4-50 H             | -               | -               | X               | X               | -               | -               | -               | -               | -               | -               |
| MLA 4-50 H-C           | -               | -               | X               | X               | -               | -               | -               | -               | -               | -               |
| MLA 5-50 H             | X               | -               | -               | -               | X               | -               | -               | X               | -               | -               |
| MLA 5-60 H-Z           | X               | -               | -               | -               | X               | -               | -               | X               | -               | -               |
| R105                   | -               | X               | -               | -               | -               | X               | -               | -               | -               | -               |
| RT105                  | -               | X               | -               | -               | -               | X               | -               | -               | -               | -               |
| RT135                  | -               | X               | -               | -               | -               | X               | -               | -               | X               | X               |
| RT165                  | -               | -               | -               | -               | -               | -               | -               | -               | -               | X               |
| RT195 - NEW            | -               | -               | -               | -               | -               | -               | -               | -               | -               | X               |
| RT195 - NEW            | -               | -               | -               | -               | -               | -               | -               | -               | -               | X               |
| RT195 - NEW            | -               | -               | -               | -               | -               | -               | -               | -               | -               | X               |
| AL440 <b>OLD</b>       | -               | -               | -               | X               | -               | -               | -               | -               | -               | -               |
| MLA 3-35 H <b>OLD</b>  | -               | -               | X               | -               | -               | -               | -               | -               | -               | -               |
| MLA 4-50 H <b>OLD</b>  | -               | -               | X               | X               | -               | -               | X               | -               | -               | -               |


| Capacities                   |     | BS 1650 / 730 T | BS 1680 / 400 T (a) | BS 1680 / 400 T (b) | BS 1680 / 480 T | BS 1680 / 670 T | BS 1760 / 500 T | BS 1760 / 580 T | BS 1760 / 700 T | BS 1800 / 800 T | BS 1830 / 520 T |
|------------------------------|-----|-----------------|---------------------|---------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Heaped capacity (l)          |     | 730             | 400                 | 400                 | 480             | 670             | 580             | 500             | 700             | 800             | 600             |
| <b>Weight</b>                |     |                 |                     |                     |                 |                 |                 |                 |                 |                 |                 |
| Overall weight (kg)          |     | 273             | 148                 | 148                 | -               | 295             | 190             | 190             | 305             | 294             | 220             |
| <b>Weight and dimensions</b> |     |                 |                     |                     |                 |                 |                 |                 |                 |                 |                 |
| Overall height (mm)          | h17 | 730             | 450                 | 450                 | 502             | 600             | 501             | 502             | 600             | 730             | 501             |
| Width (mm)                   |     | 1650            | 1680                | 1680                | 1680            | 1680            | 1760            | 1760            | 1760            | 1800            | 1830            |
| Depth (mm)                   | p5  | 1124            | 843                 | 843                 | 924             | 1100            | 916             | 924             | 1100            | 1124            | 916             |
| <b>Working Parameters</b>    |     |                 |                     |                     |                 |                 |                 |                 |                 |                 |                 |
| Machine Equipment            |     | ✗               | ✗                   | ✗                   | ✗               | ✗               | ✗               | ✗               | ✗               | ✗               | ✗               |
| Teeth                        |     | 8               | 8                   | 8                   | 8               | 8               | 8               | 8               | 8               | 9               | 9               |

| Machines compatibility | BS 1650 / 730 T | BS 1680 / 400 T (a) | BS 1680 / 400 T (b) | BS 1680 / 480 T | BS 1680 / 670 T | BS 1760 / 500 T | BS 1760 / 580 T | BS 1760 / 700 T | BS 1800 / 800 T | BS 1830 / 520 T |
|------------------------|-----------------|---------------------|---------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| All-Tach® Narrow       | -               | -                   | -                   | -               | -               | -               | -               | -               | -               | -               |
| All-Tach®              | N51502541       | N747005             | N51502459           | N51502458       | N51502025       | N51502460       | N748002         | N51502026       | N51502540       | N51502462       |
| 4 point Carriage       | N51502612       | -                   | -                   | -               | -               | -               | -               | -               | N51502615       | -               |
| Euro Carriage          | N51502571       | -                   | -                   | -               | -               | -               | -               | -               | N51502574       | -               |
| 1350RT                 | -               | X                   | -                   | -               | -               | -               | -               | -               | -               | -               |
| 1650R                  | -               | X                   | -                   | -               | -               | -               | X               | -               | -               | -               |
| 1650RT                 | -               | X                   | -                   | -               | -               | -               | X               | -               | -               | -               |
| 1850RT                 | -               | -                   | -                   | -               | X               | -               | -               | X               | -               | -               |
| 1900R                  | -               | -                   | X                   | X               | -               | X               | -               | -               | -               | -               |
| 1950RT                 | -               | X                   | -                   | -               | -               | -               | X               | -               | -               | -               |
| 1950RT                 | -               | X                   | -                   | -               | -               | -               | X               | -               | -               | -               |
| 1950RT                 | -               | X                   | -                   | -               | -               | -               | X               | -               | -               | -               |
| 1950RT                 | -               | X                   | -                   | -               | -               | -               | X               | -               | -               | -               |
| 2100V                  | -               | X                   | -                   | X               | -               | X               | -               | -               | -               | -               |
| 2100VT                 | -               | -                   | -                   | -               | X               | -               | -               | -               | -               | -               |
| 2200R                  | -               | -                   | -                   | -               | -               | X               | -               | -               | -               | X               |
| 2300V                  | -               | -                   | -                   | -               | -               | X               | X               | -               | -               | X               |
| 2300VT                 | -               | X                   | -                   | -               | X               | -               | X               | -               | -               | -               |
| 2600R                  | -               | -                   | -                   | -               | -               | -               | -               | -               | -               | X               |
| 2700V NXT2             | -               | -                   | -                   | -               | -               | -               | X               | -               | -               | -               |
| 2750V                  | -               | -                   | -                   | -               | -               | -               | X               | -               | -               | -               |
| AL650                  | X               | -                   | -                   | -               | -               | -               | -               | -               | X               | -               |
| AL750                  | X               | -                   | -                   | -               | -               | -               | -               | -               | X               | -               |
| ALT750                 | X               | -                   | -                   | -               | -               | -               | -               | -               | X               | -               |
| MLA 6-65 H-Z           | X               | -                   | -                   | -               | -               | -               | -               | -               | X               | -               |
| MLA-T 516-75 H         | X               | -                   | -                   | -               | -               | -               | -               | -               | X               | -               |
| R165                   | -               | X                   | -                   | -               | -               | -               | X               | -               | -               | -               |
| R220                   | -               | -                   | -                   | -               | -               | X               | -               | -               | -               | X               |
| R260                   | -               | -                   | -                   | -               | -               | -               | -               | -               | -               | X               |
| RT135                  | -               | X                   | -                   | -               | -               | -               | -               | -               | -               | -               |
| RT165                  | -               | X                   | -                   | -               | -               | -               | X               | -               | -               | -               |
| RT185                  | -               | -                   | -                   | -               | X               | -               | -               | X               | -               | -               |
| RT195 - NEW            | -               | X                   | -                   | -               | -               | -               | X               | -               | -               | -               |
| RT195 - NEW            | -               | X                   | -                   | -               | -               | -               | X               | -               | -               | -               |
| RT195 - NEW            | -               | X                   | -                   | -               | -               | -               | X               | -               | -               | -               |
| V210 - NEW             | -               | X                   | -                   | X               | -               | X               | -               | -               | -               | -               |
| V230 - NEW             | -               | -                   | -                   | -               | -               | X               | X               | -               | -               | X               |
| V275 - NEW             | -               | -                   | -                   | -               | -               | -               | X               | -               | -               | -               |
| VT210 - NEW            | -               | -                   | -                   | -               | X               | -               | -               | -               | -               | -               |
| VT230 - NEW            | -               | X                   | -                   | -               | X               | -               | -               | -               | -               | -               |
| VT230 - NEW            | -               | X                   | -                   | -               | X               | -               | X               | -               | -               | -               |
| ALT750 <b>OLD</b>      | X               | -                   | -                   | -               | -               | -               | -               | -               | X               | -               |
| ALT750 <b>OLD</b>      | X               | -                   | -                   | -               | -               | -               | -               | -               | X               | -               |
| V270 <b>OLD</b>        | -               | -                   | -                   | -               | -               | -               | X               | -               | -               | -               |

| Capacities                   |     | BS 1830 / 600 T | BS 1850 / 740 T | BS 1880 / 750 T | BS 1950 / 860 T | BS 2140 / 870 T (a) | BS 2140 / 870 T (b) | BS 2150 / 950 T |
|------------------------------|-----|-----------------|-----------------|-----------------|-----------------|---------------------|---------------------|-----------------|
| Heaped capacity (l)          |     | 520             | 740             | 750             | 870             | 870                 | 870                 | 960             |
| <b>Weight</b>                |     |                 |                 |                 |                 |                     |                     |                 |
| Overall weight (kg)          |     | 206             | 315             | 315             | 309             | 320                 | 230                 | 344             |
| <b>Weight and dimensions</b> |     |                 |                 |                 |                 |                     |                     |                 |
| Overall height (mm)          | h17 | 502             | 600             | 600             | 730             | 600                 | 600                 | 730             |
| Width (mm)                   |     | 1830            | 1850            | 1880            | 1950            | 2140                | 2140                | 2150            |
| Depth (mm)                   | p5  | 924             | 1100            | 1100            | 1124            | 1100                | 1100                | 1124            |
| <b>Working Parameters</b>    |     |                 |                 |                 |                 |                     |                     |                 |
| Machine Equipment            |     | ✗               | ✗               | ✗               | ✗               | ✗                   | ✗                   | ✗               |
| Teeth                        |     | 9               | 9               | 9               | 9               | 11                  | 11                  | 11              |

| Machines compatibility | BS 1830 / 600 T | BS 1850 / 740 T | BS 1880 / 750 T | BS 1950 / 860 T | BS 2140 / 870 T (a) | BS 2140 / 870 T (b) | BS 2150 / 950 T |
|------------------------|-----------------|-----------------|-----------------|-----------------|---------------------|---------------------|-----------------|
| All-Tach® Narrow       | -               | -               | -               | -               | -                   | -                   | -               |
| All-Tach®              | N757074         | N5 15 02027     | N5 15 02072     | N5 15 02539     | N700245             | N5 15 02028         | N5 15 02538     |
| 4 point Carriage       | -               | -               | -               | N5 15 02619     | -                   | -                   | N5 15 02621     |
| Euro Carriage          | -               | -               | -               | N5 15 02578     | -                   | -                   | N5 15 02580     |
| 1850RT                 | -               | X               | -               | -               | -                   | -                   | -               |
| 2150RT                 | -               | X               | -               | -               | -                   | X                   | -               |
| 2300VT                 | -               | X               | -               | -               | -                   | -                   | -               |
| 2600R                  | -               | -               | X               | -               | -                   | -                   | -               |
| 2700V NXT2             | X               | -               | -               | -               | -                   | -                   | -               |
| 2750V                  | X               | -               | X               | -               | -                   | -                   | -               |
| 2750VT                 | -               | X               | -               | -               | -                   | X                   | -               |
| 3300V NXT2             | -               | -               | X               | -               | X                   | -                   | -               |
| 4200V                  | -               | -               | -               | -               | X                   | -                   | -               |
| AL650                  | -               | -               | -               | X               | -                   | -                   | -               |
| AL750                  | -               | -               | -               | X               | -                   | -                   | X               |
| ALT750                 | -               | -               | -               | X               | -                   | -                   | X               |
| MLA 6-65 H-Z           | -               | -               | -               | X               | -                   | -                   | -               |
| MLA-T 516-75 H         | -               | -               | -               | X               | -                   | -                   | X               |
| R260                   | -               | -               | X               | -               | -                   | -                   | -               |
| RT185                  | -               | X               | -               | -               | -                   | -                   | -               |
| RT215                  | -               | X               | -               | -               | -                   | X                   | -               |
| V275 - NEW             | X               | -               | X               | -               | -                   | -                   | -               |
| V330 GEN:2             | -               | -               | X               | -               | X                   | -                   | -               |
| V330 GEN:2             | -               | -               | X               | -               | X                   | -                   | -               |
| VT230 - NEW            | -               | X               | -               | -               | -                   | -                   | -               |
| VT275 - NEW            | -               | X               | -               | -               | -                   | X                   | -               |
| VT275 - NEW            | -               | X               | -               | -               | -                   | -                   | -               |
| ALT750 <b>OLD</b>      | -               | -               | -               | X               | -                   | -                   | X               |
| ALT750 <b>OLD</b>      | -               | -               | -               | X               | -                   | -                   | X               |
| V270 <b>OLD</b>        | X               | -               | -               | -               | -                   | -                   | -               |

| TABLE SYMBOL  |                            |   |                         |   |   |
|---|----------------------------|---|-------------------------|---|---|
|  | No predisposition required |  | Hydraulic line          |  | Return piping to hydraulic oil tank           |
|  | Electric predisposition    |  | Platform predisposition |  | Tyre handler, cylinder handler predisposition |



# GEHL®

Siège Social  
P.O. Box 179 - One Gehl Way - West Bend, WI, USA 53095  
Tel: (262) 334-9461 - Fax: (262) 338-7517  
[www.gehl.com](http://www.gehl.com)



This brochure describes versions and configuration options for Gehl products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Gehl reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Gehl dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Gehl and may not be used without authorization. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU EQUIPMENT AMERICAS, LLC - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS West Bend