

Technical sheet :

# **STANDARD DIGGING BUCKET WITH TEETH (COMPACT MACHINES)**

---



## **Technical characteristics**

- HD bolt-on teeth for more efficient digging.
- 400 HB steel reinforcements under the bucket.

## **Customer benefits**

- Designed for all construction applications.

| Capacities                   |     | BS 920 / 150<br>T | BS 920 / 250<br>T | BS 980 / 270<br>T | BS 1080 / 180<br>T | BS 1080 / 300<br>T | BS 1150 / 320<br>T | BS 1200 / 340<br>T | BS 1250 / 280<br>T | BS 1300 / 370<br>T | BS 1300 / 380<br>T |
|------------------------------|-----|-------------------|-------------------|-------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| Heaped capacity (l)          |     | 150               | 250               | 270               | 180                | 300                | 320                | 340                | 280                | 370                | 380                |
| <b>Weight</b>                |     |                   |                   |                   |                    |                    |                    |                    |                    |                    |                    |
| Overall weight (kg)          |     | 50                | 119               | 125               | 55                 | 132                | 142                | 142                | 134                | 151                | 174                |
| <b>Weight and dimensions</b> |     |                   |                   |                   |                    |                    |                    |                    |                    |                    |                    |
| Overall height (mm)          | h17 | 427               | 626               | 626               | 427                | 626                | 626                | 626                | 470                | 626                | 675                |
| Width (mm)                   |     | 920               | 920               | 980               | 1080               | 1080               | 1150               | 1200               | 1250               | 1300               | 1300               |
| Depth (mm)                   | p5  | 700               | 907               | 907               | 700                | 907                | 898                | 907                | 841                | 907                | 822                |
| <b>Working Parameters</b>    |     |                   |                   |                   |                    |                    |                    |                    |                    |                    |                    |
| Required machine equipment   |     | ✗                 | ✗                 | ✗                 | ✗                  | ✗                  | ✗                  | ✗                  | ✗                  | ✗                  | ✗                  |
| Teeth                        |     | 5                 | 5                 | 5                 | 6                  | 6                  | 6                  | 6                  | 6                  | 6                  | 6                  |

| Machines compatibility | BS 920 / 150<br>T | BS 920 / 250<br>T | BS 980 / 270<br>T | BS 1080 / 180<br>T | BS 1080 / 300<br>T | BS 1150 / 320<br>T | BS 1200 / 340<br>T | BS 1250 / 280<br>T | BS 1300 / 370<br>T | BS 1300 / 380<br>T |
|------------------------|-------------------|-------------------|-------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| All-Tach® Narrow       | -                 | N004052           | N004053           | -                  | N004054            | N004055            | N004056            | -                  | N004057            | -                  |
| All-Tach®              | N726003           | -                 | -                 | N726004            | -                  | -                  | -                  | N736004            | -                  | N004082            |
| 4 point Carriage       | -                 | N003052           | N003053           | -                  | N003054            | N003055            | N003056            | -                  | N003057            | N003082            |
| Euro Carriage          | -                 | -                 | N51502106         | -                  | N51502107          | N51502108          | N51502109          | -                  | N51502110          | N50512157          |
| 850R                   | X                 | -                 | -                 | X                  | -                  | -                  | -                  | -                  | -                  | -                  |
| 1050R                  | -                 | -                 | -                 | -                  | -                  | -                  | -                  | X                  | -                  | -                  |
| 1050RT                 | -                 | -                 | -                 | -                  | -                  | -                  | -                  | X                  | -                  | -                  |
| 1350RT                 | -                 | -                 | -                 | -                  | -                  | -                  | -                  | X                  | -                  | -                  |
| AL230                  | -                 | -                 | X                 | -                  | X                  | X                  | X                  | -                  | X                  | -                  |
| AL320                  | -                 | -                 | X                 | -                  | X                  | X                  | X                  | -                  | X                  | -                  |
| AL330                  | -                 | -                 | X                 | -                  | X                  | X                  | X                  | -                  | X                  | -                  |
| AL420                  | -                 | -                 | -                 | -                  | X                  | X                  | X                  | -                  | X                  | -                  |
| AL430                  | -                 | -                 | -                 | -                  | X                  | X                  | X                  | -                  | X                  | -                  |
| MLA 2-25 H             | -                 | -                 | X                 | -                  | X                  | X                  | X                  | -                  | X                  | -                  |
| MLA 3-25 H             | -                 | -                 | X                 | -                  | X                  | X                  | X                  | -                  | X                  | -                  |
| MLA 3-25 H-C           | -                 | -                 | X                 | -                  | X                  | X                  | X                  | -                  | X                  | -                  |
| MLA 4-50 H             | -                 | -                 | -                 | -                  | X                  | X                  | X                  | -                  | X                  | -                  |
| MLA 4-50 H-C           | -                 | -                 | -                 | -                  | X                  | X                  | X                  | -                  | X                  | -                  |
| R105                   | -                 | -                 | -                 | -                  | -                  | -                  | -                  | X                  | -                  | -                  |
| RT105                  | -                 | -                 | -                 | -                  | -                  | -                  | -                  | X                  | -                  | -                  |
| RT135                  | -                 | -                 | -                 | -                  | -                  | -                  | -                  | X                  | -                  | -                  |
| 1640E <b>OLD</b>       | X                 | -                 | -                 | X                  | -                  | -                  | -                  | -                  | -                  | -                  |
| AL140 <b>OLD</b>       | -                 | -                 | X                 | -                  | X                  | X                  | -                  | -                  | -                  | -                  |
| AL340 <b>OLD</b>       | -                 | -                 | -                 | -                  | -                  | X                  | -                  | -                  | -                  | -                  |
| MLA 1-25 H <b>OLD</b>  | -                 | X                 | X                 | -                  | X                  | X                  | X                  | -                  | -                  | -                  |
| MLA 3-35 H <b>OLD</b>  | -                 | -                 | -                 | -                  | -                  | X                  | X                  | -                  | X                  | -                  |
| MLA 4-50 H <b>OLD</b>  | -                 | -                 | -                 | -                  | X                  | X                  | X                  | -                  | X                  | X                  |

| Capacities                   |     | BS 1300 / 400<br>T | BS 1380 / 320<br>T | BS 1400 / 400<br>T | BS 1400 / 410<br>T | BS 1400 / 470<br>T | BS 1480 / 340<br>T | BS 1500 / 440<br>T | BS 1500 / 510<br>T | BS 1520 / 350<br>T | BS 1550 / 360<br>T |
|------------------------------|-----|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| Heaped capacity (l)          |     | 400                | 320                | 400                | 410                | 470                | 340                | 440                | 510                | 350                | 360                |
| <b>Weight</b>                |     |                    |                    |                    |                    |                    |                    |                    |                    |                    |                    |
| Overall weight (kg)          |     | 196                | 137                | 158                | 187                | 210                | 141                | 199                | 223                | 143                | 150                |
| <b>Weight and dimensions</b> |     |                    |                    |                    |                    |                    |                    |                    |                    |                    |                    |
| Overall height (mm)          | h17 | 732                | 470                | 626                | 675                | 732                | 470                | 675                | 732                | 470                | 470                |
| Width (mm)                   |     | 1300               | 1380               | 1400               | 1400               | 1400               | 1480               | 1500               | 1500               | 1520               | 1550               |
| Depth (mm)                   | p5  | 907                | 841                | 907                | 822                | 907                | 841                | 822                | 907                | 841                | 841                |
| <b>Working Parameters</b>    |     |                    |                    |                    |                    |                    |                    |                    |                    |                    |                    |
| Required machine equipment   |     | ✗                  | ✗                  | ✗                  | ✗                  | ✗                  | ✗                  | ✗                  | ✗                  | ✗                  | ✗                  |
| Teeth                        |     | 6                  | 7                  | 7                  | 7                  | 7                  | 7                  | 7                  | 7                  | 7                  | 7                  |

| Machines compatibility | BS 1300 / 400<br>T | BS 1380 / 320<br>T | BS 1400 / 400<br>T | BS 1400 / 410<br>T | BS 1400 / 470<br>T | BS 1480 / 340<br>T | BS 1500 / 440<br>T | BS 1500 / 510<br>T | BS 1520 / 350<br>T | BS 1550 / 360<br>T |
|------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| All-Tach® Narrow       | -                  | -                  | N004058            | -                  | -                  | -                  | -                  | -                  | -                  | -                  |
| All-Tach®              | N004085            | N736005            | -                  | N004083            | N004086            | N736062            | N004084            | N004091            | N736006            | N736066            |
| 4 point Carriage       | N003085            | -                  | N003058            | 52799519           | N003086            | -                  | N003084            | N003091            | -                  | -                  |
| Euro Carriage          | N51502182          | -                  | N51502111          | N51502158          | N51502183          | -                  | N51502159          | N51502184          | -                  | -                  |
| 1050R                  | -                  | X                  | -                  | -                  | -                  | X                  | -                  | -                  | -                  | -                  |
| 1050RT                 | -                  | X                  | -                  | -                  | -                  | X                  | -                  | -                  | -                  | -                  |
| 1350R NXT2             | -                  | X                  | -                  | -                  | -                  | X                  | -                  | -                  | X                  | X                  |
| 1350RT                 | -                  | X                  | -                  | -                  | -                  | X                  | -                  | -                  | X                  | X                  |
| 1650RT                 | -                  | -                  | -                  | -                  | -                  | -                  | -                  | -                  | -                  | X                  |
| 1950RT                 | -                  | -                  | -                  | -                  | -                  | -                  | -                  | -                  | -                  | X                  |
| 1950RT                 | -                  | -                  | -                  | -                  | -                  | -                  | -                  | -                  | -                  | X                  |
| 1950RT                 | -                  | -                  | -                  | -                  | -                  | -                  | -                  | -                  | -                  | X                  |
| 1950RT                 | -                  | -                  | -                  | -                  | -                  | -                  | -                  | -                  | -                  | X                  |
| AL320                  | -                  | -                  | -                  | X                  | -                  | -                  | -                  | -                  | -                  | -                  |
| AL330                  | -                  | -                  | -                  | X                  | -                  | -                  | -                  | -                  | -                  | -                  |
| AL420                  | -                  | -                  | X                  | X                  | -                  | -                  | -                  | -                  | -                  | -                  |
| AL430                  | -                  | -                  | X                  | X                  | -                  | -                  | -                  | -                  | -                  | -                  |
| AL530                  | X                  | -                  | -                  | -                  | X                  | -                  | -                  | X                  | -                  | -                  |
| AL550                  | X                  | -                  | -                  | -                  | X                  | -                  | -                  | X                  | -                  | -                  |
| MLA 3-25 H             | -                  | -                  | -                  | X                  | -                  | -                  | -                  | -                  | -                  | -                  |
| MLA 3-25 H-C           | -                  | -                  | -                  | X                  | -                  | -                  | -                  | -                  | -                  | -                  |
| MLA 4-50 H             | -                  | -                  | X                  | X                  | -                  | -                  | -                  | -                  | -                  | -                  |
| MLA 4-50 H-C           | -                  | -                  | X                  | X                  | -                  | -                  | -                  | -                  | -                  | -                  |
| MLA 5-50 H             | X                  | -                  | -                  | -                  | X                  | -                  | -                  | X                  | -                  | -                  |
| MLA 5-60 H-Z           | X                  | -                  | -                  | -                  | X                  | -                  | -                  | X                  | -                  | -                  |
| R105                   | -                  | X                  | -                  | -                  | -                  | X                  | -                  | -                  | -                  | -                  |
| RT105                  | -                  | X                  | -                  | -                  | -                  | X                  | -                  | -                  | -                  | -                  |
| RT135                  | -                  | X                  | -                  | -                  | -                  | X                  | -                  | -                  | X                  | X                  |
| RT165                  | -                  | -                  | -                  | -                  | -                  | -                  | -                  | -                  | -                  | X                  |
| RT195 - NEW            | -                  | -                  | -                  | -                  | -                  | -                  | -                  | -                  | -                  | X                  |
| RT195 - NEW            | -                  | -                  | -                  | -                  | -                  | -                  | -                  | -                  | -                  | X                  |
| RT195 - NEW            | -                  | -                  | -                  | -                  | -                  | -                  | -                  | -                  | -                  | X                  |
| AL440 <b>OLD</b>       | -                  | -                  | -                  | X                  | -                  | -                  | -                  | -                  | -                  | -                  |
| MLA 3-35 H <b>OLD</b>  | -                  | -                  | X                  | -                  | -                  | -                  | -                  | -                  | -                  | -                  |
| MLA 4-50 H <b>OLD</b>  | -                  | -                  | X                  | X                  | -                  | -                  | X                  | -                  | -                  | -                  |

| Capacities                   |     | BS 1650 / 730<br>T | BS 1680 / 400<br>T (a) | BS 1680 / 400<br>T (b) | BS 1680 / 480<br>T | BS 1680 / 670<br>T | BS 1760 / 500<br>T | BS 1760 / 580<br>T | BS 1760 / 700<br>T | BS 1800 / 800<br>T | BS 1830 / 520<br>T |
|------------------------------|-----|--------------------|------------------------|------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| Heaped capacity (l)          |     | 730                | 400                    | 400                    | 480                | 670                | 580                | 500                | 700                | 800                | 600                |
| <b>Weight</b>                |     |                    |                        |                        |                    |                    |                    |                    |                    |                    |                    |
| Overall weight (kg)          |     | 273                | 148                    | 148                    | -                  | 295                | 190                | 190                | 305                | 294                | 220                |
| <b>Weight and dimensions</b> |     |                    |                        |                        |                    |                    |                    |                    |                    |                    |                    |
| Overall height (mm)          | h17 | 730                | 450                    | 450                    | 502                | 600                | 501                | 502                | 600                | 730                | 501                |
| Width (mm)                   |     | 1650               | 1680                   | 1680                   | 1680               | 1680               | 1760               | 1760               | 1760               | 1800               | 1830               |
| Depth (mm)                   | p5  | 1124               | 843                    | 843                    | 924                | 1100               | 916                | 924                | 1100               | 1124               | 916                |
| <b>Working Parameters</b>    |     |                    |                        |                        |                    |                    |                    |                    |                    |                    |                    |
| Required machine equipment   |     | ✗                  | ✗                      | ✗                      | ✗                  | ✗                  | ✗                  | ✗                  | ✗                  | ✗                  | ✗                  |
| Teeth                        |     | 8                  | 8                      | 8                      | 8                  | 8                  | 8                  | 8                  | 8                  | 9                  | 9                  |

| Machines compatibility | BS 1650 / 730<br>T | BS 1680 / 400<br>T (a) | BS 1680 / 400<br>T (b) | BS 1680 / 480<br>T | BS 1680 / 670<br>T | BS 1760 / 500<br>T | BS 1760 / 580<br>T | BS 1760 / 700<br>T | BS 1800 / 800<br>T | BS 1830 / 520<br>T |
|------------------------|--------------------|------------------------|------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| All-Tach® Narrow       | -                  | -                      | -                      | -                  | -                  | -                  | -                  | -                  | -                  | -                  |
| All-Tach®              | N51502541          | N747005                | N51502459              | N51502458          | N51502025          | N51502460          | N748002            | N51502026          | N51502540          | N51502462          |
| 4 point Carriage       | N51502612          | -                      | -                      | -                  | -                  | -                  | -                  | -                  | N51502615          | -                  |
| Euro Carriage          | N51502571          | -                      | -                      | -                  | -                  | -                  | -                  | -                  | N51502574          | -                  |
| 1350RT                 | -                  | X                      | -                      | -                  | -                  | -                  | -                  | -                  | -                  | -                  |
| 1650R                  | -                  | X                      | -                      | -                  | -                  | -                  | X                  | -                  | -                  | -                  |
| 1650RT                 | -                  | X                      | -                      | -                  | -                  | -                  | X                  | -                  | -                  | -                  |
| 1950RT                 | -                  | X                      | -                      | -                  | -                  | -                  | X                  | -                  | -                  | -                  |
| 1950RT                 | -                  | X                      | -                      | -                  | -                  | -                  | X                  | -                  | -                  | -                  |
| 1950RT                 | -                  | X                      | -                      | -                  | -                  | -                  | X                  | -                  | -                  | -                  |
| 1950RT                 | -                  | X                      | -                      | -                  | -                  | -                  | X                  | -                  | -                  | -                  |
| 2100V                  | -                  | X                      | -                      | X                  | -                  | X                  | -                  | -                  | -                  | -                  |
| 2100VT                 | -                  | -                      | -                      | -                  | X                  | -                  | -                  | -                  | -                  | -                  |
| 2300V                  | -                  | -                      | -                      | -                  | -                  | X                  | X                  | -                  | -                  | X                  |
| 2300VT                 | -                  | X                      | -                      | -                  | X                  | -                  | -                  | -                  | -                  | -                  |
| 2300VT                 | -                  | X                      | -                      | -                  | X                  | -                  | X                  | -                  | -                  | -                  |
| 2750V                  | -                  | -                      | -                      | -                  | -                  | -                  | X                  | -                  | -                  | -                  |
| AL650                  | X                  | -                      | -                      | -                  | -                  | -                  | -                  | -                  | X                  | -                  |
| MLA 6-65 H-Z           | X                  | -                      | -                      | -                  | -                  | -                  | -                  | -                  | X                  | -                  |
| MLA-T 516-75 H         | X                  | -                      | -                      | -                  | -                  | -                  | -                  | -                  | X                  | -                  |
| MLA-T 516-75 H         | X                  | -                      | -                      | -                  | -                  | -                  | -                  | -                  | X                  | -                  |
| R165                   | -                  | X                      | -                      | -                  | -                  | -                  | X                  | -                  | -                  | -                  |
| RT135                  | -                  | X                      | -                      | -                  | -                  | -                  | -                  | -                  | -                  | -                  |
| RT165                  | -                  | X                      | -                      | -                  | -                  | -                  | X                  | -                  | -                  | -                  |
| RT195 - NEW            | -                  | X                      | -                      | -                  | -                  | -                  | X                  | -                  | -                  | -                  |
| RT195 - NEW            | -                  | X                      | -                      | -                  | -                  | -                  | X                  | -                  | -                  | -                  |
| RT195 - NEW            | -                  | X                      | -                      | -                  | -                  | -                  | X                  | -                  | -                  | -                  |
| V210                   | -                  | X                      | -                      | X                  | -                  | X                  | -                  | -                  | -                  | -                  |
| V230                   | -                  | -                      | -                      | -                  | -                  | X                  | X                  | -                  | -                  | X                  |
| V275                   | -                  | -                      | -                      | -                  | -                  | -                  | X                  | -                  | -                  | -                  |
| VT210                  | -                  | -                      | -                      | -                  | X                  | -                  | -                  | -                  | -                  | -                  |
| VT230                  | -                  | X                      | -                      | -                  | X                  | -                  | -                  | -                  | -                  | -                  |
| VT230                  | -                  | X                      | -                      | -                  | X                  | -                  | X                  | -                  | -                  | -                  |
| 1850RT <b>OLD</b>      | -                  | -                      | -                      | -                  | X                  | -                  | -                  | X                  | -                  | -                  |
| 1900R <b>OLD</b>       | -                  | -                      | X                      | X                  | -                  | X                  | -                  | -                  | -                  | -                  |
| 2200R <b>OLD</b>       | -                  | -                      | -                      | -                  | -                  | X                  | -                  | -                  | -                  | X                  |
| 2600R <b>OLD</b>       | -                  | -                      | -                      | -                  | -                  | -                  | -                  | -                  | -                  | X                  |
| 2700V NXT2 <b>OLD</b>  | -                  | -                      | -                      | -                  | -                  | -                  | X                  | -                  | -                  | -                  |
| AL750 <b>OLD</b>       | X                  | -                      | -                      | -                  | -                  | -                  | -                  | -                  | X                  | -                  |
| ALT750 <b>OLD</b>      | X                  | -                      | -                      | -                  | -                  | -                  | -                  | -                  | X                  | -                  |
| ALT750 <b>OLD</b>      | X                  | -                      | -                      | -                  | -                  | -                  | -                  | -                  | X                  | -                  |
| R220 <b>OLD</b>        | -                  | -                      | -                      | -                  | -                  | X                  | -                  | -                  | -                  | X                  |
| R260 <b>OLD</b>        | -                  | -                      | -                      | -                  | -                  | -                  | -                  | -                  | -                  | X                  |
| RT185 <b>OLD</b>       | -                  | -                      | -                      | -                  | X                  | -                  | -                  | X                  | -                  | -                  |
| V270 <b>OLD</b>        | -                  | -                      | -                      | -                  | -                  | -                  | X                  | -                  | -                  | -                  |

| Capacities                   |     | BS 1830 / 600<br>T | BS 1850 / 740<br>T | BS 1880 / 750<br>T | BS 1950 / 860<br>T | BS 2140 / 870<br>T (a) | BS 2140 / 870<br>T (b) | BS 2150 / 950<br>T |
|------------------------------|-----|--------------------|--------------------|--------------------|--------------------|------------------------|------------------------|--------------------|
| Heaped capacity (l)          |     | 520                | 740                | 750                | 870                | 870                    | 870                    | 960                |
| <b>Weight</b>                |     |                    |                    |                    |                    |                        |                        |                    |
| Overall weight (kg)          |     | 206                | 315                | 315                | 309                | 320                    | 230                    | 344                |
| <b>Weight and dimensions</b> |     |                    |                    |                    |                    |                        |                        |                    |
| Overall height (mm)          | h17 | 502                | 600                | 600                | 730                | 600                    | 600                    | 730                |
| Width (mm)                   |     | 1830               | 1850               | 1880               | 1950               | 2140                   | 2140                   | 2150               |
| Depth (mm)                   | p5  | 924                | 1100               | 1100               | 1124               | 1100                   | 1100                   | 1124               |
| <b>Working Parameters</b>    |     |                    |                    |                    |                    |                        |                        |                    |
| Required machine equipment   |     | ✗                  | ✗                  | ✗                  | ✗                  | ✗                      | ✗                      | ✗                  |
| Teeth                        |     | 9                  | 9                  | 9                  | 9                  | 11                     | 11                     | 11                 |

| Machines compatibility | BS 1830 / 600<br>T | BS 1850 / 740<br>T | BS 1880 / 750<br>T | BS 1950 / 860<br>T | BS 2140 / 870<br>T (a) | BS 2140 / 870<br>T (b) | BS 2150 / 950<br>T |
|------------------------|--------------------|--------------------|--------------------|--------------------|------------------------|------------------------|--------------------|
| All-Tach® Narrow       | -                  | -                  | -                  | -                  | -                      | -                      | -                  |
| All-Tach®              | N757074            | N51502027          | N51502072          | N51502539          | N700245                | N51502028              | N51502538          |
| 4 point Carriage       | -                  | -                  | -                  | N51502619          | -                      | -                      | N51502621          |
| Euro Carriage          | -                  | -                  | -                  | N51502578          | -                      | -                      | N51502580          |
| 2300VT                 | -                  | X                  | -                  | -                  | -                      | -                      | -                  |
| 2750V                  | X                  | -                  | X                  | -                  | -                      | -                      | -                  |
| 2750VT                 | -                  | X                  | -                  | -                  | -                      | X                      | -                  |
| 2750VT                 | -                  | X                  | -                  | -                  | -                      | -                      | -                  |
| 3300V NXT2             | -                  | -                  | X                  | -                  | X                      | -                      | -                  |
| AL650                  | -                  | -                  | -                  | X                  | -                      | -                      | -                  |
| MLA 6-65 H-Z           | -                  | -                  | -                  | X                  | -                      | -                      | -                  |
| MLA-T 516-75 H         | -                  | -                  | -                  | X                  | -                      | -                      | X                  |
| MLA-T 516-75 H         | -                  | -                  | -                  | X                  | -                      | -                      | X                  |
| V275                   | X                  | -                  | X                  | -                  | -                      | -                      | -                  |
| V330 GEN:2             | -                  | -                  | X                  | -                  | X                      | -                      | -                  |
| V330 GEN:2             | -                  | -                  | X                  | -                  | X                      | -                      | -                  |
| VT230                  | -                  | X                  | -                  | -                  | -                      | -                      | -                  |
| VT275                  | -                  | X                  | -                  | -                  | -                      | X                      | -                  |
| VT275                  | -                  | X                  | -                  | -                  | -                      | -                      | -                  |
| 1850RT <b>OLD</b>      | -                  | X                  | -                  | -                  | -                      | -                      | -                  |
| 2150RT <b>OLD</b>      | -                  | X                  | -                  | -                  | -                      | X                      | -                  |
| 2600R <b>OLD</b>       | -                  | -                  | X                  | -                  | -                      | -                      | -                  |
| 2700V NXT2 <b>OLD</b>  | X                  | -                  | -                  | -                  | -                      | -                      | -                  |
| 4200V <b>OLD</b>       | -                  | -                  | -                  | -                  | X                      | -                      | -                  |
| AL750 <b>OLD</b>       | -                  | -                  | -                  | X                  | -                      | -                      | X                  |
| ALT750 <b>OLD</b>      | -                  | -                  | -                  | X                  | -                      | -                      | X                  |
| ALT750 <b>OLD</b>      | -                  | -                  | -                  | X                  | -                      | -                      | X                  |
| R260 <b>OLD</b>        | -                  | -                  | X                  | -                  | -                      | -                      | -                  |
| RT185 <b>OLD</b>       | -                  | X                  | -                  | -                  | -                      | -                      | -                  |
| RT215 <b>OLD</b>       | -                  | X                  | -                  | -                  | -                      | X                      | -                  |
| V270 <b>OLD</b>        | X                  | -                  | -                  | -                  | -                      | -                      | -                  |

| TABLE SYMBOL  |                            |   |                         |   |   |
|---|----------------------------|---|-------------------------|---|---|
|  | No predisposition required |  | Hydraulic line          |  | Return piping to hydraulic oil tank           |
|  | Electric predisposition    |  | Platform predisposition |  | Tyre handler, cylinder handler predisposition |



**Head Office**

B.P. 249 - 430 rue de l'Aubinière  
44150 Ancenis Cedex - France

Tel: +33 (0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97

[www.manitou.com](http://www.manitou.com)



This publication provides a description of the configuration versions and options for Manitou products, which may differ for equipment. The equipment presented in this brochure may be part of a series, as an option, or it may not be available, depending on the versions. Manitou reserves the right, at any time and without notice, to amend the specifications described and represented. The specifications provided do not bind the manufacturer. For more details, please contact your Manitou agent. This is not a contractually binding document. The presentation of the products is not contractually binding. List of specifications non-exhaustive. The logos as well as the visual identity of the company are owned by Manitou and cannot be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are only provided for consultation and information purposes.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS Nantes