1640 E

SKID LOADERS



GEHL®

Kapazität		Metrisch	US-System
Nennlast		386 kg	851 lb
Leergewicht		1352 kg	2981 lb
Gewicht und Reifengröße			
Bauhöhe maximal voll ausgeschoben	h27	3167 mm	125 in
Höhe bis Schaufeldrehpunkt – bei max. Hubhöhe	h28	2438 mm	96 in
Bauhöhe maximal bis Schutzdach	h17	1897 mm	75 in
Auskippwinkel bei voller Hubhöhe	a5	46 °	46 °
Auskipphöhe	h29	1836 mm	72 in
Gesamtlänge mit Schaufel	l16	2576 mm	101 in
Auskipphöhe bei voller Höhe	r6	376 mm	15 in
Einkippwinkel auf Standebene	a13	30 °	30 °
Sitzhöhe über Grund	h30	879 mm	35 in
Radstand	y	775 mm	31 in
Gesamtbreite ohne Schaufel	b1	909 mm	36 in
Schaufelbreite	e1	914 mm	36 in
Bodenfreiheit Maschine	m4	150 mm	6 in
Gesamtlänge ohne Schaufel	l2	1905 mm	75 in
Bodenfreiheit vorne mit Schaufel	b18	1473 mm	58 in
Wendekreis - vorn ohne Schaufel	b19	833 mm	33 in
Clearance Circle - Rear	wa1	1097 mm	43 in
Leistung			
Fahrgeschwindigkeit (unbeladen)		8.90 km/h	6 mph
Reifen			
Standart Bereifung		8.70 x 12	8.70 x 12
Motor			
Hersteller		Yanmar	Yanmar
Motor Modell		3TNV82A-BPMSR	3TNV82A-BPMSR
Motornorm		Stage V	Stage V
Brutto-Leistung		18.10 kW	18.10 kW
Nennleistung		17.90 kW	17.90 kW
Max. Drehmoment / Motordrehzahl		86 Nm / 2400 rpm	63 ft/lbs / 2400 rpm
Batterie		12 V	12 V
Anlasser		1.70 kW	1.70 kW
Hydraulisch			
Zusatzhydraulik		38.20 l/min	10 US gpm
Tankkapazität			
Fassungsvermögen des Kraftstofftanks		29 l	8 US gal
Inhalt Hydrauliktank		27.30 l	7 US gal
Hubraum		1.30 l	0.34 US gal

Siège Social
P.O. Box 179 - One Gehl Way - West Bend, WI, USA 53095
Tel: (262) 334-9461 - Fax: (262) 338-7517
www.gehl.com



This brochure describes versions and configuration options for Gehl products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Gehl reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Gehl dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Gehl and may not be used without authorization. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.
MANITOU EQUIPMENT AMERICAS, LLC - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS West Bend