RS8-44 M74








RS8-44 M74 Created on May 8, 2024 at 10:34:50 a.m. UTC

Capacities		Metric
Max. capacity		3628.73 kg
Max. lifting height		13.41 m
Max. outreach		9.27 m
Weight and dimensions		
Overall length to carriage	L11	6.04 m
Length to face of forks	12	5.82 m
Overall width	b1	2.50 m
Overall height	h17	2.34 m
Wheelbase	у	3.05 m
Ground clearance	m4	406 mm
Overall cab width	b4	838 mm
Tilt-up angle	a4	12 °
Tilt-down angle	a5	112 °
External turning radius	Wa3	4.17 m
Unladen weight		10660 kg
Overall weight		10660 kg
Standard tires		13 x 24
Frame leveling longitudinal +/-		10 °
Frame leveling corrector	a9	10 °
Engine	u)	10
Engine brand		Deutz
Engine norm		Stage IV / Tier 4 Final
Engine model		TCD 3.6 L4
I.C. Engine power rating - Power		74 Hp / 55 kW
Max. torque / Engine rotation		390 Nm @ 1300 rpm
Transmission		390 Mill @ 1500 Ipill
Transmission type		Torque converter with powershift gearbox
Number of gears (forward / reverse)		4 / 3
Max. travel speed		24 km/h
Parking brake		SAHR
Service brake		
Axle Manufacturer		Wet disc brakes Dana
		Dalla
Hydraulics		Coord and an
Hydraulic pump type		Gear pump
Hydraulic flow / Pressure		157 l/min-207 bar
Tank capacities		
Hydraulic oil		117.35 l
Fuel tank		178 l
Miscellaneous		
Steering wheels (front / rear)		2 / 2
Drive wheels (front / rear)		2 / 2
Safety cab homologation		ROPS/FOPS
Controls		Single joystick with FNR



This brochure describes versions and configuration options for Gehl products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Gehl reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Gehl dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Gehl and may not be used without authorization. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU EQUIPMENT AMERICAS, LLC - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS West Bend