TRACK LOADERS



GEHL

| Comparition | | Makiia |
|--|-----|-------------------|
| Capacities | | Metric |
| Operating Weight | | 4559 kg |
| Operating Capacity at 35% Tipping Load | | 1247.37 kg |
| Operating Capacity At 50% Tipping Load | | 1782.16 kg |
| Weight and dimensions | | |
| Overall Operating Height - Fully Raised | h27 | 4265 mm |
| Height to Hinge Pin – Fully Raised | h28 | 3289 mm |
| Dump reach - Full height | r6 | 879 mm |
| Dump angle at full height | a5 | 42 ° |
| Overall Height to top of ROPS | h17 | 2082 mm |
| Overall length with bucket | l16 | 3810 mm |
| Ground clearance | m4 | 229 mm |
| Overall width less bucket | b1 | 1803 mm |
| Bucket Width | e1 | 1880 mm |
| Clearance Radius - Front with Bucket | b18 | 2362 mm |
| Clearance Circle - Rear | wa1 | 1753 mm |
| Engine | | |
| Engine brand | | Yanmar |
| Engine model | | 4TNV98CT-XNGL |
| Gross Power | | 53.70 kW |
| Net Power | | 52.70 kW |
| Max. torque / Engine rotation | | 294 Nm @ 1800 rpm |
| Battery voltage | | 12 V |
| Alternator - Ampere | | 100 A |
| Hydraulics | | |
| Standard flow - Auxiliary hydraulics | | 98.40 l/min |
| Auxiliary Hydraulic Pressure | | 239.59 bar |
| High-Flow Auxiliary Hydraulics – Option | | 126 l/min |
| High-Flow Auxiliary Hydraulics Pressure – Option | | 229.25 bar |
| Tank capacities | | |
| Hydraulic tank capacity | | 22.70 l |
| Fuel tank | | 143.80 l |
| Liquid cooling tank volume | | 18 l |
| Number of cylinders | | 4 |





Siège Social P.O. Box 179 - One Gehl Way - West Bend, WI, USA 53095 Tel: (262) 334-9461 - Fax: (262) 338-7517 www.gehl.com



This brochure describes versions and configuration options for Gehl products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Gehl reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Gehl dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Gehl and may not be used without authorization. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU EQUIPMENT AMERICAS, LLC - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS West Bend