


VT275 - NEW

TRACK LOADERS



GEHL®

Kapazität		Metrisch
Rated Operating Capacity		1247.37 kg
Operating Capacity At 50% Tipping Load		1782.16 kg
Rated Operating Capacity with Optional Counterweight		1301.81 kg
Operating Weight		4559 kg
Eigengewicht		4145 kg
Gewicht und Abmessungen		
Operating Weight - Approximate		4559 kg
Overall Operating Height - Fully Raised	h27	4265 mm
Höhe bis Schaufeldrehpunkt – bei max. Hubhöhe	h28	3289 mm
Overall Height to top of ROPS	h17	2082 mm
Auskippwinkel bei voller Hubhöhe	a5	42 °
Dump height	h29	2502 mm
Overall length with bucket	l16	3810 mm
Dump reach - Full height	r6	879 mm
Rückrollwinkel bei voller Hubhöhe	a4	92 °
Seat to ground height	h30	1003 mm
Overall width less bucket	b1	1803 mm
Schaufelbreite	e1	1880 mm
Bodenfreiheit der Maschine	m4	229 mm
Overall length - Less Bucket	l2	3023 mm
Clearance Radius - Front with Bucket	b18	2362 mm
Wendekreis - vorne ohne Schaufel	b19	1486 mm
Clearance Circle - Rear	wa1	1753 mm
Leistung		
Travel Speed with Two-Speed Option - Maximum		13.50 km/h
Fahrgeschwindigkeit (unbeladen)		8.90 km/h
Motor		
Marke		Yanmar
Motor Modell		4TNV98CT-XNGL
Motornorm		Stage V, Tier 4
Gross Power		53.70 kW
Net Power		52.70 kW
Max. Drehmoment / Motordrehzahl		294 Nm / 1800 rpm
Antriebsart		Diesel
Anzahl der Zylinder		4
Kühlsystem des Motors		Wasser
Batterie		12 V
Alternator - Ampere		100 A
Starter		3 kW
Hydraulisch		
Zusatzhydraulik		98.40 l/min
Auxiliary Hydraulic Pressure		239.59 bar
High-Flow Auxiliary Hydraulics – Option		126 l/min
High-Flow Auxiliary Hydraulics Pressure – Option		229.25 bar
Tankkapazität		
Kapazität des Kraftstoffbehälters		143.80 l
Reservoir Capacity Hydraulics		22.70 l
Coolant system capacity		18 l



GEHL®

Siège Social
P.O. Box 179 - One Gehl Way - West Bend, WI, USA 53095
Tel: (262) 334-9461 - Fax: (262) 338-7517
www.gehl.com



This brochure describes versions and configuration options for Gehl products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Gehl reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Gehl dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Gehl and may not be used without authorization. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU EQUIPMENT AMERICAS, LLC - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS West Bend