

Technical sheet :

ME 320 FOB



 **MANITOU**
HANDLING YOUR WORLD

The image contains two technical drawings of a forklift, labeled 'Ast'.

Top View (Left): Shows the forklift from above. Dimensions include:

- b_1 / b_3 : Overall width of the mast.
- b_{10} : Width of the fork arms.
- h_{10} : Height of the fork arms.
- e : Distance between the fork arms.
- b_{11} : Width of the rear chassis.
- b_{13} : Width of the rear wheel assembly.
- W_a : Angle of the mast.
- 100 : Distance from the forklift to the corner of the aisle.

Side View (Right): Shows the forklift from the side. Dimensions include:

- h_4 : Total height of the mast.
- h_3 : Height of the mast at the top.
- h_1 : Height of the operator's seat.
- h_6 : Total height of the chassis.
- h_7 : Height of the rear wheel.
- h_{10} : Height of the rear wheel.
- h_2 : Height of the front wheel.
- s : Distance from the front wheel to the mast.
- x : Distance from the front wheel to the operator's seat.
- m_1 : Distance from the front wheel to the mast.
- m_2 : Distance from the front wheel to the rear wheel.
- y : Distance from the operator's seat to the rear wheel.
- l : Overall length of the forklift.
- l_1 : Distance from the front wheel to the rear wheel.
- l_2 : Distance from the operator's seat to the rear wheel.
- α and β : Angles of the mast.

[illegible]



Head Office

B.P. 249 - 430 rue de l'Aubinière

44150 Ancenis Cedex - France

Tel: +33 (0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97

www.manitou.com



This publication provides a description of the configuration versions and options for Manitou products, which may differ for equipment. The equipment presented in this brochure may be part of a series, as an option, or it may not be available, depending on the versions. Manitou reserves the right, at any time and without notice, to amend the specifications described and represented. The specifications provided do not bind the manufacturer. For more details, please contact your Manitou agent. This is not a contractually binding document. The presentation of the products is not contractually binding. List of specifications non-exhaustive. The logos as well as the visual identity of the company are owned by Manitou and cannot be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are only provided for consultation and information purposes.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS Nantes