

GCT 3-14

GCT





GEHL®

Capacità		Metrico
Portata massima		1250 kg
Altezza massima di sollevamento		4.30 m
Sbraccio massimo		2.62 m
Forza di strappo con benna		1880 daN
Peso e dimensioni		
Interasse	y	2.13 m
Altezza libera dal suolo	m4	0.29 m
Larghezza cabina	b4	0.66 m
Angolo di inclinazione verso l'alto	a4	23 °
Angolo di inclinazione in avanti	a5	116 °
Raggio di sterzata (esterno ruote)	Wa1	2.62 m
Peso		2750 kg
Performance		
Inclinazione verso l'alto		3.40 s
Inclinazione verso il basso		2.60 s
Motore		
Marca motore		Yanmar
Norma motore		Stage V / Tier 4 final
Modello motore		3TNV88C-DMU
Numero di cilindri / Cilindrata		3 - 1642 cm ³
Potenza nominale motore (cv) - Potenza		35.10 cv / 26.20 kW
Coppia massima / Regime motore		105 Nm @ 1950 rpm
Forza di trazione		2000 daN
Convalidato HVO (secondo la norma EN 15940)		Sì
Trasmissione		
Tipo di trasmissione		Idrostatico
Numero di marce (avanti / indietro)		2 / 2
Freno stazionamento		Freno di stazionamento negativo automatico
Freno di servizio		Servofreno idraulico
Idraulico		
Tipo di pompa		Pompa ad ingranaggi
Portata idraulica / Pressione idraulica		48 l/min - 235 bar
Capacità del serbatoio		
Olio idraulico		39 l
Capacità del serbatoio del carburante		35 l
Rumore e vibrazione		
Vibrazione sul gruppo complesso mani/braccia		< 2.50 m/s ²
Varie		
Sicurezza omologazione cabina		Cabina ROPS - FOPS Livello 1
Comandi		Joystick

GCT 3-14 - Diagramma di carico

Macchina su pneumatici con forche





GEHL®

Siège Social
P.O. Box 179 - One Gehl Way - West Bend, WI, USA 53095
Tel: (262) 334-9461 - Fax: (262) 338-7517
www.gehl.com



This brochure describes versions and configuration options for Gehl products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Gehl reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Gehl dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Gehl and may not be used without authorization. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU EQUIPMENT AMERICAS, LLC - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS West Bend