Fiche technique :

TMT 55 HT 4W

MANITOU
HANDLING YOUR WORLD

	Technical characteristics		Métrique
1.1	Manufacturer		Manitou
1.2	Model Name		TMT 55 HT 4W
1.2.1	Reach out equipment		Telescopic boom
1.3	Power source		Diesel
1.4	Operator type		Seated
1.5	Max. capacity	Q	2500 kg
	Weight		
2.1	Service weight		2883 kg
	Wheels		
3.2	Dimensions of front wheels		31 x 10 - 16,5"
3.3	Dimensions of rear wheels		31x15,5-15
3.5	Number of front wheels / rear wheels		2 / 1
3.5.2	Drive wheels (front / rear)		2 / 1
	Dimensions		
4.1.1	Mast/fork carriage tilt, backward		12 °
4.4	Max. lifting height	h3	3430 mm
4.5	Height telescopic boom extended	h4	3915 mm
4.21	Overall width	b1	2.57 m
4.22	Forks section / width / length	s / e / l	44 mm x 102 mm x 1219 mm
4.28	Max. outreach		1310 mm
4.35	Turning radius	Wa	2610 mm
	Performances		
5.1	Travel speed (laden)		11 km/h
5.10	Service brake		Hydrostatic
5.11	Transmission type		Hydrostatic
	Engine		
7.1	Engine brand / norm		Kubota - Tier 4 final
7.2	Engine power according to ISO 1585		37 kW
7.3	Rated speed		2700 rpm
7.4	Capacity of cylinders		2434 cm³
	Miscellaneous		
8.2	Working hydraulic pressure for attachments		245 bar
8.3	Oil flow rate for attachments		46 l/min

TMT 55 HT 4W - Schémas d'encombrement



TMT 55 HT 4W - Abaques

Machine on tyres with forks Metric



Machine on stabilisers with forks Metric



Siège Social
B.P. 249 - 430 rue de l'Aubinière
44150 Ancenis Cedex - France
Tel: +33 (0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97
www.manitou.com

Cette publication présente le descriptif des versions et possibilités de configuration des produits Manitou qui peuvent différer en équipement. Les équipements présentés dans cette brochure peuvent être de série, en option, ou non disponibles suivant les versions. Manitou se réserve le droit, à tout moment et sans préavis, de modifier les spécifications décrites et représentées. Les spécifications portées n'engagent pas le constructeur. Pour plus de détails, contactez votre concessionnaire Manitou. Document non contractuel. Présentation des produits non contractuelle. Liste des spécifications non exhaustive. Les logos ainsi que l'identité visuelle de l'entreprise sont la propriété de Manitou et ne peuvent être utilisés sans autorisation. Tous droits réservés. Les photos et schémas contenus dans la présente brochure ne sont fournis qu'à des fins de consultation et à titre indicatif.
Manitou BF SA - Société anonyme à conseil d'administration - Capital social : 39 668 399 euros - 857 802 508 RCS Nantes