Technical sheet:

MLT-X 737-130 PS+ (S2)






Q h3	Metric 3700 kg 6.90 m
	6.90 m
h3	
	2.00
	3.90 m
	1 m
	5520 daN
	7540 kg
m4	0.41 m
y	2.81 m
I11	4.97 m
	4.80 m
	1.21 m
h1	2.39 m
	0.95 m
	2.38 m
	134 °
	12 °
	3.93 m
vv d I	3.93 III Alliance - A580 - 460/70 R24 159A8
	AIIIdiice - A300 - 400//0 KZ4 139A8
	6 00 -
	6.80 s
	7.10 s
	5.80 s
	5.20 s
	3.20 s
	2.80 s
	Deutz
	Stage IIIA
	2000 ppm
	TCD 3,6 L4 f
	4 - 3621 cm³
	129 Hp / 95 kW
	500 Nm @1600 rpm
	7950 daN
	Standard
	4 radiators (water + intercooler + hydraulic oil + transmission oil)
	Yes
	Torque converter
	Powershift
	6/3
	40 km/h
	Limited slip differential on front axle
	Automatic negative parking brake
	Oil-immersed multi-discs braking on front & rear axles
	Variable displacement pump
	150 l/min - 270 bar
	Standard
	135
	120
	1201
	75 dB
	75 dB 106 dB
	< 2.50 m/s²
	< 2.50 m/s² Cabin ROPS - FOPS level 2
	у

Optional tires tab




MLT-X 737-130 PS+ (S2) - Dimensional drawing



MLT-X 737-130 PS+ (S2) - Load chart

Machine on tires with forks Metric







Head Office

B.P. 249 - 430 rue de l'Aubinière 44150 Ancenis Cedex - France Tel: +33 (0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97 www.manitou.com



This publication provides a description of the configuration versions and options for Manitou products, which may differ for equipment. The equipment presented in this brochure may be part of a series, as an option, or it may not be available, depending on the versions. Manitou reserves the right, at any time and without notice, to amend the specifications described and represented. The specifications provided do not bind the manufacturer. For more details, please contact your Manitou agent. This is not a contractually binding document. The presentation of the products is not contractually binding. List of specifications non-exhaustive. The logos as well as the visual identity of the company are owned by Manitou and cannot be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are only provided for consultation and information purposes.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS Nantes