

RS6-34 GEN:3

RS



GEHL®

| Capacities | | Metric |
|-------------------------------------|-----|--|
| Max. capacity | | 2721.55 kg |
| Max. lifting height | | 10.44 m |
| Max. outreach | | 7 m |
| Weight and dimensions | | |
| Overall length to carriage | l11 | 4.88 m |
| Length to face of forks | l2 | 4.90 m |
| Overall width | b1 | 2.40 m |
| Overall height | h17 | 2.36 m |
| Wheelbase | y | 2.80 m |
| Ground clearance | m4 | 350 mm |
| External turning radius | Wa3 | 3.80 m |
| Unladen weight | | 6850 kg |
| Overall weight | | 6855 kg |
| Standard tires | | 15 x 19.5 |
| Frame leveling longitudinal +/- | | 10 ° |
| Engine | | |
| Engine brand | | Deutz |
| Engine norm | | Stage IV / Tier 4 Final |
| Engine model | | TD 3.6 L4 |
| I.C. Engine power rating - Power | | 74 Hp / 55 kW |
| Max. torque / Engine rotation | | 330 Nm @ 2500 rpm |
| Transmission | | |
| Transmission type | | Torque converter with powershift gearbox |
| Number of gears (forward / reverse) | | 3 / 3 |
| Max. travel speed | | 29 km/h |
| Parking brake | | SAHR |
| Service brake | | Wet disc brakes |
| Axle Manufacturer | | Dana |
| Hydraulics | | |
| Hydraulic pump type | | Gear pump |
| Hydraulic flow / Pressure | | 110 l/min-207 bar |
| Tank capacities | | |
| Hydraulic oil | | 110 l |
| Fuel tank | | 110 l |
| Miscellaneous | | |
| Steering wheels (front / rear) | | 2 / 2 |
| Drive wheels (front / rear) | | 2 / 2 |
| Safety cab homologation | | ROPS/FOPS |
| Controls | | Single Joystick FNR |



Siège Social
P.O. Box 179 - One Gehl Way - West Bend, WI, USA 53095
Tel: (262) 334-9461 - Fax: (262) 338-7517
www.gehl.com



This brochure describes versions and configuration options for Gehl products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Gehl reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Gehl dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Gehl and may not be used without authorization. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU EQUIPMENT AMERICAS, LLC - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS West Bend