RS 5-19 GEN: 3


RS



	rs 5-19 GEN: 3 Created on May 6, 2024 at 12:10	J.55 PM U I
Capacities	Imperial	
Max. capacity	5500 lb	
Max. lifting height	19 ft 1 in	
Max. outreach	11 ft	
Weight and dimensions		
Length to face of forks	l2 12 ft 4 in	
Overall width	b1 5 ft 11 in	
Overall height	h17 6 ft 4 in	
Wheelbase	y 7 ft 6 in	
Ground clearance	m4 10 in	
Overall cab width	b4 28 in	
Tilt-up angle	a4 12 °	
Tilt-down angle	a5 100 °	
External turning radius	Wa3 11 ft	
Unladen weight (with forks)	9760 lb	
Overall weight	10000 lb	
Standard tires	12 x 16.5	
Performances	12 X 10.5	
Lifting	8 s	
Lowering	5 s	
Extension	7 s	
Retraction	6 s	
Engine		
Engine brand	Yanmar	
Engine norm	Tier 4 final	
Engine model	4TNV98C	
I.C. Engine power rating - Power	69 Hp / 50.10 kW	
Max. torque / Engine rotation	173 ft/lbs @ 1625 r	om
Transmission		
Transmission type	Hydrostatic	
Number of gears (forward / reverse)	2/2	
Max. travel speed	15 mph	
Parking brake	SAHR	
Service brake	Wet disc brakes	
Axle Manufacturer	Dana	
Hydraulics		
Hydraulic pump type	Gear pump	
Hydraulic flow / Pressure	22 US gpm-3350 P	SI
Tank capacities		
Engine oil	2 US gal	
Hydraulic oil	18 US gal	
Fuel tank	17 US gal	
Miscellaneous		
Steering wheels (front / rear)	2/2	
Drive wheels (front / rear)	2/2	
Safety cab homologation	ROPS/FOPS	
Controls	Single joystick with	FNR

## RS 5-19 Gen: 3 - Load chart

## Machine on tyres with forks Imperial







Siège Social P.O. Box 179 - One Gehl Way - West Bend, WI, USA 53095 Tel: (262) 334-9461 - Fax: (262) 338-7517 www.gehl.com



This brochure describes versions and configuration options for Gehl products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Gehl reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Gehl dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Gehl and may not be used without authorization. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU EQUIPMENT AMERICAS, LLC - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS West Bend