


R165

SKID LOADERS



GEHL®

Kapazität		Metrisch
Rated Operating Capacity		748.42 kg
Rated Operating Capacity with Optional Counterweight		816.50 kg
Eigengewicht		2796 kg
Gewicht und Abmessungen		
Overall Operating Height - Fully Raised	h27	3876 mm
Höhe bis Schaufeldrehpunkt – bei max. Hubhöhe	h28	3022.60 mm
Overall Height to top of ROPS	h17	1955.80 mm
Auskippwinkel bei voller Hubhöhe	a5	38 °
Dump height	h29	2379 mm
Overall length with bucket	l16	3101 mm
Dump reach - Full height	r6	579 mm
Einkippwinkel auf Standebene	a13	28 °
Seat to ground height	h30	904 mm
Radstand	y	986 mm
Overall width less bucket	b1	1580 mm
Schaufelbreite	e1	1562 mm
Bodenfreiheit der Maschine	m4	160 mm
Overall length - Less Bucket	l2	2385 mm
Überhangwinkel	a2	21 °
Clearance Radius - Front with Bucket	b18	1869 mm
Wendekreis - vorne ohne Schaufel	b19	1153 mm
Clearance Circle - Rear	wa1	1466 mm
Leistung		
Travel Speed with Two-Speed Option - Maximum		19.50 km/h
Fahrgeschwindigkeit (unbeladen)		12.60 km/h
Reifen		
Standard tires		10.00x16.5 HD
Motor		
Marke		Yanmar
Motor Modell		4TNV98C-NMS2V
Motornorm		GB4, Stage V
Gross Power		51.70 kW
Net Power		51 kW
Max. Drehmoment / Motordrehzahl		241 Nm / 1625 rpm
Antriebsart		Diesel
Nennleistung Verbrennungsmotor		69.30 Hp
Batterie		12 V
Starter		3 kW
Hydraulisch		
Zusatzhydraulik		77 l/min
High-Flow Auxiliary Hydraulics – Option		114 l/min
Tankkapazität		
Kapazität des Kraftstoffbehälters		62.50 l
Reservoir Capacity Hydraulics		39 l
Hubraum		3.30 l
Lärm und Vibrationen		
Umgebungsgeräusch (LwA)		101 dB
Ganzkörper Schwingungen (ISO 2631 - 1)		1.05 m/s²
Vibrationswert an Händen/Armen		< 1.53 m/s²



GEHL®

Siège Social
P.O. Box 179 - One Gehl Way - West Bend, WI, USA 53095
Tel: (262) 334-9461 - Fax: (262) 338-7517
www.gehl.com



This brochure describes versions and configuration options for Gehl products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Gehl reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Gehl dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Gehl and may not be used without authorization. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU EQUIPMENT AMERICAS, LLC - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS West Bend