Technical sheet :







## см 190 Created on June 19, 2025 at 12:15 AM UTC

| Drum volume   1901     Mixing capacity   1501     Performances   0     Power source   6     Technical characteristics   0     Base unit part number   0     Unladen weight   52737758     Tilting wheel diameter   76 kg     Engine   0     Engine brand   8 | Capacities                | Metric            |
|--|---------------------------|-------------------|
| Performances Casoline   Power source Gasoline   Technical characteristics 52737758   Base unit part number 52737758   Unladen weight 76 kg   Tilting wheel diameter 620 mm   Engine 620 mm   | Drum volume               | 190 l             |
| Power sourceGasolineTechnical characteristics52737758Base unit part number52737758Unladen weight76 kgTilting wheel diameter620 mmEngine520 mm  | Mixing capacity           | 150 I             |
| Technical characteristicsBase unit part number52737758Unladen weight76 kgTilting wheel diameter620 mmEngine620 mm  | Performances              |                   |
| Base unit part number52737758Unladen weight76 kgTilting wheel diameter620 mmEngine620 mm   | Power source              | Gasoline          |
| Unladen weight 76 kg   Tilting wheel diameter 620 mm   Engine 620 mm   | Technical characteristics |                   |
| Tilting wheel diameter 620 mm   Engine 620 mm  | Base unit part number     | 52737758          |
| Engine   | Unladen weight            | 76 kg             |
|  | Tilting wheel diameter    | 620 mm            |
| Engine brand Briggs & Stratton   | Engine                    |                   |
|  | Engine brand              | Briggs & Stratton |



Head Office B.P. 249 - 430 rue de l'Aubinière 44150 Ancenis Cedex - France Tel: +33 (0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97 www.manitou.com



This publication provides a description of the configuration versions and options for Manitou products, which may differ for equipment. The equipment presented in this brochure may be part of a series, as an option, or it may not be available, depending on the versions. Manitou reserves the right, at any time and without notice, to amend the specifications described and represented. The specifications provided do not bind the manufacturer. For more details, please contact your Manitou agent. This is not a contractually binding document. The presentation of the products is not contractually binding. List of specifications non-exhaustive. The logos as well as the visual identity of the company are owned by Manitou and cannot be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are only provided for consultation and information purposes.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS Nantes