Technical sheet:

MT-X 1033 MINING





	MT-X 1033 MINING Created on November 5, 2025 at 2:52 PM C
Capacities	Metric
Max. capacity	3300 kg
Max. lifting height	9.98 m
Maximum outreach	7.15 m
Breakout force with bucket	5330 daN
Weight and dimensions	
Overall length to carriage	l11 4.93 m
Length to face of forks	12 4.93 m
Overall width	b1 2.25 m
Overall height	h17 2.30 m
Wheelbase	y 2.69 m
Ground clearance	m4 0.44 m
Overall cab width	b4 0.89 m
Tilt-up angle	a4 12 °
Tilt-down angle	a5 114 °
External tuming radius (over tyres)	Wa1 3.66 m
Unladen weight (with forks)	7745 kg
Overall weight	7745 kg
Tires type	Pneumatic
Standard tires	Alliance 400/80 - 24 - 162A8
Forks length / width / section	I / e / s 1200 mm x 125 mm x 45 mm
Performances	17 6 7 3 1200 Hilli X 123 Hilli X 43 Hilli
Lifting	6.70 s
Lowering	5.40 s
Extension	13.60 s
Retraction	8.70 s
Crowd	2.70 s
Dump	2.70 s
Engine	2.50 5
Engine brand	Perkins
Engine model	1104D-44 TA
Number of cylinders / Capacity of cylinders	4 - 4400 cm ³
Engine power (Hp/kW)	101 Hp / 74.50 kW
Max. torque / Engine rotation	410 Nm @ 1400 rpm
Drawbar pull (Laden) Transmission	9100 daN
	Torris consists
Transmission type	Torque converter 4 / 4
Number of gears (forward / reverse)	4 / 4 27 km/h
Max. travel speed	27 km/h
Max. travel speed (may vary according to applicable regulations)	
Parking brake	Manual Citizen and authorized a contract of contract o
Service brake	Oil-immersed multi-discs on front & rear axles
Hydraulics	0
Hydraulic pump type	Gear pump
Hydraulic flow / Pressure	106 l/min-250 bar
Tank capacities	441
Engine oil	111
Hydraulic oil	128
Fuel	120
Noise and vibration	77.10
Noise at driving position (LpA)	76 dB
Noise to environment (LwA)	104 dB
Vibration on hands/arms	< 2.50 m/s²
Miscellaneous	
Steering wheels (front / rear)	2/2
Drive wheels (front / rear)	2/2
Safety / Cab certification	Standard EN 15000 / Cabin ROPS - FOPS level 2 JSM
Controls	

Options / Finishing


S: Standard / O: Optional / -: Not available

Identify function Identify function Identify for cabin (controls from cabin) Identify function (controls greating points (controls greating points (controls greating points greating put for functions (controls greating greating system (AGS) - Chassis + boom (controls greating greating system (AGS) - Chassis + boom (controls greating greatin	0
Internal control contr	- S S S
entralized greasing points xhaust fume purification system ydraulic hose sleeve burst protection letal cyclonic prefilter adiator safety cap econdary functions utomatic greasing system (AGS) - Chassis + boom ighting rake Lights ON When Park Brake ON lat Led Rotating Beacon ED Flashing Lights On Cabin (Marker Lights) ED tramming lights ED work lights - On the top of the boom (fixed part) (x2) ecurity Guardian Angel" System Level 1 udio warning on reverse movements (lynx noise) com cylinder lock mergency stop: 1 in cab, 2 on external ire extinguisher ire suppression system use board protection - MT's igh visibility reflective strips	S S
xhaust fume purification system ydraulic hose sleeve burst protection letal cyclonic prefilter adiator safety cap econdary functions utomatic greasing system (AGS) - Chassis + boom ighting rake Lights ON When Park Brake ON lat Led Rotating Beacon ED Flashing Lights On Cabin (Marker Lights) ED tramming lights ED working lights on cab (x4: 2 front + 2 rear) ED work lights - On the top of the boom (fixed part) (x2) ecurity Guardian Angel" System Level 1 udio waming on reverse movements (lynx noise) com cylinder lock mergency stop: 1 in cab, 2 on external ire extinguisher ire suppression system use board protection - MT's igh visibility reflective strips	S S
ydraulic hose sleeve burst protection letal cyclonic prefilter adiator safety cap econdary functions utomatic greasing system (AGS) - Chassis + boom lighting rake Lights ON When Park Brake ON lat Led Rotating Beacon ED Flashing Lights On Cabin (Marker Lights) ED tramming lights ED working lights on cab (x4 : 2 front + 2 rear) ED work lights - On the top of the boom (fixed part) (x2) ecurity Guardian Angel" System Level 1 udio waming on reverse movements (lynx noise) com cylinder lock mergency stop: 1 in cab, 2 on external ire extinguisher ire suppression system use board protection - MT's igh visibility reflective strips	S S
letal cyclonic prefilter adiator safety cap econdary functions utomatic greasing system (AGS) - Chassis + boom Ighting Take Lights ON When Park Brake ON lat Led Rotating Beacon ED Flashing Lights On Cabin (Marker Lights) ED tramming lights ED working lights on cab (x4 : 2 front + 2 rear) ED work lights - On the top of the boom (fixed part) (x2) ecurity Guardian Angel" System Level 1 udio waming on reverse movements (lynx noise) com cylinder lock mergency stop: 1 in cab, 2 on external ine extinguisher ine suppression system use board protection - MT's igh visibility reflective strips	S
adiator safety cap econdary functions utomatic greasing system (AGS) - Chassis + boom ighting make Lights ON When Park Brake ON lat Led Rotating Beacon ED Flashing Lights On Cabin (Marker Lights) ED tramming lights ED working lights on cab (x4 : 2 front + 2 rear) ED work lights - On the top of the boom (fixed part) (x2) ecurity Guardian Angel" System Level 1 udio waming on reverse movements (lynx noise) com cylinder lock mergency stop: 1 in cab, 2 on external ire extinguisher ire suppression system use board protection - MT's igh visibility reflective strips	
utomatic greasing system (AGS) - Chassis + boom Ighting rake Lights ON When Park Brake ON lat Led Rotating Beacon ED Flashing Lights On Cabin (Marker Lights) ED tramming lights ED working lights on cab (x4 : 2 front + 2 rear) ED work lights - On the top of the boom (fixed part) (x2) ecunity Guardian Angel" System Level 1 udio waming on reverse movements (lynx noise) oom cylinder lock mergency stop: 1 in cab, 2 on external ire extinguisher ire suppression system use board protection - MT's igh visibility reflective strips	S
utomatic greasing system (AGS) - Chassis + boom ighting take Lights ON When Park Brake ON lat Led Rotating Beacon ED Flashing Lights On Cabin (Marker Lights) ED tramming lights ED working lights on cab (x4 : 2 front + 2 rear) ED work lights - On the top of the boom (fixed part) (x2) accurity Guardian Angel" System Level 1 udio warning on reverse movements (lynx noise) com cylinder lock mergency stop: 1 in cab, 2 on external ine extinguisher ire suppression system use board protection - MT's igh visibility reflective strips	
Ighting Trake Lights ON When Park Brake ON Sat Led Rotating Beacon ED Flashing Lights On Cabin (Marker Lights) ED tramming lights ED working lights on cab (x4: 2 front + 2 rear) ED work lights - On the top of the boom (fixed part) (x2) accurity Guardian Angel" System Level 1 udio warning on reverse movements (lynx noise) com cylinder lock mergency stop: 1 in cab, 2 on external ine extinguisher ire suppression system use board protection - MT's igh visibility reflective strips	
rake Lights ON When Park Brake ON lat Led Rotating Beacon ED Flashing Lights On Cabin (Marker Lights) ED tramming lights ED working lights on cab (x4 : 2 front + 2 rear) ED work lights - On the top of the boom (fixed part) (x2) accurity Guardian Angel" System Level 1 udio warning on reverse movements (lynx noise) com cylinder lock mergency stop: 1 in cab, 2 on external ine extinguisher ire suppression system use board protection - MT's igh visibility reflective strips	0
at Led Rotating Beacon ED Flashing Lights On Cabin (Marker Lights) ED tramming lights ED working lights on cab (x4 : 2 front + 2 rear) ED work lights - On the top of the boom (fixed part) (x2) ecurity Guardian Angel" System Level 1 udio warning on reverse movements (lynx noise) com cylinder lock mergency stop: 1 in cab, 2 on external ine extinguisher ine suppression system use board protection - MT's igh visibility reflective strips	
ED Flashing Lights On Cabin (Marker Lights) ED tramming lights ED working lights on cab (x4 : 2 front + 2 rear) ED work lights - On the top of the boom (fixed part) (x2) ecurity Guardian Angel" System Level 1 udio warning on reverse movements (lynx noise) com cylinder lock mergency stop: 1 in cab, 2 on external ine extinguisher ine suppression system use board protection - MT's igh visibility reflective strips	S
ED tramming lights ED working lights on cab (x4: 2 front + 2 rear) ED work lights - On the top of the boom (fixed part) (x2) security Guardian Angel" System Level 1 udio warning on reverse movements (lynx noise) com cylinder lock mergency stop: 1 in cab, 2 on external ire extinguisher ire suppression system use board protection - MT's igh visibility reflective strips	S
ED working lights on cab (x4:2 front + 2 rear) ED work lights - On the top of the boom (fixed part) (x2) courity Guardian Angel" System Level 1 udio warning on reverse movements (lynx noise) com cylinder lock mergency stop: 1 in cab, 2 on external ire extinguisher ire suppression system use board protection - MT's igh visibility reflective strips	S
ED work lights - On the top of the boom (fixed part) (x2) countly Guardian Angel" System Level 1 udio warning on reverse movements (lynx noise) com cylinder lock mergency stop: 1 in cab, 2 on external ire extinguisher ire suppression system use board protection - MT's igh visibility reflective strips	S
Guardian Angel" System Level 1 udio warning on reverse movements (lynx noise) com cylinder lock mergency stop: 1 in cab, 2 on external ire extinguisher ire suppression system use board protection - MT's igh visibility reflective strips	S
Suardian Angel* System Level 1 udio warning on reverse movements (lynx noise) com cylinder lock mergency stop: 1 in cab, 2 on external ire extinguisher ire suppression system use board protection - MT's igh visibility reflective strips	S
udio waming on reverse movements (lynx noise) com cylinder lock mergency stop: 1 in cab, 2 on external ire extinguisher ire suppression system use board protection - MT's igh visibility reflective strips	
oom cylinder lock mergency stop: 1 in cab, 2 on external ire extinguisher ire suppression system use board protection - MT's igh visibility reflective strips	S
mergency stop: 1 in cab, 2 on external ire extinguisher ire suppression system use board protection - MT's igh visibility reflective strips	S
ire extinguisher ire suppression system use board protection - MT's igh visibility reflective strips	S
ire suppression system use board protection - MT's igh visibility reflective strips	S
use board protection - MT's igh visibility reflective strips	S
igh visibility reflective strips	0
	S
oose wheel nut indicators	S
ood meet nat maleaters	S
larking - Warning & Danger decals	S
lining protection grids: right, left and back windows	S
egative brakes on front & rear axles	S
ear and lateral camera with cab screen	S
/heel chocks	3
/indshield protection grid	S
ther options the roptions	


Standard	Comfort
0	-
-	0
S	
S	-
S	-
S	-
0	-
S	-
S	-
S	•
S	-
S	-
S	
S	-
S	
S	-
S	-
S	S
0	-
\$	-
S	
S	-
S	-
S	-
S	-
S	-
S	-
S	-
S	S

MT-X 1033 Mining - Load chart

Machine on tires with forks Metric





Machine on lowered stabilisers with forks Metric



Machine on tires with tire handler TH 33 (Metric)

Machine on lowered stabilisers with tyre handler TH 33 (Metric)





Mining Specifications

	MT-X 1033 Mining
Lifting function	
Clamp predisposition (controls from cabin)	0
Lighting	
Brake Lights ON When Park Brake ON	S
Flat Led Rotating Beacon	S
LED Flashing Lights On Cabin (Marker Lights)	S
LED tramming lights	S
LED work lights - On the top of the boom (fixed part) (x2)	S
LED working lights on cab (x4 : 2 front + 2 rear)	S
Motorization/Power	
Exhaust fume purification system	S
Hydraulic hose sleeve burst protection	S
Metal cyclonic prefilter	S
Radiator safety cap	S
Other options	
Battery + Starter Isolators + Jump Start Receptacle	S
Secondary functions	
Automatic greasing system (AGS) - Chassis + boom	0
Security	
"Guardian Angel" System Level 1	S
Audio warning on reverse movements (lynx noise)	S
Boom cylinder lock	S
Emergency stop: 1 in cab, 2 on external	S
Fire extinguisher	S
Fire suppression system	0
Fuse board protection - MT's	S
High visibility reflective strips	S
Loose wheel nut indicators	\$
Marking - Warning & Danger decals	S
Mining protection grids: right, left and back windows	S
Negative brakes on front & rear axles	S
Rear and lateral camera with cab screen	S
Wheel chocks	S
Windshield protection grid	S





Head Office

B.P. 249 - 430 rue de l'Aubinière 44150 Ancenis Cedex - France Tel: +33 (0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97 www.manitou.com



This publication provides a description of the configuration versions and options for Manitou products, which may differ for equipment. The equipment presented in this brochure may be part of a series, as an option, or it may not be available, depending on the versions. Manitou reserves the right, at any time and without notice, to amend the specifications described and represented. The specifications provided do not bind the manufacturer. For more details, please contact your Manitou agent. This is not a contractually binding document. The presentation of the products is not contractually binding. List of specifications non-exhaustive. The logos as well as the visual identity of the company are owned by Manitou and cannot be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are only provided for consultation and information purposes.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS Nantes